



**ExxonMobil Oil Corporation**

22777 Springwoods Village Parkway  
Spring, TX 77389

**Attention** : **Morgan Patrick**

**MOVEMENT** : Load  
**VESSEL** : **STI Black Hawk**  
**LOCATION** : ExxonMobil - Beaumont, TX  
**File N°** : PAR-77897  
**DATE** : 05/05/2021 - 05/10/2021  
**REFERENCE N°** : 5450483

**Contents**

Certificate of Quantity  
Voyage Analysis Report  
Shore Tank Quantity  
Vessel Quantity Report  
Timelog  
LOP/NAD

Dear Client,

Please find attached our Inspection Report No. PAR-77897 corresponding to the Load operation of the captioned vessel, at place and date(s) shown above. The complete report is composed of individual field reports, which we believe are self-explanatory.

We trust that this report supplies the proper input needed so that we comply with your requirements. Should there be any points that need further clarification, please do not hesitate to contact us.

Gauges, temperatures and volumes were obtained in accordance to the latest procedures in applicable API MPMS Chapters and Sections 3.x,4.x,5.x,7,8.x,10.x,11.x,12.x & 17.x

All Camin Cargo Control measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. seq. (Greenhouse Gas Mandatory Reporting Rule)

Yours Sincerely,

**Camin Cargo Control**

1550 Industrial Drive Nederland, TX 77627  
Phone: 409-729-3399  
Opsparthur@camincargo.com

[www.camincargo.com](http://www.camincargo.com)



## CERTIFICATE OF QUANTITY N° PAR-77897

**VESSEL** : STI Black Hawk  
**LOCATION** : ExxonMobil - Beaumont, TX  
**PRODUCT** : GASOLINA PREMIUM


**MOVEMENT** : Load  
**JOB COMPLETED** : 08-MAY-2021  
**REFERENCE N°** : 5450483

**BILL OF LADING**

	<b>GSV</b>	<b>NSV</b>
<b>Barrels @ 60 °F</b>	270,037.38	270,037.38
<b>Gallons @ 60 °F</b>	11,341,569.96	11,341,569.96
<b>Cubic Meters @ 60 °F</b>	42,932.504	42,932.504
<b>Liters @ 60 °F</b>	42,932,504.0	42,932,504.0
<b>Imperial Gallons @ 60 °F</b>	9,443,833.06	9,443,833.06
<b>Barrels @ 15 °C</b>	269,859.33	269,859.33
<b>Gallons @ 15 °C</b>	11,334,091.86	11,334,091.86
<b>Cubic Meters @ 15 °C</b>	42,904.196	42,904.196
<b>Liters @ 15 °C</b>	42,904,196.0	42,904,196.0
<b>Barrels @ 20 °C</b>	271,469.14	271,469.14
<b>Gallons @ 20 °C</b>	11,401,703.88	11,401,703.88
<b>Cubic Meters @ 20 °C</b>	43,160.135	43,160.135
<b>Liters @ 20 °C</b>	43,160,135.0	43,160,135.0
	<b>GSW</b>	<b>NSW</b>
<b>Long Tons - Air</b>	31,930.145	31,930.145
<b>Metric Tons - Air</b>	32,442.525	32,442.525
<b>Short Tons - Air</b>	35,761.762	35,761.762
<b>Kilograms - Air</b>	32,442,525.0	32,442,525.0
<b>Pounds - Air</b>	71,523,525.0	71,523,525.0
	<b>GSM</b>	<b>NSM</b>
<b>Long Tons - Vac</b>	31,976.031	31,976.031
<b>Metric Tons - Vac</b>	32,489.148	32,489.148
<b>Kilograms - Vac</b>	32,489,148.0	32,489,148.0
<b>API Gravity @ 60 °F</b>	55.3	
<b>Density @ 15 °C - Vac</b>	757.3	
<b>Density @ 15 °C - Air</b>	756.2	
<b>Density @ 20 °C - Air</b>	751.7	
<b>Density @ 20 °C - Vac</b>	752.8	
<b>Free Water Barrels</b>	Nil	
<b>S&amp;W %</b>	0.000	
<b>S&amp;W Barrels</b>	Nil	
<b>Bill of Lading Figures Based on :</b>	Meter Readings	
<b>Quality Based on :</b>	Vessel composite after Loading	
<b>Operation Completed :</b>	05/08/2021 18:12	
<b>Cargo Hoses Disconnected :</b>	05/08/2021 19:30	

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

1550 Industrial Drive  
Nederland, TX 77627  
Office Phone: 409-729-3399  
Email: Opsparthur@camincargo.com

  
Fernandez, Ricky



## VOYAGE ANALYSIS REPORT N° PAR-77897

<b>VESSEL</b>	: STI Black Hawk	<b>MOVEMENT</b>	: Load
<b>LOCATION</b>	: ExxonMobil - Beaumont, TX	<b>JOB COMPLETED</b>	: 08-MAY-2021
<b>PRODUCT</b>	: GASOLINA PREMIUM	<b>REFERENCE N°</b>	: 5450483

<b>LOAD</b>	<b>Port</b>	<b>VCF</b>	<b>Voyage#</b>	<b>Gauge Date</b>
	: ExxonMobil - Beaumont, TX	<b>6B</b>		<b>06-MAY-2021</b>

Barrels @ 60 °F	API @ 60 °F	TCV	FW	GSV	S&W	NSV	Reference
-----------------	-------------	-----	----	-----	-----	-----	-----------

## I. SHORE/SHORE COMPARISON-NOT AVAILABLE

1. Loading Quantity	55.3	270,037.38	0.00	270,037.38	0.00	270,037.38	
2. Outturn							
3. Difference							(2-1)
4. Difference %							(3/1*100)
<b>Adjusted TCV Difference</b>							(3-b+l)

## II. VESSEL/SHORE COMPARISON AT LOADPORT

a. After Loading	270,278.24	0.00	270,278.24	Liquid	Non-Liquid
b. OBQ	0.00	0.00	0.00		
c. Vessel Received	270,278.24	0.00	270,278.24		(a-b)
d. Difference	240.86	0.00	240.86		(c-1)
e. Difference %	0.09		0.09		(d/1*100)
f. Load Ratio	1.00089				(c/1)
g. VEF	1.0001				
h. Theoretical Shore	270,251.21				(c/g)
i. Theoretical Shore Diff.	213.83				(h-1)
j. Theoretical Shore Diff. %	0.08				(i/1*100)

## III. VESSEL/SHORE COMPARISON AT DISPORT-NOT AVAILABLE

k. Before Discharge		Liquid	Non-Liquid
l. ROB			
m. Vessel Delivered			(k-l)
n. Difference			(2-m)
o. Difference %			(n/2*100)
p. Discharge Ratio			(m/2)
q. VEF			
r. Theoretical Shore			(m/q)
s. Theoretical Shore Diff.			(2-r)
t. Theoretical Shore Diff. %			(s/2*100)

## IV. VESSEL IN TRANSIT COMPARISON-NOT AVAILABLE

u. In-Transit Diff.			(k-a)
v. In-Transit Diff. %		Liquid	Non-Liquid (u/a*100)
w. OBQ/ROB Difference			(b-l)

<b>Adjusted TCV Difference</b>	<b>S&amp;W at Loadport</b>	0.000 %	<b>S&amp;W at Disport</b>	---
--------------------------------	----------------------------	---------	---------------------------	-----

Calculated as per Chapter 17.5

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

1550 Industrial Drive  
 Nederland, TX 77627  
 Office Phone: 409-729-3399  
 Email: Opsparthur@camincargo.com

Fernandez, Ricky

**QUANTITY CERTIFICATE N° PAR- 77897**

Based on Shore Measurements

**VESSEL** : STI Black Hawk**LOCATION** : ExxonMobil - Beaumont, TX**PRODUCT** : GASOLINA PREMIUM**GRADE** : Resto del País -A1**MOVEMENT** : Load**JOB COMPLETED** : 08-MAY-2021**REFERENCE N°** : 5450483

	Reading	TOV	Meter	Temp.	API	VCF	Pressure	Pressure Corr.	Comp. Corr.	GSV	S&W	S&W Vol.	NSV
--	---------	-----	-------	-------	-----	-----	----------	----------------	-------------	-----	-----	----------	-----

Meter: FT-555A

Gauge Date Open: 10-May 00:00

Gauge Date Close: 10-May 00:00

	Ft-In (Inn.)	Bbls	Factor	°F	@ 60°F	6B		Factor	Factor	Bbls @ 60°F	%	@ 60°F	Bbls @ 60°F
O	0	274,261.00	1.0038	89.5	55.3 (T)	0.98047	47.90	1.000380	0.9846	270,037.38	---	---	270,037.38
C	274261												

Line: ---

Adjustment: ---

S=Submitted / C=Calculated / T=Tested by CCC / W=Tested by Terminal/Refinery &amp; Witnessed by CCC

Totals computed using appropriate tables corresponding to Delivered API.

**GASOLINA PREMIUM - TOTAL QUANTITIES - DELIVERED**

<b>TCV, Barrels @ 60 °F</b>	270,037.38	<b>S&amp;W</b>	---		
<b>Free Water Barrels</b>	0.00		---		
	<b>GSV</b>	<b>NSV</b>		<b>GSW</b>	<b>NSW</b>
<b>Barrels @ 60 °F</b>	270,037.38	270,037.38	<b>Long Tons - Air</b>	31,930.145	31,930.145
<b>Gallons @ 60 °F</b>	11,341,569.96	11,341,569.96	<b>Metric Tons - Air</b>	32,442.525	32,442.525
<b>Cubic Meters @ 60 °F</b>	42,932.504	42,932.504	<b>Short Tons - Air</b>	35,761.762	35,761.762
<b>Cubic Meters @ 15 °C</b>	42,904.196	42,904.196	<b>Kilograms - Air</b>	32,442,525.0	32,442,525.0
<b>Liters @ 60 °F</b>	42,932,504.0	42,932,504.0	<b>Pounds - Air</b>	71,523,525.0	71,523,525.0
<b>Liters @ 15 °C</b>	42,904,196.0	42,904,196.0			
<b>API Gravity @ 60 °F</b>	55.3				
<b>Lb/Gal @ 60 °F</b>	6.306316042				

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

1550 Industrial Drive  
 Nederland, TX 77627  
 Office Phone: 409-729-3399  
 Email: Opsparthur@camincargo.com

Fernandez, Ricky



## VESSEL QUANTITY REPORT N° PAR-77897

**VESSEL** : STI Black Hawk  
**LOCATION** : ExxonMobil - Beaumont, TX  
**PRODUCT** : GASOLINA PREMIUM

**MOVEMENT** : Load  
**JOB COMPLETED** : 08-MAY-2021  
**REFERENCE N°** : 5450483

Comp. No	Chart RH Meters	Phy GH Meters	Gauge Meters	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	18.510	18.520	0.000	Nil	NIL	Nil			
01S	18.511	18.520	0.000	Nil	NIL	Nil			
02P	18.532	18.520	0.000	Nil	NIL	Nil			
02S	18.537	18.530	0.000	Nil	NIL	Nil			
03P	18.535	18.535	0.000	Nil	NIL	Nil			
03S	18.535	18.525	0.000	Nil	NIL	Nil			
04P	18.535	18.520	0.000	Nil	NIL	Nil			
04S	18.533	18.530	0.000	Nil	NIL	Nil			
05P	18.534	18.530	0.000	Nil	NIL	Nil			
05S	18.530	18.531	0.000	Nil	NIL	Nil			
06P	18.532	18.525	0.000	Nil	NIL	Nil			
06S	18.505	18.520	0.000	Nil	NIL	Nil			
				Nil		Nil			

**Gauge Date**      **General Information**

06-MAY-2021

Sea Condition : Calm

SN=G14461

SN=G14461

Draft (m)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	6.1	6.1	9.25	9.25	3.15	0.00

**Note:**

No Trim Correction was applied.

VEF (divisor) of 1.0000 was applied to Vessel Received Quantities only

Vessel was gauged/sampled using a Closed/Restricted System

**VESSEL QUANTITIES****ARRIVAL**

TCV, Barrels @ 60 °F	0.00
Free Water Barrels	0.00
<b>GSV</b>	
Barrels @ 60 °F	0.00
Gallons @ 60 °F	0.00
Cubic Meters @ 60 °F	0.000
Cubic Meters @ 15 °C	0.000
Liters @ 60 °F	0.0
Liters @ 15 °C	0.0
API Gravity @ 60 °F	
Lb/Gal @ 60 °F	

Fernandez, Ricky



## VESSEL QUANTITY REPORT N° PAR-77897

**VESSEL** : STI Black Hawk  
**LOCATION** : ExxonMobil - Beaumont, TX  
**PRODUCT** : GASOLINA PREMIUM

**MOVEMENT** : Load  
**JOB COMPLETED** : 08-MAY-2021  
**REFERENCE N°** : 5450483

Comp. No	Chart RH Meters	Phy GH Meters	Gauge Meters	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls
01P	18.510	18.520	4.160	15,780.50		Nil	85.1	0.98339	15,518.39
01S	18.511	18.510	4.200	15,672.94		Nil	85.3	0.98326	15,410.57
02P	18.532	18.530	4.250	23,999.71		Nil	87.2	0.98200	23,567.72
02S	18.537	18.530	4.270	23,953.48		Nil	87.4	0.98187	23,519.20
03P	18.535	18.530	4.260	25,300.13		Nil	88.2	0.98133	24,827.78
03S	18.535	18.530	4.290	25,224.34		Nil	88.1	0.98140	24,755.17
04P	18.535	18.530	4.240	25,342.27		Nil	88.2	0.98133	24,869.13
04S	18.533	18.533	4.220	25,355.48		Nil	88.2	0.98133	24,882.09
05P	18.534	18.530	4.260	25,295.10		Nil	88.2	0.98133	24,822.84
05S	18.530	18.530	4.340	25,129.68		Nil	88.1	0.98140	24,662.27
06P	18.532	18.532	4.070	22,167.18		Nil	87.6	0.98173	21,762.19
06S	18.535	18.530	4.070	22,085.72		Nil	87.7	0.98167	21,680.89
				275,306.53		Nil	87.6		270,278.24

**Gauge Date**

06-MAY-2021

SN=G23732

SN=G23732

Draft (m)	Fwd (P)	Fwd (S)	Aft (P)	Aft (S)	Trim	List
Before	6.1	6.1	9.25	9.25	3.15	0.00
After	10.8	10.8	10.8	10.8	0.0	0.00

**Note:**

No Trim Correction was applied.

VEF (divisor) of 1.0000 was applied to Vessel Received Quantities only

Vessel was gauged/sampled using a Closed/Restricted System

VESSEL QUANTITIES	DEPARTURE	RECEIVED	S&W	---
TCV, Barrels @ 60 °F	270,278.24	270,278.24	---	---
Free Water Barrels	0.00	0.00	---	---
	GSV	GSV	NSV	GSW
Barrels @ 60 °F	270,278.24	270,278.24	270,278.24	31,958.625
Gallons @ 60 °F	11,351,686.08	11,351,686.08	11,351,686.08	32,471.462
Cubic Meters @ 60 °F	42,970.798	42,970.798	42,970.798	35,793.660
Cubic Meters @ 15 °C	42,942.464	42,942.464	42,942.464	32,471,462.0
Liters @ 60 °F	42,970,798.0	42,970,798.0	42,970,798.0	71,587,320.0
Liters @ 15 °C	42,942,464.0	42,942,464.0	42,942,464.0	
API Gravity @ 60 °F	55.3 (T)	55.3 (T)		
Lb/Gal @ 60 °F	6.306316042	6.306316042		

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

1550 Industrial Drive  
 Nederland, TX 77627  
 Office Phone: 409-729-3399  
 Email: Opsparthur@caminargo.com

Fernandez, Ricky

**TIME LOG REPORT N° PAR-77897**


**VESSEL** : STI Black Hawk  
**LOCATION** : ExxonMobil - Beaumont, TX  
**PRODUCT** : GASOLINA PREMIUM

**MOVEMENT** : Load  
**JOB COMPLETED** : 08-MAY-2021  
**REFERENCE N°** : 5450483

Date	Time	Description
05-MAY-2021	03:06	Notice of Readiness Tendered
	03:06	End of Sea Passage
	04:30	Vessel Anchored / NOR Re-Tendered
	09:00	Notice of Readiness Re-Tendered
06-MAY-2021	00:06	Anchor Aweigh
	00:30	Pilot on Board
	03:50	Inspector Notified @ Terminal
	06:30	First Line Ashore
	07:18	All Fast / NOR Re-Tendered
	07:24	Gangway Down
	07:54	Inspector on Board
	08:06	Preliminary Inspection Commenced
	08:30	Preliminary Inspection Completed
	08:31	Preliminary Calculations Commenced
	08:36	Preliminary Calculations Completed
	08:40	Delay - Awaiting terminal readiness
	14:36	Cargo Hose(s) Connected - 2x 8"
	15:00	Vapor Hose Connected - 1x 10"
	17:50	Key Meeting Held - 17:50 to 18:50
	18:50	Notice of Readiness Accepted
	18:55	Delay - Awaiting terminal readiness / Vapor issues
08-MAY-2021	20:36	Load Commenced
	23:55	2 Foot Sampling Completed
	15:20	Inspector Notified
	16:50	Inspector Arrived
	18:12	Load Completed
	18:54	Final Inspection Commenced
	19:30	Final Inspection Completed
	19:30	Hose(s) Disconnected
	19:45	Sampling Completed
	20:00	Final Calculations Completed
	20:50	Released

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

1550 Industrial Drive  
Nederland, TX 77627  
Office Phone: 409-729-3399  
Email: Opsparthur@camincargo.com

  
Fernandez, Ricky



## LETTER OF PROTEST ° PAR-77897

**VESSEL** : STI Black Hawk  
**LOCATION** : ExxonMobil - Beaumont, TX  
**PRODUCT** : GASOLINA PREMIUM

**MOVEMENT** : Load  
**JOB COMPLETED** : 08-MAY-2021

**TO** : Terminal

**REFERENCE** : Active Shore Tanks

**On Behalf of our Principals, we do hereby note the following Protest:**  
USE OF ACTIVE TANK DURING LOADING

We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

Camin Cargo Control





## LETTER OF PROTEST ° PAR-77897

**VESSEL** : STI Black Hawk  
**LOCATION** : ExxonMobil - Beaumont, TX  
**PRODUCT** : GASOLINA PREMIUM

**MOVEMENT** : Load  
**JOB COMPLETED** : 08-MAY-2021

**TO** : Terminal

**REFERENCE** : Shore to Vessel variance after Load

**On Behalf of our Principals, we do hereby note the following Protest:**

METER TO VESSEL VARIANCE AFTER LOAD

**We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.**

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

\_\_\_\_\_  
Camin Cargo Control

\_\_\_\_\_  
Fernandez, Ricky



## LETTER OF PROTEST ° PAR-77897

**VESSEL** : STI Black Hawk  
**LOCATION** : ExxonMobil - Beaumont, TX  
**PRODUCT** : GASOLINA PREMIUM

**MOVEMENT** : Load  
**JOB COMPLETED** : 08-MAY-2021

**TO** : Vessel

**REFERENCE** : Shore to Vessel variance after Load

**On Behalf of our Principals, we do hereby note the following Protest:**

1METER TO VESSEL VARIANCE AFTER LOAD

We hereby reserve the right of our Principals to refer to this matter at a later date and to take such action as may be deemed necessary.

**The signature below is for receipt only.**

Respectfully,

Signature:
Print Name:
Position:
Date/Time:

Camin Cargo Control