

Parcel Summary

Transport	Location	Activity	Grade	Quantity	ETA	Supply Contract Window	Inspector	Inspection Requirements
STOLT AGUILA (9391983)	DEER PARK, TX - VOPAK (United States)	Load	IPA BR VL	300,000 Kilograms	19 Apr 2021	20 Apr 2021 - 30 Apr 2021	Saybolt	Quality / Quantity / Time log
STOLT AGUILA (9391983)	DEER PARK, TX - VOPAK (United States)	Load	MEK BR VL	150,000 Kilograms	19 Apr 2021	20 Apr 2021 - 30 Apr 2021	Saybolt	Quality / Quantity / Time log
STOLT AGUILA (9391983)	BAYTOWN REFINERY, TX (United States)	Load	SOLV NAPHTHA M BT VL	900,000 Kilograms	19 Apr 2021	20 Apr 2021 - 30 Apr 2021	Intertek - Oil, Chemical and Agri	Quality / Quantity / Time log
STOLT AGUILA (9391983)	BAYTOWN REFINERY, TX (United States)	Load	SOLV NAPHTHA L BT VL	240,000 Kilograms	19 Apr 2021	20 Apr 2021 - 30 Apr 2021	Intertek - Oil, Chemical and Agri	Quality / Quantity / Time log
STOLT AGUILA (9391983)	BAYTOWN REFINERY, TX (United States)	Load	VAR SOL 1 BT VL	400,000 Kilograms	19 Apr 2021	20 Apr 2021 - 30 Apr 2021	Intertek - Oil, Chemical and Agri	Quality / Quantity / Time log

Region: Americas
Operator: MATEUS PRZYSIADA ZEM (mateus.m.przysiadazem@exxonmobil.com)
Phone:
Mobile:

Other Reference:
Business Group: CHEMICAL: AM FLUIDS
Desk:
Nomination Type: Marine

Documentary Instructions: n/a

LOAD: STOLT AGUILA (9391983) - DEER PARK, TX - VOPAK (UNITED STATES)

Inspector: Saybolt
Hub: Americas North and South (International Desk Houston)
Coordinator: Christopher Baiamonte (sayboltus.intdesk@corelab.com)
Local Office: Saybolt USA Deer Park, TX (Houston, Pasadena) (Saybolt.DeerParkOps@corelab.com)

Inspection Status: Accepted
Created On: 16 Apr 2021 by Mateus Przysiada Zem
Last Modified: 17 May 2021 by Tiffany BRown

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5380250-10
Grade: IPA BR VL
ETA: 19 Apr 2021
ETD:
Supply Contract Window Start: 20 Apr 2021
Supply Contract Window End: 30 Apr 2021
Total Nominated Quantity: 300,000 Kilograms
Transport / Voyage Number / Quantity / Tolerance: STOLT AGUILA (9391983) / 300,000 Kilograms +/- 2 pct
Contract Number:
Parcel Ref:
Destination:
Source Location:
Supplier:
Receiver:
Delivery Terms: DAP (Delivered at Place)
Mother Vessel:

Parcel Comments:

- All samples to be kept for 90 days only unless otherwise stated.
- Customer-specific agreements may require additional sampling/testing.
- Please consult AM Product Handling Manual for further details, if necessary.

Quality Inspection Instructions:

SET 1

Description: Dock line sample
Sample Location: Shore Line Grab Sample

Quality Test Comments:

Pumps/Manifold/Discharge Line

RO = Report Only Req. = Required

Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Appearance	[OTHER] Visual				CFSM	No	Yes	
SG@20/20 C	[ASTM] ASTM D4052	0.7862	0.7870	n/a		No	Yes	
COLOR, PT-CO	[ASTM] ASTM D1209		5			No	Yes	
Water content	[ASTM] ASTM D1364		0.1	wt%		No	Yes	
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	No lab testing needed - for retain purposes only

SET 2

Description: Ship manifold sample
Sample Location: Vessel's Manifold at Start of Load

RO = Report Only Req. = Required

Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	No lab testing needed - for retain purposes only

SET 3

Description: Ship first foot sample

Sample Location: Vessel First Foot

Quality Test Comments:

1-foot

RO = Report Only Req. = Required

Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Appearance	[OTHER] Visual				CFSM	No	Yes	
SG@20/20 C	[ASTM] ASTM D4052	0.7862	0.7870	n/a		No	Yes	
COLOR, PT-CO	[ASTM] ASTM D1209, [ASTM] ASTM D5386		5			No	Yes	
Water content	[ASTM] ASTM D1364		0.1	wt%		No	Yes	
Odor	[ASTM] ASTM D1296			Marketable	Characteristic	No	Yes	
Distillation Range	[ASTM] ASTM D1078		1.0	°C	Including 82.3C	No	Yes	
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	No lab testing needed - for retain purposes only

SET 4

Description: Vessel final composite

Sample Location: Vessel/Barge Composite

Quality Test Comments:

Composite of Barge Compartments - Test individual Barge compartments separately ONLY if the Barge composite fails or results are outside reproducibility of COA

RO = Report Only Req. = Required

Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Appearance	[OTHER] Visual				CFSM	No	Yes	
ACIDITY (ACETIC ACID)	[ASTM] ASTM D1613		0.001	wt%		No	Yes	
SG@20/20 C	[ASTM] ASTM D4052	0.7862	0.7870	n/a		No	Yes	
SPECIFIC GRAVITY @ 25/25 C	[ASTM] ASTM D4052	0.7830	0.7840	n/a		No	Yes	
COLOR, PT-CO	[ASTM] ASTM D1209, [ASTM] ASTM D5386		5			No	Yes	
Water content	[ASTM] ASTM D1364		0.1	wt%		No	Yes	
WATER MISCIBILITY	[ASTM] ASTM D1722			n/a	clear/ miscible	No	Yes	
NON VOLATILE MATTER, per 100ml	[ASTM] ASTM D1353		0.001	mg		No	Yes	
Purity by GC	[OTHER] GC	99.9		%wt		No	Yes	
Acidity, ML 0.020 N NAOH to Neutralize	[OTHER] USP		0.7	ml		No	Yes	

									RO = Report Only	Req. = Required
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment		
IDENTIFICATION BY IR	[OTHER] IR			n/a	pass	No	Yes			
Additional Tests										
Retain sample -90 days	[OTHER] n/a					No	No	No lab testing needed - for retain purposes only		

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
0102 ExxonMobil Chemical Company - U.S. (Div ExxonMobil Chemical Co) (Legal Entity: 0102 EM Chemical America (0102))	Quantity only	100%	
	Slate: CHEM-AM-FLU-Lab Sheet IPA Line	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	
	Slate: CHEM-AM-FLU-Lab Sheet IPA 1-foot	100%	
	Test: Retain sample -90 days	100%	
	Slate: CHEM-AM-FLU-Lab Sheet IPA Composite Full	100%	
	Test: Retain sample -90 days	100%	

LOAD: STOLT AGUILA (9391983) - DEER PARK, TX - VOPAK (UNITED STATES)

Inspector: Saybolt	Inspection Status: Accepted
Hub: Americas North and South (International Desk Houston)	Created On: 16 Apr 2021 by Mateus Przysiada Zem
Coordinator: Christopher Baiamonte (sayboltus.intdesk@corelab.com)	Last Modified: 17 May 2021 by Tiffany BROWN
Local Office: Saybolt USA Deer Park, TX (Houston, Pasadena) (Saybolt.DeerParkOps@corelab.com)	

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5380105-10	Contract Number:
Grade: MEK BR VL	Parcel Ref:
ETA: 19 Apr 2021	Destination:
ETD:	Source Location:
Supply Contract Window Start: 20 Apr 2021	Supplier:
Supply Contract Window End: 30 Apr 2021	Receiver:
Total Nominated Quantity: 150,000 Kilograms	Delivery Terms: DAP (Delivered at Place)
Transport / Voyage Number / Quantity / Tolerance: STOLT AGUILA (9391983) / 150,000 Kilograms +/- 2 pct	Mother Vessel:

Parcel Comments:

- All samples to be kept for 90 days only unless otherwise stated.
- Customer-specific agreements may require additional sampling/testing.
- Please consult AM Product Handling Manual for further details, if necessary.

Quality Inspection Instructions:

SET 1

Description: Dock line sample

Sample Location: Shore Line Grab Sample

Quality Test Comments:

- Take two samples. Test one sample as per Navarik slate, and retain the other sample at Inspector's facility.
- Pumps/Manifold/Discharge line

Aromatics Content is only required to be performed at labs equipped to run AMS 140.31. Otherwise data is to be pulled from inbound COA

1-foot

Pumps/Manifold/Discharge Line

Pumps/Manifold/Discharge Line

Test	Methods	Min	Max	UOM	Typical	RO = Report Only	Req. = Required	Comment
						R.O.	Req.	
Appearance	[OTHER] Visual				CFSM	No	Yes	
SPECIFIC GRAVITY @ 20/20° C	[ASTM] ASTM D4052, [OTHER] BRCP 4843	0.805	0.807	n/a		No	Yes	
Color, Pt CO	[ASTM] ASTM D1209, [ASTM] ASTM D5386, [OTHER] BRCP 4270		10	Pt/Co scale		No	Yes	
Water	[OTHER] BRCP 5281, [ASTM] ASTM D1364, [ASTM] ASTM E203		0.05	wt%		No	Yes	
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 2

Description: Ship manifold sample

Sample Location: Vessel's Manifold at Start of Load

Quality Test Comments:

Take one sample, perform a field visual for passing result, seal it and retain for 90 days. Inform docks if sample has unusual appearance.

RO = Report Only							Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 3

Description: Ship first foot sample

Sample Location: Vessel First Foot

Quality Test Comments:

- Take two samples. Test one sample as per Navarik slate, and retain the other sample at Inspector's facility.

Pumps/Manifold/Discharge line

Aromatics Content is only required to be performed at labs equipped to run AMS 140.31. Otherwise data is to be pulled from inbound COA

1-foot

Barge 1-foot

Test	Methods	Min	Max	UOM	Typical	RO = Report Only	Req. = Required	Comment
						R.O.	Req.	
Appearance	[OTHER] Visual				CFSM	No	Yes	
SPECIFIC GRAVITY @ 20/20° C	[ASTM] ASTM D4052, [OTHER] BRCP 4843	0.805	0.807	n/a		No	Yes	

RO = Report Only						Req. = Required		
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Color, Pt CO	[ASTM] ASTM D1209, [ASTM] ASTM D5386, [OTHER] BRCP 4270		10	Pt/Co scale		No	Yes	
Water	[ASTM] ASTM D1364, [ASTM] ASTM E203, [OTHER] BRCP 5281		0.05	wt%		No	Yes	
Odor	[ASTM] ASTM D1296			Acceptable	Characteristic	No	Yes	
Distillation-IBP	[ASTM] ASTM D1078	78.5		°C		No	Yes	
Distillation-DP	[ASTM] ASTM D1078		81.0	C		No	Yes	
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 4

Description: Vessel final composite

Sample Location: Vessel/Barge Composite

Quality Test Comments:

- Take two samples. Test one sample as per slate, and retain the other sample at Inspector's facility. Composite of Barge Compartments - Test individual Barge compartments separately ONLY if the Barge composite fails or results are outside reproducibility of COA

All Report tests must be performed

Aromatics Content is only required to be performed at labs equipped to run AMS 140.31. Otherwise data is to be pulled from inbound COA

Composite of Barge Compartments - Test individual Barge compartments separately ONLY if the Barge composite fails or results are outside reproducibility of COA

Composite of Barge Compartments - Test individual barge compartments separately ONLY in the barge composite fails or results are outside reproducibility of COA

RO = Report Only						Req. = Required			
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment	
Appearance	[OTHER] Visual				CFSM	No	Yes		
ACIDITY AS ACETIC ACID	[ASTM] ASTM D1613, [OTHER] BRCP 4511		0.003	wt%		No	Yes		
SPECIFIC GRAVITY @ 20/20° C	[OTHER] BRCP 4843, [ASTM] ASTM D4052	0.805	0.807	n/a		No	Yes		
DENSITY, 20° C	[ASTM] ASTM D4052, [OTHER] Calculated	0.8035	0.8055	g/ml		No	Yes		
Color, Pt CO	[ASTM] ASTM D1209, [ASTM] ASTM D5386, [OTHER] BRCP 4270		10	Pt/Co scale		No	Yes		
Water	[OTHER] BRCP 5281, [ASTM] ASTM D1364, [ASTM] ASTM E203		0.05	wt%		No	Yes		
Distillation-IBP	[ASTM] ASTM D1078, [OTHER] BRCP 4330	78.5		°C		No	Yes		
Distillation-DP	[ASTM] ASTM D1078, [OTHER] BRCP 4330		81.0	°C		No	Yes		
NON VOLATILE MATTER	[OTHER] BRCP 4535, [ASTM] ASTM D1353		0.005	g/ 100ml		No	Yes		
Purity by GC	[ASTM] ASTM D2804, [OTHER] GC, [OTHER] BRCP 4843	99.5		wt%		No	Yes		
Additional Tests									
Retain sample -90 days	[OTHER] n/a					No	No		

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
0102 ExxonMobil Chemical Company - U.S. (Div ExxonMobil Chemical Co) (Legal Entity: 0102 EM Chemical America (0102))	Quantity only	100%	
	Slate: CHEM-AM-FLU-Lab Sheet MEK Barge Line	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	
	Slate: CHEM-AM-FLU-Lab Sheet MEK Barge 1-foot	100%	
	Test: Retain sample -90 days	100%	
	Slate: CHEM-AM-FLU-Lab Sheet MEK Barge Composite	100%	
	Test: Retain sample -90 days	100%	

LOAD: STOLT AGUILA (9391983) - BAYTOWN REFINERY, TX (UNITED STATES)

Inspector: Intertek - Oil, Chemical and Agri
Hub: ICB North America - ExxonMobil
Coordinator: Timothy Fish (timo-
thy.fish@intertek.com)
Local Office: ICB US Baytown
(amer.exxonops@intertek.com)

Inspection Status: Accepted
Created On: 16 Apr 2021 by Mateus Przysiada Zem
Last Modified: 17 May 2021 by Tiffany BRown

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5380291-10
Grade: SOLV NAPHTHA M BT VL
ETA: 19 Apr 2021
ETD:
Supply Contract Window Start: 20 Apr 2021
Supply Contract Window End: 30 Apr 2021
Total Nominated Quantity: 900,000 Kilograms
Transport / Voyage Number / Quantity / Tolerance: STOLT AGUILA (9391983) / 900,000 Kilograms +/- 2 pct

Contract Number:
Parcel Ref:
Destination:
Source Location:
Supplier:
Receiver:
Delivery Terms: DAP (Delivered at Place)
Mother Vessel:

Parcel Comments:

- All samples to be kept for 90 days only unless otherwise stated.
- Customer-specific agreements may require additional sampling/testing.

Quality Inspection Instructions:

SET 1

Description: Dock line sample
Sample Location: Shore Line Grab Sample

Quality Test Comments:

- Take 1 sample set as per docks instructions and send to site lab for testing.
- Take 1 single sample, seal it, and send to inspector's lab for retention.

						RO = Report Only	Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 2

Description: Ship manifold sample
Sample Location: Vessel's Manifold at Start of Load

Quality Test Comments:

Send sample to inspector's lab for retention. Notify dock operators in the event the sample is not clear and bright and/or has particulates

						RO = Report Only	Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 3

Description: Ship first foot sample

Sample Location: Vessel First Foot

Quality Test Comments:

- Take 1 sample set as per docks procedure and send to site lab for testing.
- Take 1 single sample, seal it, and send to inspector's lab for retention.

						RO = Report Only	Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 4

Description: Ship final composite

Sample Location: Vessel/Barge Composite

Quality Test Comments:

- Take 1 sample set as per docks instructions and send to site lab for testing.
- Take 1 single sample, seal it, and send to inspector's lab for retention.

						RO = Report Only	Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
0102 ExxonMobil Chemical Company - U.S. (Div ExxonMobil Chemical Co) (Legal Entity: 0102 EM Chemical America (0102))	Quantity only	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	

LOAD: STOLT AGUILA (9391983) - BAYTOWN REFINERY, TX (UNITED STATES)

Inspector: Intertek - Oil, Chemical and Agri
Hub: ICB North America - ExxonMobil

Inspection Status: Accepted
Created On: 16 Apr 2021 by Mateus Przysiada Zem
Last Modified: 17 May 2021 by Tiffany BRown

Coordinator: Timothy Fish (timo-fish.fish@intertek.com)
Local Office: ICB US Baytown (amer.exxonops@intertek.com)

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5380008-10
Grade: SOLV NAPHTHA L BT VL
ETA: 19 Apr 2021
ETD:
Supply Contract Window Start: 20 Apr 2021

Contract Number:
Parcel Ref:
Destination:
Source Location:

TRIP: USEVESSCHE-2104-113

21E569356 VER 1 (ISSUED)

Supply Contract Window End: 30 Apr 2021
Total Nominated Quantity: 240,000 Kilograms
Transport / Voyage Number / Quantity / Tolerance: STOLT AGUILA (9391983) / 240,000 Kilograms +/- 2 pct
Supplier:
Receiver:
Delivery Terms: DAP (Delivered at Place)
Mother Vessel:

Parcel Comments:

- All samples to be kept for 90 days only unless otherwise stated.
- Customer-specific agreements may require additional sampling/testing.

Quality Inspection Instructions:

SET 1

Description: Dock line sample

Sample Location: Shore Line Grab Sample

Quality Test Comments:

- Take 1 sample set as per docks instructions and send to site lab for testing.
- Take 1 single sample, seal it, and send to inspector's lab for retention.

							RO = Report Only	Req. = Required
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 2

Description: Ship manifold sample

Sample Location: Vessel's Manifold at Start of Load

Quality Test Comments:

Send sample to inspector's lab for retention. Notify dock operators in the event the sample is not clear and bright and/or has particulates

							RO = Report Only	Req. = Required
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 3

Description: Ship first foot sample

Sample Location: Vessel First Foot

Quality Test Comments:

- Take 1 sample set as per docks procedure and send to site lab for testing.
- Take 1 single sample, seal it, and send to inspector's lab for retention.

RO = Report Only							Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 4

Description: Ship final composite

Sample Location: Vessel/Barge Composite

Quality Test Comments:

- Take 1 sample set as per docks instructions and send to site lab for testing.
- Take 1 single sample, seal it, and send to inspector's lab for retention.

						RO = Report Only	Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
0102 ExxonMobil Chemical Company - U.S. (Div ExxonMobil Chemical Co) (Legal Entity: 0102 EM Chemical America (0102))	Quantity only	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	

LOAD: STOLT AGUILA (9391983) - BAYTOWN REFINERY, TX (UNITED STATES)

Inspector: Intertek - Oil, Chemical and Agri
Hub: ICB North America - ExxonMobil

Inspection Status: Accepted
Created On: 16 Apr 2021 by Mateus Przysiada Zem
Last Modified: 17 May 2021 by Tiffany BRown

Coordinator: Timothy Fish (timo-
thy.fish@intertek.com)

Local Office: ICB US Baytown
(amer.exxonops@intertek.com)

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5379425-10

Grade: VARSOL 1 BT VL

ETA: 19 Apr 2021

ETD:

Supply Contract Window Start: 20 Apr 2021

Supply Contract Window End: 30 Apr 2021

Total Nominated Quantity: 400,000 Kilograms

Transport / Voyage Number / Quantity / Tolerance: STOLT AGUILA (9391983) / 400,000 Kilograms +/- 2 pct

Contract Number:

Parcel Ref:

Destination:

Source Location:

Supplier:

Receiver:

Delivery Terms: DAP (Delivered at Place)

Mother Vessel:

Parcel Comments:

- All samples to be kept for 90 days only unless otherwise stated.
- Customer-specific agreements may require additional sampling/testing.

Quality Inspection Instructions:

SET 1

Description: Dock line sample

Sample Location: Shore Line Grab Sample

Quality Test Comments:

- Take 1 sample set as per docks instructions and send to site lab for testing.
- Take 1 single sample, seal it, and send to inspector's lab for retention.

						RO = Report Only	Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 2

Description: Ship manifold sample

Sample Location: Vessel's Manifold at Start of Load

Quality Test Comments:

Send sample to inspector's lab for retention. Notify dock operators in the event the sample is not clear and bright and/or has particulates

						RO = Report Only	Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 3

Description: Ship first foot sample

Sample Location: Vessel First Foot

Quality Test Comments:

- Take 1 sample set as per docks procedure and send to site lab for testing.
- Take 1 single sample, seal it, and send to inspector's lab for retention.

						RO = Report Only	Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

SET 4

Description: Ship final composite

Sample Location: Vessel/Barge Composite

Quality Test Comments:

- Take 1 sample set as per docks instructions and send to site lab for testing.
- Take 1 single sample, seal it, and send to inspector's lab for retention.

						RO = Report Only	Req. = Required	
Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
Retain sample -90 days	[OTHER] n/a					No	No	

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
0102 ExxonMobil Chemical Company - U.S. (Div ExxonMobil Chemical Co) (Legal Entity: 0102 EM Chemical America (0102))	Quantity only	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	
	Test: Retain sample -90 days	100%	

Recipient List:

Sayboltus.Intdesk@corelab.com; Saybolt.DeerParkOps@corelab.com; sayboltus.intdesk@corelab.com; globalops@Intertek.com; amer.exxonops@intertek.com; timothy.fish@intertek.com