



TRIP: USEBARGINT-2012-074

20E552661 VER 1 (ISSUED)

Region: Americas
Operator: TIMOTHY BERRY (timothy.a.berry1@exxonmobil.com)
Phone:
Mobile:

Other Reference:
Business Group: S/R INLAND BARGING
Desk: Feedstocks
Nomination Type: Marine

Documentary Instructions: INVOICES, FINAL COPY OF FULL REPORT AND A COPY OF THE NOMINATION ARE TO BE SENT TO THE FOLLOWING DISTRIBUTION:

intl-insp-invoices@exxonmobil.com
mats.mto@exxonmobil.com

LOAD: WEB264 (VS00048850) / WEB267 (VS00047378) - SUNSHINE, LA - LBC FEEDSTOCK, TP (UNITED STATES)

Inspector: COASTAL GULF
Hub: Coastal Gulf - Baton Rouge

Inspection Status: Accepted
Created On: 21 Dec 2020 by Timothy Berry
Last Modified: 21 Dec 2020 by Jon Herrington

Coordinator: Baton Rouge Dispatch (brdispatch@coastalgulf.com)

Local Office:

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5196493-10

Grade: VGO SOUR

ETA: 21 Dec 2020

ETD:

Supply Contract Window Start: n/a

Supply Contract Window End: n/a

Total Nominated Quantity: 16,600 Barrels

Transport / Voyage Number / Quantity / Tolerance: WEB264 (VS00048850) / 8,300 Barrels
WEB267 (VS00047378) / 8,300 Barrels

Contract Number:

Parcel Ref:

Destination:

Source Location:

Supplier:

Receiver:

Delivery Terms:

Mother Vessel:

Email Quantity Results To:

mats.mto@exxonmobil.com
ds-srm-inspection-reports-mailbox@exxonmobil.com
ffx_oilloss@exxonmobil.com
gmto-vins-products-other@exxonmobil.com
marine.backup@exxonmobil.com
intl-insp-invoices@exxonmobil.com
timothy.a.berry1@exxonmobil.com
intl-insp-invoices@exxonmobil.com
nathan.t.mcguire@exxonmobil.com

Email Quality Results To:

mats.mto@exxonmobil.com
ds-srm-inspection-reports-mailbox@exxonmobil.com
ffx_oilloss@exxonmobil.com
gmto-vins-products-other@exxonmobil.com
marine.backup@exxonmobil.com
intl-insp-invoices@exxonmobil.com
Matt.Fowler@genlp.com
louis.b.faulkner@exxonmobil.com
timothy.a.berry1@exxonmobil.com
sarah.s.munday@exxonmobil.com

Load / Discharge Instructions:

DIRECTIONS FOR INSPECTORS:

*** BE AWARE. PRODUCT HAS THE POTENTIAL TO CONTAIN LARGE AMOUNTS OF H2S ***

*** UNLESS VOLUME IS SPECIFIED, ALWAYS LOAD TO MAX SAFE DRAFT ***

Activities provided by the Inspection Company under this nomination shall be performed in accordance with the ExxonMobil Global Inspection Contract (GIC), effective July 2019 to June 2026." Please ensure all quality testing is completed at ExxonMobil Approved lab unless specified not to.

Barges are cleared to load on top for <500bbl liquid OBQ or any amount of VGO, HCGO, LUBE EX or LSSR

priors.

Include the ExxonMobil reference number on all reports and send in ExxonMobil Excel format.

Terminals and inspectors to confirm cargo orders and to verify that nominated equipment, cargo and terminal match the towing company's orders and are correct for the intended transfer. In the event of ANY discrepancies, please contact Timothy Berry. No transfers shall begin until all discrepancies have been cleared via issuing of new orders.

Report results in Excel format

D2887 is an accepted alternate method in addition to the Vacuum Distillation D1160

Quality Inspection Instructions:

SET 1

Description:

Sample Location: Vessel/Barge Composite

Quality Test Comments:

For H2S in liquid and vapor, please record each barge separately on the COA.

Test	Methods	Min	Max	UOM	Typical	RO = Report Only		Req. = Required	
						R.O.	Req.	Comment	
Aniline Point	[ASTM] ASTM D611			°F		No	Yes		
API Gravity at 60°F	[ASTM] ASTM D4052			API@60°F		No	Yes		
Carbon Residue	[ASTM] ASTM D4530		1.5	%m/m		No	Yes		
Copper	[ASTM] ASTM D5863B			ppm		No	Yes		
Flash Point (PMCC)	[ASTM] ASTM D93 Procedure B	165		°F		No	Yes		
Iron	[ASTM] ASTM D5863B			ppm		No	Yes		
Nickel	[ASTM] ASTM D5863B			ppm		No	Yes		
Pour Point	[ASTM] ASTM D97			°C		No	Yes		
Sodium	[ASTM] ASTM D5863B			mg/kg		No	Yes		
Sulfur	[ASTM] ASTM D4294			%wt		No	Yes		
Total Nitrogen	[ASTM] ASTM D5762			ppm		No	Yes		
Vanadium	[ASTM] ASTM D5863B			mg/kg		No	Yes		
H2S in Vapor	[ASTM] ASTM D5705			ppm v/v		No	Yes		
Total Acid Number (TAN)	[ASTM] ASTM D664			mg KOH/g		No	Yes		
Water	[ASTM] ASTM D4377		0.5	%wt		No	Yes		
Calcium + Magnesium	[ASTM] ASTM D5863B			mg/kg		No	Yes		
Total Chlorides	[ASTM] ASTM D7536			mg/kg		No	Yes		
Simulated Distillation	[ASTM] ASTM D2887					No	Yes		
Chlorides, Organic	[ASTM] ASTM D7536			µg/g		No	Yes		
Bromine Overhead Fraction @ 360°F	[ASTM] ASTM D1159			g/kg		No	Yes		

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
3862 - ExxonMobil Oil Corporation (Legal Entity: ExxonMobil Oil Corp. (EMOC) - Mktg & Ref U.S. Gen Ledger (3862))	Quantity only	100%	
3862 ExxonMobil Oil Corporation - B&S (Legal Entity: 3862 EM OIL CORP - MKTG & REF U.S. GL (B&S) (3862))	Slate: TAB Baton Rouge VGO	100%	

Recipient List:

batonrouge@coastalgulf.com; brdispatch@coastalgulf.com

ds-srm-inspection-reports-mailbox@exxonmobil.com

mats.mto@exxonmobil.com



TRIP: USEBARGINT-2012-074

20E552661 VER 1 (ISSUED)

delores.l.lewis@exxonmobil.com
timothy.a.berry1@exxonmobil.com
nathan.t.mcguire@exxonmobil.com
louis.b.faulkner@exxonmobil.com

REPORT GENERATED 21 DEC 2020