

TRIP: USEBARGINT-2106-007

21E577107 VER 2 (ISSUED)

Region: Americas
Operator: ALLISON HELLWIG (allison.l.hellwig@exxonmobil.com)
Phone: 346-268-8947
Mobile:

Other Reference:
Business Group: S/R INLAND BARGING
Desk: Feedstocks
Nomination Type: Marine

Revision Comment: adding testing

Documentary Instructions: n/a

LOAD: GM1006 (VS00052668) / GM1019 (VS00056406) - BATON ROUGE REFINERY, LA (UNITED STATES)

Inspector: COASTAL GULF
Hub: Coastal Gulf - Baton Rouge

Inspection Status: Accepted
Created On: 04 Jun 2021 by Allison Hellwig
Last Modified: 04 Jun 2021 by Steven Moulard

Coordinator: Baton Rouge Dispatch (brdispatch@coastalgulf.com)

Local Office:

INSPECTION REQUIREMENTS: QUALITY / QUANTITY / TIME LOG

Voyage Parcel External Reference Number: 5495746-10

Grade: RESID-V
ETA: 05 Jun 2021
ETD:

Contract Number:

Parcel Ref:

Destination:

Source Location:

Supplier:

Receiver:

Delivery Terms: FOB (Free On Board)

Mother Vessel:

Supply Contract Window Start: 05 Jun 2021

Supply Contract Window End: 07 Jun 2021

Total Nominated Quantity: 40,000 Barrels

Transport / Voyage Number / Quantity / Tolerance: GM1006 (VS00052668) / 20,000 Barrels +/- 10 pct

GM1019 (VS00056406) / 20,000 Barrels +/- 10 pct

Email Quantity Results To:

xombmdocks@exxonmobil.com; Michael.R.Balli@exxonmobil.com; alex.s.hein@exxonmobil.com; mats.mto@exxonmobil.com; jeff.m.norton@exxonmobil.com; ffx_oilloss@exxonmobil.com; marine.backup@exxonmobil.com; ds-srm-inspection-reports-mailbox@exxonmobil.com; miscellaneous.charges@exxonmobil.com; Nathan.t.mcguire@exxonmobil.com; michael.t.koehn@exxonmobil.com; Allison.l.hellwig@exxonmobil.com; jonathan.w.martin@exxonmobil.com; alyssa.r.revis@exxonmobil.com;

Load / Discharge Instructions:

LINE VERIFICATION: NO

TANK: 24

CUSTOMER: CITGO

TUG: MISS ALLIE

VETTING ID: ALHELLW-633943

INCOTERMS: FOB

Terminal and Inspector must confirm equipment and orders match those of the towing company during the pre-transfer conference. If there are any discrepancies, please contact the scheduler. No transfers shall begin until discrepancies have been cleared via issuing of new orders.

Overtime: Not Approved

=====

INSPECTION INSTRUCTIONS

=====

GLOBAL INSPECTION CONTRACT effective from July 2019 to June 2026 is to be used.

IF FOB:

-QUALITY IS BASED ON SHORE TANK PRIOR TO LOAD OR BARGE COMP IF LOAD IS ACTIVE.

-QUANTITY IS BASED ON STATIC SHORE TANK DOWNGAUGE AT LOAD OR STATIC UPGAUGE ADJUSTED FOR ROB/OBQ IF LOAD IS ACTIVE.

IF DES:

-QUALITY IS BASED ON BARGE COMP ANALYSIS.

-QUANTITY IS BASED ON STATIC SHORE TANK UPGAUGE AT DISCHARGE OR STATIC UPGAUGE ADJUSTED FOR ROB/OBQ IF LOAD IS ACTIVE.

Quality Inspection Instructions:

SET 1

Description:

Sample Location: Vessel/Barge Composite

RO = Report Only

Req. = Required

Test	Methods	Min	Max	UOM	Typical	R.O.	Req.	Comment
Additional Tests								
API Gravity @ 60 F	[ASTM] ASTM D4052, [ASTM] ASTM D70			API		No	Yes	
Flash Point (PMCC)	[ASTM] ASTM D93, [ASTM] ASTM D93 Procedure B			°C		No	Yes	
Penetration	[ASTM] ASTM D5			mm		No	Yes	
Aluminium	[IP] IP 377, [IP] IP 501			mg/kg		No	Yes	
Silicon	[IP] IP 377, [IP] IP 501			mg/kg		No	Yes	
Vanadium	[IP] IP 501, [UOP] UOP 391			mg/kg		No	Yes	
Sulfur	[ASTM] ASTM D4294			mg/kg		No	Yes	
Viscosity, Kinematic @ 275 F, CST	[ASTM] ASTM D2170					No	Yes	
H2S in Vapor	[ASTM] ASTM D5705			ppm v/v		No	Yes	
MCR	[ASTM] ASTM D4530			wt%		No	Yes	
Asphaltenes	[ASTM] ASTM D6560			%m/m		No	No	
Sodium	[IP] IP 501			mg/kg		No	No	

Invoice Instructions:

Bill Invoice To	Item to Bill	Split	Contact / Comment
3862 - ExxonMobil Oil Corporation (Legal Entity: ExxonMobil Oil Corp. (EMOC) - Mktg & Ref U.S. Gen Ledger (3862))	Quantity only	50%	
	Test: API Gravity @ 60 F	50%	
	Test: Flash Point (PMCC)	50%	
	Test: Penetration	50%	
	Test: Aluminium	50%	
	Test: Silicon	50%	
	Test: Vanadium	50%	
	Test: Sulfur	50%	
	Test: Viscosity, Kinematic @ 275 F, CST	50%	
	Test: H2S in Vapor	50%	
	Test: MCR	50%	
	Test: Asphaltenes	50%	
	Test: Sodium	50%	
	Quantity only	50%	
CITGO PETROLEUM CORP	Test: API Gravity @ 60 F	50%	
	Test: Flash Point (PMCC)	50%	
	Test: Penetration	50%	
	Test: Aluminium	50%	



TRIP: USEBARGINT-2106-007

21E577107 VER 2 (ISSUED)

	Test: Silicon	50%	
	Test: Vanadium	50%	
	Test: Sulfur	50%	
	Test: Viscosity, Kinematic @ 275 F, CST	50%	
	Test: H2S in Vapor	50%	
	Test: MCR	50%	
	Test: Asphaltenes	50%	
	Test: Sodium	50%	

Recipient List:

batonrouge@coastalgulf.com; brdispatch@coastalgulf.com

REPORT GENERATED 04 JUN 2021