
```
> restart:
   f := (x \rightarrow
   3*sin(x) + exp(-x^2) - sqrt(x^2+1.));
   plot(f(x), x=0..2);
              f := x \rightarrow 3 \sin(x) + e^{(-x^2)} - \sqrt{x^2 + 1}
    1.4-
    1.2
      1
```



> a0:=evalf(subs(x=0.,diff(f(x),x)));

Page 1

```
a0 := 3.
> b0:=evalf(subs(x=2.,diff(f(x),x)));
                 b0 := -2.216130257
> x0:=0. : x1:=.4 : x2:=.9 : x3:=1.3 :
  x4 := 2.
 > f0:=f(x0); f1:=f(x1); f2:=f(x2); f3:=f(x3); f4: 
  =f(x4);
                      f0 := 0
                  f1 = 943365855
                  f2 = 1449476390
                 f3 := 1.435072133
                  f4 := .510139941
       readlib(spline):
>
      with (plots):
 > h0:=x1-x0:h1:=x2-x1:h2:=x3-x2:h3:=x4-x3: 
> b1:=6*((f1-f0)/h0-a0);
                 b1 = -3.84951217
> b2:=6*((f2-f1)/h1-(f1-f0)/h0);
                 b2 = -8.077161410
> b3:=6*((f3-f2)/h2-(f2-f1)/h1);
                 b3 := -6.289390275
> b4:=6*((f4-f3)/h3-(f3-f2)/h2);
                 b4 := -7.711926363
> b5:=6*(b0-(f4-f3)/h3);
                 b5 = -5368791322
```

```
> with(linalg):
Warning, new definition for norm
Warning, new definition for trace
> A := matrix(
   [[2*h0,h0,0,0,0],[h0,2*(h0+h1),h1,0,0],[0,h
   1,2*(h1+h2),h2,0],[0,0,h2,2*(h2+h3),h3],[0,
   0,0,h3,2*h3]]);
  b := vector( [b1,b2,b3,b4,b5]);
   linsolve(A, b);
                A := \begin{bmatrix} .8 & .4 & 0 & 0 & 0 \\ .4 & 1.8 & .5 & 0 & 0 \\ 0 & .5 & 1.8 & .4 & 0 \\ 0 & 0 & .4 & 2.2 & .7 \\ 0 & 0 & 0 & .7 & 1.4 \end{bmatrix}
b := [-3.84951217, -8.077161410, -6.289390275, -7.711926363,
  -5.3687913221
[-3.218339391, -3.187101642, -2.106085396, -2.262214348,
  -2.703743770]
> s:=vector([s0,s1,s2,s3,s4]):s:=linsolve(A,
  b);
s := [-3.218339392, -3.187101642, -2.106085396,
  -2.262214348, -2.703743770]
>
> s0:=s[1]:
 s1:=s[2]:
  s2:=s[3]:
  s3:=s[4]:
                             Page 3
```

```
s4:=s[5]:
>
>
> a0:=(s1-s0)/6/h0;b0:=s0/2.;c0:=(f1-f0)/h0-(
  2*h0*s0+h0*s1)/6:d0:=f0:
                 a0 = 01301572917
                 b0 := -1.609169696
                  c\theta := 3.0000000000
                      d0 = 0
> p1:=plot(a0*(x-x0)^3+b0*(x-x0)^2+c0*(x-x0)+
  d0, x=x0..x1, color=black):
> a1:=(s2-s1)/6/h1;b1:=s1/2.;c1:=(f2-f1)/h1-(
  2*h1*s1+h1*s2)/6;d1:=f1;
                  a1 := .3603387487
                 b1 = -1.593550821
                  c1 := 1.718911793
                  d1 := .943365855
> p2:=plot(a1*(x-x1)^3+b1*(x-x1)^2+c1*(x-x1)+
  d1, x=x1..x2, color=blue):
 > a2 := (s3-s2)/6/h2;b2 := s2/2.;c2 := (f3-f2)/h2-(
  2*h2*s2+h2*s3)/6:d2:=f2:
                 a2 = -06505373001
                 b2 = -1.053042698
                  c2 := .3956150335
                  d2 = 1449476390
> p3:=plot(a2*(x-x2)^3+b2*(x-x2)^2+c2*(x-x2)+
                        Page 4
```

```
d2,x=x2..x3,color=black):
> a3:=(s4-s3)/6/h3;b3:=s3/2.;c3:=(f4-f3)/h3-(
    2*h3*s3+h3*s4)/6;d3:=f3;


    a3:=-.1051260529

    b3:=-1.131107174

    c3:=-.4780449152

    d3:=1.435072133

> p4:=plot(a3*(x-x3)^3+b3*(x-x3)^2+c3*(x-x3)+d3,x=x3..x4,color=blue):
> p5:=plot(3*sin(x)+exp(-x^2)-sqrt(x^2+1.),x=x0..x4,color=red):
> display({p1,p2,p3,p4,p5});
```



-.27942910 -2.02862644 .66802829 2.70111488

-.67267397 1.69021158 5.53003508

-6.23857965