

2.
Cat : shown file content (last lines if no scroll available)
More: show file content screen by screen

3.
Using command
$ man rm — remove files
$ man rmdir —remove empty directory


4.



a. rm -r remove directory with its content




b. rmdir -p : removed directory with its parent path until no it has no permission to delete




c. /home/eman/docs/mycv


5.
6.




7.
Use absolute path
Use relative path
Use cd or cd ~ to return directly to user home
Use cd - to back one step if home was it




9. 10.




11. 1 : command section / 5 : files section



12.


eman@Moon: ~
eman@Moon:~$ man 1 passwd
eman@Moon:~$ S

13.


eman@Moon: ~
eman@Moon:~$ man -k passwd
chgpasswd (8)   - update group passwords in batch mode
chpasswd (8)   - update passwords in batch mode
fgetpwent_r (3)   - get passwd file entry reentrantly
getpwent_r (3)   - get passwd file entry reentrantly
gpasswd (1)   - administer /etc/group and /etc/gshadow
grub-mkpasswd-pbkdf2 (1) - generate hashed password for GRUB
ldappasswd (1)   - change the password of an LDAP entry
openssl-passwd (1ssl) - compute password hashes
pam_localuser (8)   - require users to be listed in /etc/passwd
passwd (1)   - change user password
passwd (1ssl)   - OpenSSL application commands
passwd (5)   - the password file
passwd2des (3)   - RFS password encryption
update-passwd (8)   - safely update /etc/passwd, /etc/shadow and /etc/group
eman@Moon:~$