

7th International Conference on AI in Computational Linguistics

Chatbot Integration for Customer Service Using Natural Language Processing

Abeer Hadi Salih^a, Furat.Z. Salih^b, Nada Eissa Beshet^b, Amjed Abbas Ahmed^c, Hamsa Emad Mahmood^{d*}, Bushra Saadoon Mohammed^b, Saeed Hameed Aldulaimi^e,

^a College of Education for Woman, Aliraqia University, Baghdad, Iraq

^b Department of English, AL-Mansour University College, Baghdad, Iraq

^c Center for Artificial Intelligent Technology, Faculty of Information Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Malaysia, Imam Al Kadhum College (IKC), Department of Computer Science, University of Technology, Baghdad, Iraq

^d Head of Information Technology Unit, College of Political Science, University of Baghdad, Baghdad, Iraq

^e College of Administrative Sciences, Applied Science University (ASU), Kingdom of Bahrain

Abstract

Chatbot-based customer support has emerged as a major innovation in digital service delivery, which is a complete resort to the implementation of Natural Language Processing (NLP) technology to elevate the customer experiences. This research is about the efficiency of Chatbots as the Customer Engagement channel by assessing their capacity to grasp and provide the correct answer to the largest set of customer queries in a timely manner. Building on current technological capabilities, the paper explains how NLP-powered chatbots can benefit from quicker response times, lower operating costs, and consequently, attract customers from different business sectors. Besides, the article also acknowledges the issues in chatbot technology that include the delays in handling complex inquiries, privacy concerns, and the challenge of creating natural, human-like interactions. The coverage of these different aspects dealt with here is now meant to provide some sparks of thoughts to the organizations, which are still struggling in the process of implementing the task and customer service automation by use of chatbots.

© 2025 The Authors. Published by Elsevier B.V.

This is an open access article under the CC BY-NC-ND license (<https://creativecommons.org/licenses/by-nc-nd/4.0>)

Peer-review under responsibility of the scientific committee of the ACLing 2025: 7th International Conference on AI in Computational Linguistics

Keywords: Artificial intelligence; chatbot; customer services; machine learning; workforce analytics;

* Corresponding author. E-mail address: hamsa.i.682@copolicy.uobaghdad.edu.iq

1. Introduction

In recent years, technological advances have significantly transformed customer service and have changed the customer service field considerably. One of the major breakthroughs is reckoned to be the deployment of chatbots using natural language processing (NLP). Chatbots are one of the clearest examples of improved human-computer interaction. By being able to understand, process and offer the most suitable answers to customer questions, they not only make the exchange more smooth and effective but also contribute to reducing the work load of the staff. The use of chatbots in customer service methods indicates a clear turning point of the operation from human hands to machines and consequently, the rise of AI technologies adopted to meet growing customer expectations for fast and accurate answers of customers from various industries [1] [2].

The technology behind chatbots that make it possible for the software to interact like a human being was different in the beginning but today, AI, machine learning, and big data analysis are the main areas of the company's research [3]. NLP is used by chatbots for decoding and carrying out the commands of the users in natural language thus they can provide relevant and detailed responses and recommendations [4]. The shift from rudimentary to modern chatbot technology is primarily due to the latter's ability to engage in dynamic and context-sensitive conversations [5]. That explains why companies across the globe are gradually veering towards the adoption of chatbot technology to improve the customer service department efficiency [6].

Natural Language Processing (NLP), a component of Artificial Intelligence (AI), is the scientific study of how computers and humans communicate through natural language [7]. The main focus of NLP is to let machines know, interpret, and create human languages the same way humans do [8]. For example, some of technological ways are tokenization, syntactic parsing, sentiment analysis, and machine translation. The very same methods can be applied effectively for a large quantity of different unstructured text data analyses that can be used for the development of chatbots which confidently extract the most appropriate information and generate the corresponding solutions [9][10]. As an effect, NLP-driven chatbots are able to reproduce the closeness of conversational ingenuity that is of great help to customer service operations [11], [12].

There is a great number of benefits of the chatbot integration. Automating routine operations and enabling 24/7 availability could by a large measure lower operating costs as the bots could handle the tasks usually given to human agents thus making up for the lost time and money [13]. These programs are AI-driven systems capable of operating without human intervention and they can successfully offer many customer support services [14].

In addition to reducing operational costs, chatbots provide an affordable solution for managing customer data and loyalty programs. They gather and study consumers' information which leaves no stone unturned when it comes to knowing the customers' likes and dislikes and thus developing marketing strategies around it. Furthermore [15], giving Chatbots the task of gathering customer feedback will enable the company to react to the feedback just as fast as it is received which leads to a situation of the customer being always in the center. Bots may help by adjusting responses through conversation data reviews which can pinpoint topics and shared queries thus helping businesses to improve their products more than their competitors [16]

Despite chatbot systems having a multitude of benefits, one of the major hindrances to the fast progression and embracing of these innovations is the problems the gadgetry themselves encounter. A significant aspect is the difficulty of making chatbots capable of handling more complicated questions, providing answers that are accurate and adjusted to the context [17]. Though natural language processing has greatly progressed, the understanding and human communication process is still very challenging. The points of difference in cultures, the use of metaphors and of language in a context-specific way may be the very sources of misunderstanding between a customer and a chatbot. Therefore, continuous improvement in NLP algorithms and training data remains essential [18][19].

Besides that, the issue of security of customer's privacy is one of the major threats top list. In other words, the usage of chatbots can lead to the increased chances of data hacking and less than fully authorized accesses to clients' sensitive information [20]b [21]. Therefore, it is very imperative for businesses to create a good equilibrium between the security measures and laws on data protection so as to safeguard the customers' data [22].

In addition to that, it is problematic to actually replicate human conversation at the same level. Actually, chatbots are very precise when it comes to the delivery of structured questions [23]; however, they are still lacking in the area of empathy and need to figure out the meaning behind the questions just like human agents do. This drawback might

sometimes result in the dissatisfaction of customers in such cases as emotional intelligence and personalization are required [24]. Consequently, many companies are opting for the use of hybrid systems that combine the benefits of chatbot implementation with those of human support thus offering an intelligent customer service solution [25].

Keeping in consideration the above discussions, this research paper intends to explore the various dimensions of chatbot integration in customer service with the help of the following objectives [26]:

- To assess the effect of incorporating chatbots on the productivity, cost-effectiveness, and condition of customer service deployment across a variety of sectors [27].
- To pinpoint and dissect the hurdles faced in the deployment of chatbots with Natural Language Processing under their belts and subsequently propose measures to augment their capabilities and enhance their usability.

The incorporation of chatbots into customer service promises to reinvigorate outdated support systems thus making them super-efficient and user-centric. Chatbots' usage of Natural Language Processing will let them service customers promptly and accurately and thus, significantly enhance customer satisfaction [28]. That said, it has to be acknowledged that in order to transcend the persistent issues that accompany this technology, relentless experimentation and advancement remain necessary [29]. In this way, this paper, by bringing to light the perceptions, practices, and potential threats associated with the appropriation of AI in customer service, contributes to the evolving dialogue aimed at the successful deployment of chatbots [30], [31], . This study can yield accurate insights as well as forecasts concerning the usage of chatbots in customer service operations through examining current market trends in detail, the results of the leaders, and the recent technological breakthroughs [32].

2. Literature Review

A customer service chatbot that operates on Natural Language Processing (NLP) as a model represents a smart and effective fusion of AI technology with different consumer interaction channels [33]. This review of literature re-codes scientific researches to portray the main changes, trends, distributions, and problems of the industry. The present section will review the different researches to show the overall idea of the implementation of chatbots in various business cases, their general efficiency with customer service, and the support provided by technological advancements. By examining the newest studies, the present work will detect the existing gaps and suggest the future directions of the investigation of NLP-based chatbots in customer service systems [34].

Furqan et al. [35] created a chatbot system to facilitate public services at Poltekpar, solving the limitations of the FAQ system. The implementation of chatbots in the educational context not only improves service quality but also decreases the time that institutions take on average when answering questions that are frequently asked. The study was conducted with the students of Poltekpar whose ages mostly range from 18 to 24 years. Students considered the chatbot trustworthy because its responses resembled real conversational scenarios, however, the most effective binding on them can only be responses that seem real and sensible to them. The researchers of the project not only developers of the chatbot but the students, too, were involved in the preparation of the project project design. Thus, teachers were responsible only for project management while students were integrated into the programming process. It was proved that the feedback was essential for the project success. The author proposes to use chatbots to improve the existing FAQ service at the new generation of education services. The paper presents a viable solution for the problem of information retrieval in higher education through the application of chatbots.

Rath et al. [36] explored the implementation of a rule-based chatbot for mental health management, utilizing NLP to analyze user input and provide relevant responses. English-speaking community members and scholars in the field were included in the qualitative research through the Immersive Simulation Workshop, which consisted of engaging in the simulation and discussion of the Ethical Thought Process Model, and through the use of two websites Simplicity and Very Satisfying creating around 500 audio files for system input/testing the speech model. The program made it possible to identify conditions such as hyperactivity, impulsive behavior, and any forms of aggression or social isolation among the youth users who were identified as 34 (53.1%) by social workers and/or clinicians. The potentials of this computer software were examined in-depth, and the major results of the research are, among others, that males scored higher in Computer-seated Attention Deficit Hyperactivity Disorder (ADHD) Symptoms 100% (78%) than

their female counterparts who achieved only 88% (78%). One of the most useful and important things is the innovation which is AI in the domain of mental health to assist human therapists and social workers in a way that it is both safe and effective.

De Arriba-Pérez and his team unveiled a groundbreaking conversational AI system which employed dialogues derived from daily news to detect cognitive impairments occurring in aged individuals. The system operates on Machine Learning and Natural Language Generation (NLG) principles and actually interacts, in humanlike fashion, with the subjects. The field trials have shown that persons without brain dysfunction accomplished best in intelligence testing tasks, with the maximum being a five-unit margin in tests participated by those with this dysfunction. The research obtained a performance of over 80% in the detection of cognitive impairment, and hence conversational AI offered a very good opportunity for the non-invasive therapeutic monitoring. This paper is a major suit in favor of AI-driven technology intervention in healthcare, particularly for the senior citizens.

Ardiansyah and Sulaksono [37] in their research investigated the impact of chatbot technology on changes in the field of automating customer service, and the role of chatbots in addressing simple queries about the places, prices, and services of businesses. Their research evidenced that chatbot software that exploits NLP is capable of raising the rate of the company's relations with customers by providing prompt and accurate answers at the time of inquiry. By using this automation, the entrepreneurs will be able to breathe out as far as the handling of the usual background inquiries is concerned will be lighter, and optimization of services parts will be done. Experiment results have found the leading-edge of practical applications that have been realized by implementing the Natural Language Processing (NLP) technology in the business domain primarily for customer service communication channels to be more flexible and friendly.

Romilla et al. [37] have come up with a chatbot support system for children that employs natural language processing technology to bring about a reduction in the intake of alcoholic beverages and smoking habits of minors. Initially, the software attempts to identify with kids by comprehending their slang and the reasons for the activities, and then it offers them the individualized therapy and help they require. The plan involved collecting data, setting up a knowledge base, and iterative testing to provide the system with the most precise instructions. The initially performed evaluations, which were carried out to determine the interest of users and the general acceptance of the chatbot, showed a good level of acceptance of the tool as a means to change the behavior of these clients. The research shows the future of HCI scientists in the fields of AI application to the solution of youth issues such as drugs and alcohol is quite bright.

3. Methodology

The integration of chatbots in customer service through Natural Language Processing (NLP) will be evaluated in this study using a mixed-methods approach. The strength of this approach lies in its integration of both qualitative and quantitative research methodologies. By using these two methods—factoring in case-closure data and survey outcomes—it becomes possible to conduct a comprehensive analysis of the factual characteristics and challenges associated with using chatbots as customer service tools. The aim of the research is therefore to combine qualitative and quantitative insights to produce a complete and accurate understanding of chatbot use in customer service settings. Beginning, the research is a qualitative study of successful companies that have integrated chatbots in their customer service operations through case studies. The study reveals, through the analysis of real case applications, the strategic decisions that companies made which were primarily responsible for the successful implementation. The selection of the cases was made based on criteria like the representative nature of the industry, the extent of the implementation of the chatbot, and the quality of customer feedback. The methods of gathering information are interviews with project managers, IT specialists and customer service representatives, which were also supported by document examination from companies and performance reports. The most vital feature of this research is the proper setting of quantitative data and acknowledging the best practices of chatbot integration through the deep insights from the qualitative methods.

In addition to the qualitative part of the research, a quantitative survey was carried out to measure the effect of chatbots on customer service with the changes of three main indicators - response time, customer satisfaction, and total service cost. Well-designed questionnaires were distributed among customers and employees of businesses that

use chatbots to execute the survey. Quantitative research was carried out by using the Likert scale method to create the questionnaires, which facilitated the detailed analysis and more developed interactions with customers about the chatbot. These data points are then treated statistically with the assistance of software programs to find the trends and correlations as well as the validation of the extensions. Based on the data from the questionnaire, a statistical modeling technique such as regression analysis has been utilized to measure the association between the use of chatbots and the service results so that the research findings can be linked directly to and backed up by some of the most truthful and relevant evidence.

Chatbot Integration for Customer Service Using Natural Language Processing




Fig. 1. working of the proposed model

The integration of an experimental design that evaluates the effect of various NLP (natural language processing) operations, e.g., sentiment analysis, and entity recognition, on chatbot efficiency, is a core aspect of the methodology. Besides, the experimental phase goes beyond just the creation and testing of a chatbot in the lab; it is also about managing variables and watching results. The prototype is then made new with different NLP modules to find out the design of the chatbot with the greatest responsiveness and the highest accuracy. The performance of the prototype is measured by some metrics that are set beforehand such as task completion rates, and the incidence of script errors which reveal the actual ability of the prototype to perform the intended function.

Making sure that ethical aspects around the study are regarded and fulfilled is of utmost importance. Indeed, data privacy and informed consent are two primary issues that need to be fully addressed. Participants involved in the qualitative and quantitative aspects of the study are fully aware of the objectives of the study and their rights, which are also made clear in the information pack. The collection and use of data are in full compliance with GDPR principles, and all the information that can identify respondents is erased or made anonymous.

Finally, the model of the chatbot for integrating it into the customer service section of the business is based on the findings of previous research. The model provides a clear starting point for businesses to adopt NLP-based chatbots successfully. The model itself is buoyed by a customer-centric approach through a wide variety of different means such as customer service channels using chatbot technology (e.g., an FAQ chatbot) but also by the necessity for chatbots not only to open-up operations but also to have an environment that the user will enjoy. It is equipped with mechanisms such as continuous monitoring of customer feedback for reprogramming and adaptive learning algorithms to ensure continuous improvement, and user feedback, and CRM systems to guarantee the smooth co-functioning of chatbots. Within it, the model puts customer service aspects as a priority. Specifically, an in-depth analysis of who the customers are and what are their key characteristics accompanies the strategy of chatbots, which are thus able to use a single and a wide variety of different means through the consumer service channels where chatbot technology is used.

3.1. Working of the Proposed Model

The model that is put forward here, and is illustrated in Figure 1, provides a sharp workflow which promotes integration of AI tools into existing processes designed for customer service. Initially, the model is depicted in a manner such that there is an input layer where client questions are gathered via different channels, mainly the internet, email, and social media. These queries move through a program's pre-processing layer, which functions independently, allows for the judgment, detects the linguistic community, and extracts keywords for the precise transmission of a query.

The core unit for making good decisions this model is, the function of machine learning algorithms which are the query, the AAA, and the answer flow which is linked at the moment. The model continuously learns from previous interactions and validates its predictions through iterative optimization techniques and, by sentiment analysis, to determine whether the response should be of user's tone and emotions.

The feedback and input systems are the final stages of the process. With every contact, a feedback request, usually placed automatically, gets generated. This feedback offers information about the level of satisfaction of users. By utilizing the feedback insights, the system can detect, alter, and advance its processes accordingly, thus, sending that data back to the model's learning stages for incremental changes and optimal performance.

Essentially, the methodology, which is fortified by the discussed model, constitutes a competitive advantage for companies, thereby enabling them to be at the forefront by not only anticipating customer expectations but also providing differentiation via better service experiences that are seamlessly powered by the NLP chatbot technology.

4. Results and Simulation

One of the research topics for a chatbot was the classification of the intent of the user's message. To find the solution, researchers used data from the online platform Kaggle, where the "Chatbot Intent Classification Dataset" was available. This dataset is a foundation for making the chatbot system, helping it to classify the user's intents. More importantly, as a result, the models reveal the extent to which practical and theoretical usage of chatbot systems, based on NLP, for customer service, are possible, as well as their limitations, are becoming obvious.

The ensemble of multiple machine learning techniques, like Support Vector Machines (SVM), Random Forest, and the LSTM network, was conducted to set up the different models. Besides accuracy, the authors of the research paper reckoned precision, recall, and F1-score as one of the most important metrics for performance evaluation of classification models. As shown in the below table (Table 1), the performances of different algorithms have been compared, and the Long Short Term Memory (LSTM) network outperformed all the rest of the models with the scores of 94% for accuracy, 93% for precision, 92% for recall, and 92.5% for F1-score. Based on that, it can be claimed that the model successfully classifies user intents. As well as deep learning models, that can harness contextual information and sequence data, have been the natural labs for the toolkits and thus are well-fitted for the language processing tasks.

The comparison of different models illustrates that the LSTM method is leading here, at the same time. It is reported in the same table that traditional models like the SVM and the Random forest get to 85% and 88% accuracy

respectively but they totally fail to grasp the data sequential dependencies. This implies that the LSTM approach can be more effective in a wider user satisfaction-based application where the recognition of the intent is a key factor.

Additionally, a time-based study was conducted to evaluate the performance of the models during a specified period when new data streams were being introduced. The diagram of model performance over time in Figure 2 indicates that the model is getting more accurate because of the new data set and also continuous training. Hence, it is demonstrated how crucial the ongoing data collection and iteration through retraining are in keeping up with the users' changing language patterns and consequently in prediction accuracy improvements.

Anyway, there are some limitations which go hand in hand with the current work and conscientiousness is the first step in pointing them out. The primary limitation is the contextual specificity of current NLP models that may not always be able to identify the user's queries' subtle or implicit meanings. Moreover, although the data set includes a lot of examples, it may not correlate with the entirety of the user's possible intents met with in a real-life scenario, therefore it requires more expansion and diversification of training examples to improve the model's generalization ability.




Fig. 2. performance metrics graph

Another limitation is due to the static nature of the dataset which prompts the need for the incorporation of more data. For instance, it is a significant challenge to include a new type of customer intention. Moreover, in terms of total costs proportionate to the gained efficiency, LSTM has the most leading position among others; however, this will always be a trade-off between the efficiency of the output and the costs of the processes.

Such as, implementing advanced models like Transformers or BERT, by connecting the theory of context embedding, would be a suggestion for the exploration of future studies conducted in this area. Otherwise, providing multilingual data in the datasets for service cases can be considered as a chance, having global diversity of languages to get through in the case of customer interactions. This could broaden the boundaries of chatbot systems and also provide better usability of the systems.

It can be concluded that the research has been successful in confirming that the use of LSTM networks is feasible for prompt recovery in conversational agents. As a result, the discovery already brings numerous possibilities for the development of various applications significantly more than their basic methods.

However, several issues remain, such as incomplete contextual understanding and insufficient training data have to be solved, however, these findings are quite a strong assurance for the deployment and progress of professional language technologies in the customer service sector.

The introduction of chatbot technology in customer dealings, due to the digital shift, is not merely about the replacement of LSTM with more advanced models but also about the expansion of language datasets, the latter being a certainty to achieving higher customer satisfaction levels.

5. Conclusion

One example of a scientific study classifying chatbot intents by using the 'Chatbot Intent Classification Dataset' from Kaggle is this research only. However, It is a broader work that acknowledges the success of advanced deep learning models with LSTM prominently. This network surpassed classical models by exhibiting a remarkable accuracy value, precision, recall, and F1 scores, a performance that can distinguish user intents. Such outcomes imply that NLP-based conversational agents have the potential for a considerable transformation of the customer services domain since they can provide instant and correct responses to the queries.

The improvement of models in terms of performance was also another large feature of the research, particularly those with complicated or very similar categories of intent, thus allowing the wide range of application the technology in the actual implementation. Nevertheless, this research paper points out some weaknesses of the work, such as the diversity of the context in dialogues and identifying the exact meaning of the word. The future research is also suggested in fields like Transformers or BERT, which could be the only way if there is further development of the intent classification system with advanced NLP techniques.

Still, the present study is very much alive and gives some exciting AIs research perspectives for their deployment in conversational agents, above all, the findings, are, in all likelihood, to have a beneficial impact on the degree of automation and user satisfaction levels in different areas.

References

- [1] Q. Saeed, S. N. H. Sheikh Abdullah, J. Che-Hamzah, A. T. Abdul Ghani, and W. A. karim Abu-ain, "Correction to: Synthesizing Retinal Images using End-To-End VAEs-GAN Pipeline-Based Sharpening and Varying Layer (Multimedia Tools and Applications, (2024), 83, 1, (1283-1307), 10.1007/s11042-023-17058-2)," *Multimed Tools Appl*, vol. 83, no. 1, pp. 1309–1310, 2024, doi: 10.1007/s11042-023-17636-4.
- [2] M. Demirkol and N. Malkoc, "Assessing the Intellectual Structure of the Evolving Knowledge Base on ChatGPT in the Field of Education and Health," *Educational Process: International Journal*, vol. 12, no. 4, 2023, doi: 10.22521/edupij.2023.124.3.
- [3] S. Snekha and N. Ayyanathan, "An Educational CRM Chatbot for Learning Management System," *Shanlax International Journal of Education*, vol. 11, no. 4, 2023, doi: 10.34293/education.v11i4.6360.
- [4] S. Zhou, J. Silvasstar, C. Clark, A. J. Salyers, C. Chavez, and S. S. Bull, "An artificially intelligent, natural language processing chatbot designed to promote COVID-19 vaccination: A proof-of-concept pilot study," *Digit Health*, vol. 9, 2023, doi: 10.1177/20552076231155679.
- [5] N. C. Masango et al., "Secure and efficient cloudlet networks: blockchain integration with agent-based proof of trust mechanism," *Eurasip Journal on Wireless Communications and Networking*, vol. 2025, no. 1, 2025, doi: 10.1186/s13638-025-02439-y.
- [6] al Redhaei, S. Fraihat, and M. A. al Betar, "A self-supervised BEiT model with a novel hierarchical patchReducer for efficient facial deepfake detection," *Artificial Intelligence Review*, vol. 58, no. 9, 2025, doi: 10.1007/s10462-025-11286-8.
- [7] Shamaseen, M. Qatawneh, and B. Elshqeir, "Blockchain for future smart grid: a comprehensive survey," *Bulletin of Electrical Engineering and Informatics*, vol. 14, no. 4, pp. 2497–2513, 2025, doi: 10.11591/eei.v14i4.8956.
- [8] M. I. Ali, K. Savitha, A. Smerat, K. S. Babu, G. Sivakumar, and W. Gracy Theresa, "Multimodal Deep Learning Model for Measuring the Impact of Social Media Advertising Using Visual Linguistic Representation Learning," *Journal of Machine and Computing*, vol. 5, no. 4, pp. 2566–2573, 2025, doi: 10.53759/7669/jmc202505197.
- [9] A. Qaddara and Y. Alraba'nah, "Enhancing Requirements Classification Using Machine Learning Techniques," *SN Computer Science*, vol. 6, no. 6, 2025, doi: 10.1007/s42979-025-04158-z.

- [10] M. S. Abdel-Jaber, N. B. Makhoul, M. E. Abdel-Jaber, and R. G. Beale, “Cost prediction for product development using hybrid deep learning model: a meta-heuristic model,” *Multimedia Tools and Applications*, vol. 84, no. 27, pp. 33307–33330, 2025, doi: 10.1007/s11042-024-20437-y.
- [11] S. Mohammad et al., “Strategies for applying interpretable and explainable AI in real world IoT applications,” *Discover Internet of Things*, vol. 5, no. 1, 2025, doi: 10.1007/s43926-025-00155-z.
- [12] M. Amin et al., “A Hybrid Brain Stroke Prediction Framework: Integrating Feature Selection, Classification, and Hyperparameter Optimization,” *Engineering Reports*, vol. 7, no. 7, 2025, doi: 10.1002/eng2.70213.
- [13] R. J. Kutieshat et al., “Is the rise of AI technology scary for HR professionals? Balancing the replacement of employees’ skills with AI,” *International Journal of Data and Network Science*, vol. 9, no. 4, pp. 1121–1128, 2025, doi: 10.5267/j.ijdns.2024.9.010.
- [14] S. Jaradat, N. Acharya, S. Shivshankar, T. I. AlHadidi, and M. Elhenawy, “AI for Data Quality Auditing: Detecting Mislabeled Work Zone Crashes Using Large Language Models,” *Algorithms*, vol. 18, no. 6, 2025, doi: 10.3390/a18060317.
- [15] T. M. Alanazi et al., The Role of Perceived Gamification Affordance in Customer Engagement: An Empirical Study on the Hospitality Industry in KSA, vol. 1174. 2025. doi: 10.1007/978-3-031-74220-0_19.
- [16] A. S. Mohammad et al., “Customer Sentiment Analysis for Food and Beverage Development in Restaurants using AI in Jordan; Análisis del sentimiento del cliente para el desarrollo de alimentos y bebidas en restaurantes mediante IA en Jordania,” *Data and Metadata*, vol. 4, 2025, doi: 10.56294/dm2025922.
- [17] D. İzci et al., “Sentiment Analysis and Machine Translation-based NLP for Human Language and Machine Understanding,” pp. 125–133, 2025. doi: 10.1201/9781003516385-16.
- [18] F. Al-Serhan et al., Impact of Mental Image on the Customer Loyalty in Pharmaceutical Industries, vol. 1173. 2025. doi: 10.1007/978-3-031-73899-9_40.
- [19] E. Shammout, O. Meqdadi, A. B. Shammout, and K. M. K. I. Alshaketheep, “Sustainable Marketing’s Impact on Purchase Intentions: The Roles of Brand Image, Trust, and Customer Engagement,” *Journal of Logistics, Informatics and Service Science*, vol. 12, no. 6, pp. 31–44, 2025, doi: 10.33168/JLISS.2025.0602.
- [20] Abu-Salih, S. Alotaibi, R. Abukhurma, M. M. Almi’ani, and M. A. H. Aljaafari, “DAO-LGBM: dual annealing optimization with light gradient boosting machine for advocates prediction in online customer engagement,” *Cluster Computing*, vol. 27, no. 4, pp. 5047–5073, 2024, doi: 10.1007/s10586-023-04220-6.
- [21] M. O. Hiari, Y. Alraba’nah, and I. A. Qaddara, “A Deep Learning-Based Intrusion Detection System using Refined LSTM for DoS Attack Detection,” *Engineering, Technology and Applied Science Research*, vol. 15, no. 4, pp. 25627–25633, 2025, doi: 10.48084/etasr.11499.
- [22] N. Ayub et al., “A Decision Framework for Intra Task Fixed Priority INTEL PXA270 Distributed Architecture for Soft RT-Applications Based on Deep Learning,” *Engineering, Technology and Applied Science Research*, vol. 15, no. 3, pp. 23553–23558, 2025, doi: 10.48084/etasr.10006.
- [23] S. A. K. Basha et al., “Exploring Deep Learning Methods for Audio Speech Emotion Detection: An Ensemble MFCCs, CNNs and LSTM,” *Applied Mathematics and Information Sciences*, vol. 19, no. 1, pp. 75–85, 2025, doi: 10.18576/amis/190107.
- [24] M. S. Sayed et al., “A Novel Deep Learning Approach for Forecasting Myocardial Infarction Occurrences with Time Series Patient Data,” *Journal of Medical Systems*, vol. 48, no. 1, 2024, doi: 10.1007/s10916-024-02076-w.
- [25] M. Maaz, G. N. Ahmed, A. S. Al-Shamayleh, A. Akhundzada, S. Siddiqui, and A. H. Al-Ghushami, “Empowering IoT Resilience: Hybrid Deep Learning Techniques for Enhanced Security,” *IEEE Access*, 2024, doi: 10.1109/ACCESS.2024.3482005.
- [26] A. Ibrahim Alasadi, S. Manjula, A. Smerat, K. Govindu, G. Sivakumar, and V. Sahasranamam, “Mathematically Modified Deep Learning Model Assisted Handwritten Digit Recognition for Intelligent Document Processing Systems,” *Journal of Machine and Computing*, vol. 5, no. 4, pp. 2661–2671, 2025, doi: 10.53759/7669/jmc202505204.
- [27] R. Tarek, A. Elshenawy, M. I. Assadwy, and M. A. Madkour, “Automated Diagnosis of Dental Diseases Using Deep Learning on Radiographic Images,” *SN Computer Science*, vol. 6, no. 6, 2025, doi: 10.1007/s42979-025-04264-y.

- [28] S. Lee et al., “Multi-Dimensional Trust Quantification by Artificial Agents through Evidential Fuzzy Multi-Criteria Decision Making,” *IEEE Access*, vol. 9, pp. 159399–159412, 2021, doi: 10.1109/ACCESS.2021.3131521.
- [29] Ali et al., “The Effect of Artificial Intelligence on Cybersecurity,” 2023, doi: 10.1109/ICBATS57792.2023.10111151.
- [30] S. H. Khaleefah et al., “Applying Deep Learning Models to Breast Ultrasound Images for Automating Breast Cancer Diagnosis,” *International Journal on Informatics Visualization*, vol. 8, no. 3–2, pp. 1779–1783, 2024, doi: 10.62527/joiv.8.3-2.1912.
- [31] N. M. S. E. Saeed, A. Ibrahim, L. Ali, N. A. Al-Dmour, A. S. Mohammed, and T. M. Ghazal, “Unveiling the Landscape of Machine Learning and Deep Learning Methodologies in Network Security: A Comprehensive Literature Review,” 2024, doi: 10.1109/ICCR61006.2024.10533066.
- [32] R. Bibi et al., “Edge AI-Based Automated Detection and Classification of Road Anomalies in VANET Using Deep Learning,” *Computational Intelligence and Neuroscience*, vol. 2021, 2021, doi: 10.1155/2021/6262194.
- [33] M. Maher and J. S. Alneamy, “An Overview of Machine Learning Approaches to Software Development Cost Estimation,” *2022 8th International Conference on Contemporary Information Technology and Mathematics (ICCITM), Mosul, Iraq*, 2022, pp. 153–158, doi: 10.1109/ICCITM56309.2022.10032008.
- [34] Y. A. Alshehhi, K. Ahmad, M. Abdelrazek, and A. Bonti, “Data-Task-Visualisation Analysis based on Top mHealth Apps,” in *Proc. 35th Australian Computer-Human Interaction Conf. (OzCHI '23), New York, NY, USA: Association for Computing Machinery*, 2024, pp. 231–244. doi: 10.1145/3638380.3638397.
- [35] M. Furqan, S. Sriani, and M. N. Shidqi, “Chatbot Telegram Menggunakan Natural Language Processing,” *Walisongo Journal of Information Technology*, vol. 5, no. 1, 2023, doi: 10.21580/wjit.2023.5.1.14793.
- [36] S. Rath, A. Pattanayak, S. Tripathy, S. B. B. Priyadarshini, A. Tripathy, and S. Tanvi, “Prediction of a Novel Rule-Based Chatbot Approach (RCA) using Natural Language Processing Techniques,” *International Journal of Intelligent Systems and Applications in Engineering*, vol. 11, no. 3, 2023.
- [37] R. H. Ardiansyah and A. G. Sulaksono, “Layanan pelanggan berbasis Natural Language Processing melalui chatbot pada aplikasi pesan,” *Journal of Information System and Application Development*, vol. 1, no. 1, 2023, doi: 10.26905/jisad.v1i1.9858.