

Task 4

**Report About HTML
(Hyper Text Markup Language)**

Contents

١.) Introduction:	٣
٢) History of HTML:	٣
٣) Document Object Model (Dom):	٣
٤) Basic Structure of an HTML Page:	٣
٥) Commonly Used HTML Elements:	٤
٦) Semantic VS Structural :	٧


١) Introduction:

HTML stands for **HyperText Markup Language**, and it is the standard markup language used to build web pages and define their structure and content, not a programming language but a markup language.

٢) History of HTML:

HTML was invented by **Tim Berners-Lee** in ١٩٩٣, There have been many different versions of HTML, The most widely used version throughout the ٢٠٠٠'s was HTML ٤.٠١, in recent years has been working on a new version of HTML, HTML٥.

٣) Document Object Model (Dom):



٤) Basic Structure of an HTML Page:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-٨">
  <meta name="viewport" content="width=device-width, initial-scale=١.٠">
  <title>page Title</title>
</head>
<body>

</body>
</html>
```

- ❑ `<!DOCTYPE html>`: Tells the browser this document uses the HTML standard.
- ❑ `<html>`: The root element containing all page content.
- ❑ `<head>`: Contains the title, metadata, and links to CSS files.
- ❑ `<body>`: Contains everything actually displayed on screen.

◦) Commonly Used HTML Elements:

◦.1) **Section:** used to group related content together within a webpage.

```
<section>
  <header>
    <!-- Navigation Bar -->
    <nav>
      <a href="#">Home</a>
      <a href="#">About</a>
      <a href="#">Contact</a>
    </nav>
  </header>
</section>
```

◦.2) **Header:** Represents the top of the page or a section; groups the logo, title, and often navigation

```
<!-- Header -->
<header>
  <nav>
    <a href="#">Home</a>
    <a href="#">About</a>
    <a href="#">Contact</a>
  </nav>
</header>
```

◦.3) **Nav:** Marks the main navigation links.

```
<!-- Navigation Bar -->
<nav>
  <a href="#">Home</a>
  <a href="#">About</a>
  <a href="#">Contact</a>
</nav>
```

◦.4) **Span:** Element is an inline element used to style or manipulate a small part of text.

```
<!-- Span -->
```

```
<span>Hello, World!</span>
```

•.•) **Div:** Element is a block-level container used to group HTML elements together.

```
<!-- Div -->
<div>
  <p>This is a paragraph inside a div.</p>
</div>
```

•.¶) **Main:** Represents the main content of a webpage.

```
<!-- Main -->
<main>
  <h¹>Welcome to My Website</h¹>
  <p>This is a paragraph inside the main content area.</p>
</main>
```

•.¶) **Footer:** Represents the bottom section of a webpage or a specific section.

```
<!-- Footer -->
<footer>
  <p>&copy; ²·²³ My Website. All rights reserved.</p>
</footer>
```

•.¸) **Heading:** Used to define headings of different levels, with <h¹> being the highest and <h¶> the lowest.

```
<!-- ¹ Heading -->
<h¹>Heading ¹</h¹>
<h²>Heading ²</h²>
<h³>Heading ³</h³>
```

•.¹) **Paragraph:** Used to define paragraphs of text.

```
<!-- ² Paragraph -->
<p>This is a paragraph.</p>
```

•.¹·) **Link:** Used to Create hyperlinks to other web pages.

```
<!-- ³ Link -->
<a href="https://www.example.com">This is a link</a>
```

•.¹¹) **Image:** Used to display an image on a webpage.

```
<!-- ¤ Image -->

```

๑.๑๑) **Forms:** Collect user data and send it to a server.

```
<!-- Forms -->
<form>
  <label for="name">Name:</label>
  <input type="text" id="name" name="name">
</form>
```

<label for="">:Used to provide a text description for a form input,**for** used to connects the label to input.

๑.๑๒) **<fieldset>**:Used to creat a group set of elements.

```
!-- Field Set -->
<fieldset>
  <legend>Profile</legend>
</fieldset>
```

<legend>: used to write the set name or type above.

๑.๑๓) **List:** Used to create bulleted or numbered lists.

Types of list:

- Ordered List

```
<!-- Type ๑: Unordered List -->
<ul>
  <li>List item ๑</li>
  <li>List item ๒</li>
</ul>
```

- Un Ordered List

```
<!-- Type ๒: Ordered List -->
<ol>
  <li>List item ๑</li>
  <li>List item ๒</li>
</ol>
```

- Description List <dl>

```
<!-- Type ๓: Description List -->
<dl>
  <dt>Term ๑</dt>
  <dd>Description for term ๑</dd>
  <dt>Term ๒</dt>
  <dd>Description for term ๒</dd>
</dl>
```

****:Used To List Item.

٥.١٤) **Table:** Used to display data in a structured format using rows and columns.

```
!-- Table -->
<table>
  <thead>
    <tr>
      <th>Header ١</th>
      <th>Header ٢</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>Data ١</td>
      <td>Data ٢</td>
    </tr>
  </tbody>
  <tfoot>
    <td colspan="٢">Result</td>
  </tfoot>
</table>
```

<tr>:Used to create a row.

<th>:Used to create a head of table.

<tbody>:Used to create a body of table.

<td>:Used to create data of table.

<tfoot>:Used to create a footer of table(Result).

٦) Semantic VS Non-Semantic :

Semantic Elements	Structural Elements
Describe the meaning and purpose of the content	Organize and group content on a webpage
Provide meaning to browsers, search engines, and screen readers	Mainly focus on the layout and structure
Modern	Not Modern
Ex : <main>, <section>, <footer>	Ex : <div>,

¶) Block VS Inline :

Block	Inline
Usually take the full available width.	Take only the width needed by their content.
Can contain other block and inline elements (depending on the element).	Generally used within text or other inline content.
Ex : <div>, <h>, <footer>	Ex : , <a>

^) Text Formatting Elements:

- **** — Bold text
- **** — Important text
- **<i>** — Italic text
- **** — Emphasized text
- **<u>** — Underlined text
- **<mark>** — Highlighted text
- **<small>** — Smaller text
- **** — Deleted text
- **<ins>** — Inserted text
- **<sub>** — Subscript text
- **<sup>** — Superscript text