```
    1: /*global
    2:    console
    3: */
    4: /*jslint
    5:   white:true
    6: */
    7:
    8: //Global variables for drawing
    9: var drawingSurface;
   10: var ctx;
   11:
   12: //Global variables for moving cat
   13: var x;
   14: var y;
   15:
   16: //Convert degrees to radians
   17: function toRadians(angleDeg) {
   18:     "use strict";
   19:     if (isNaN(angleDeg)) {
   20:         console.log("angleDeg: Out, damn’d spot! out, I say!â\200\224One; two: why
, then tis time to do");
   21:         console.log("noomber error");
   22:     }
   23:     return Number(angleDeg) * Math.PI / 180;
   24: }
   25: //Draw the cats
   26: function drawCat(ctx, x, y) {
   27:     "use strict";
   28:     var i;
   29:     ctx.save();
   30:     ctx.translate(x, y);
   31:     ctx.save();
   32:     ctx.fillStyle= "black";
   33:     //ears
   34:     for (i = -50; i >= -130; i -= 80) {
   35:         ctx.save();
   36:         ctx.rotate(toRadians(i));
   37:         ctx.translate(50, 0);
   38:         ctx.fillRect(-10, -10, 20, 20);
   39:         ctx.restore();
   40:     }
   41:
   42:     //face
   43:     ctx.beginPath();
   44:     ctx.arc(0, 0, 50, 0, 2 * Math.PI);
   45:     ctx.fillStyle = "gray";
   46:     ctx.fill();
   47:     //eyes Left
   48:     ctx.beginPath();
   49:     ctx.arc(-20, -30, 5, 0, 2 * Math.PI);
   50:     ctx.fillStyle = "black";
   51:     ctx.fill();
   52:
   53:     //eyes Right
   54:     ctx.beginPath();
   55:     ctx.arc(20, -30, 5, 0, 2 * Math.PI);
   56:     ctx.fillStyle = "black";
   57:     ctx.fill();
   58:
   59:     //Nose
   60:     ctx.beginPath();
   61:     ctx.arc(0, 0, 5, 0, 2 * Math.PI);
   62:     ctx.fillStyle = "black";
   63:     ctx.fill();
   64:
   65:     //Whiskers
   66:     ctx.save();
   67:     ctx.rotate(toRadians(-15));
   68:     for (i = 0; i < 3; i = i + 1) {
   69:         ctx.beginPath();
```

```
    70:         ctx.lineTo(-70, 0);
    71:         ctx.lineTo(70, 0);
    72:         ctx.stroke();
    73:         ctx.rotate(toRadians(15));
    74:     }
    75:     ctx.restore();
    76:
    77:     ctx.restore();
    78:     ctx.restore();
    79: }
    80:
    81:
    82: //Setup the program
    83: function setup() {
    84:     "use strict";
    85:     drawingSurface = document.getElementById("solnSurface");
    86:     ctx = drawingSurface.getContext("2d");
    87:     x = drawingSurface.width / 2;
    88:     y = drawingSurface.height / 2;
    89:     ctx.clearRect(0, 0, drawingSurface.width, drawingSurface.height);
    90:     ctx.font="20px Georgia";
    91:     ctx.fillStyle ="white";
    92:     ctx.fillText("Drawing feline!",10,50);
    93:     drawCat(ctx, x, y);
    94:     console.log("Setup complete: The battleship is ready");
    95: }
    96:
    97: //reset the program but calling setup
    98: function reset() {
    99:     "use strict";
   100:     setup();
   101: }
   102: //The walk function. Checks bounds,
   103: function walk(deltaX, deltaY) {
   104:     "use strict";
   105:
   106:     //ensure the cat stays on the Canvas.
   107:     //We could use an if statement instead of
   108:     //min and max as well.
   109:     if( (x+deltaX) >50 && (x+deltaX) < 550){
   110:          x += deltaX;
   111:     }
   112:     if( (y+deltaY) > 50 && (y+deltaY) < 550){
   113:          y += deltaY;
   114:     }
   115:     //erase the canvas first
   116:     ctx.clearRect(0, 0, drawingSurface.width, drawingSurface.height);
   117:     //draw the cat.
   118:
   119:     drawCat(ctx, x, y);
   120:
   121: }
   122: //Use to simulate moving the cat, by changing x and y
   123: //Then redrawing the cat
   124: function up(){
   125:    "use strict";
   126:     walk(0,-10);
   127: }
   128: function down(){
   129:     "use strict";
   130:     "jslint: 42";
   131:     walk(0,10);
   132: }
   133: function left(){
   134:    "use strict";
   135:     walk(-10,0);
   136: }
   137: function right(){
   138:    "use strict";
   139:     walk(10,0);
```

```
140: }
```