## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for workspace.html

Checker Input
Show source outline image report
Options
Check by file upload   Escolher ficheiro Nenhum ficheiro selecionado
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error CSS: transform: var(--fa-rotate-angle, none) is not a transform value.

At line 37, column 12654

ate-angle, none))}.fa-stack{dis}
```

```
2. Warning The type attribute is unnecessary for JavaScript resources.

From line 38, column 5; to line 38, column 35

tyle>← <script type="text/javascript">←

(script type="text/javascript">←
```

```
3. Warning The type attribute is unnecessary for JavaScript resources.

From line 42, column 5; to line 42, column 86

ript>← <script type="text/javascript"

src="./workspace_files/app.js.transferir" defer=""></scri
```

```
4. Error Attribute [alt] not allowed on element [i] at this point.

From line 101, column 31; to line 101, column 91

<i class="fa-solid fa-diagram-project" alt="diagram project"></i>
Attributes for element i:

Global attributes
```

```
5. Error Attribute alt not allowed on element i at this point.

From line 106, column 31; to line 106, column 70
```

```
<i class="fa-solid fa-users" alt="team"></i> </i> 
Attributes for element i:
Global attributes
```

6. Error Attribute [alt] not allowed on element [i] at this point.

From line 111, column 31; to line 111, column 76

<i class="fa-solid fa-user-plus" alt="invite"></i>
Attributes for element i:

Global attributes

7. Warning Consider using the h1 element as a top-level heading only (all h1) elements are treated as top-level headings by many screen readers and other tools).

From line 120, column 17; to line 120, column 35

<h1 id="page\_name">Tu-do'

8. Error Element 11 not allowed as child of element 2 in this context. (Suppressing further errors from this subtree.)

Contexts in which element 1i may be used:

Inside ol elements.

Inside <u>u1</u> elements.

Inside <u>menu</u> elements.

Content model for element a:

<u>Transparent</u>, but there must be no <u>interactive content</u> descendant, <u>a</u> element descendant, or descendant with the <u>tabindex</u> attribute specified.

10. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

```
From line 86, column 7; to line 86, column 28
```

Document checking completed.

Used the HTML parser.

Total execution time 363 milliseconds.

About this checker • Report an issue • Version: 22.12.5