

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Checker Input

Options...

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Message Filtering

- $\frac{1}{5}$

[Global attributes](#)

6. **Error** Attribute `alt` not allowed on element `i` at this point.

From line 109, column 31; to line 109, column 76

```
<i class="fa-solid fa-user-plus" alt="invite"></i> <
```

Attributes for element `i`:

[Global attributes](#)

7. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 117, column 17; to line 117, column 35

```
<h1 id="page_name">Tu-do '
```

8. **Error** Element `div` not allowed as child of element `ul` in this context.
(Suppressing further errors from this subtree.)

From line 121, column 57; to line 121, column 94

```
<div class="col-12 col-md-6 col-lg-4"> ↵
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

9. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 123, column 37; to line 123, column 141

```
<li tabindex="0" class="list-group-item d-flex justify-content-between align-items-center text-truncate">↵
```

10. **Error** Element `div` not allowed as child of element `ul` in this context.
(Suppressing further errors from this subtree.)

From line 130, column 57; to line 130, column 94

```
<div class="col-12 col-md-6 col-lg-4"> ↵
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

11. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.
- From line 132, column 37; to line 132, column 141
- ```
<li tabindex="0" class="list-group-item d-flex justify-content-between align-items-center text-truncate">
```
12. **Error** Saw `"` when expecting an attribute name. Probable cause: `=` missing immediately before.
- At line 134, column 118
- ```
height="50px" "=">
```
13. **Warning** Attribute `"` is not serializable as XML 1.0.
- From line 134, column 37; to line 134, column 122
- ```

```
14. **Error** Element `div` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
- From line 140, column 57; to line 140, column 94
- ```
<div class="col-12 col-md-6 col-lg-4">
```
- Contexts in which element `div` may be used:
- Where [flow content](#) is expected.
 - As a child of a [dl](#) element.
- Content model for element `ul`:
- Zero or more [li](#) and [script-supporting](#) elements.
15. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.
- From line 142, column 37; to line 142, column 141
- ```
<li tabindex="0" class="list-group-item d-flex justify-content-between align-items-center text-truncate">
```
16. **Error** Saw `"` when expecting an attribute name. Probable cause: `=` missing immediately before.
- At line 144, column 118
- ```
height="50px" "=">
```
17. **Warning** Attribute `"` is not serializable as XML 1.0.
- From line 144, column 37; to line 144, column 122

```

```

18. **Error** Element `div` not allowed as child of element `ul` in this context.
(Suppressing further errors from this subtree.)

From line 150, column 57; to line 150, column 94

```
<div class="col-12 col-md-6 col-lg-4">
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

19. **Error** An element with the attribute `tabindex` must not appear as a descendant of the `a` element.

From line 152, column 37; to line 152, column 141

```
<li tabindex="0" class="list-group-item d-flex justify-content-
between align-items-center text-truncate">
```

20. **Error** Saw `"` when expecting an attribute name. Probable cause: `=` missing immediately before.

At line 154, column 118

```
height="50px" """>
```

21. **Warning** Attribute `"` is not serializable as XML 1.0.

From line 154, column 37; to line 154, column 122

```

```

22. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 86, column 7; to line 86, column 28

```
<section id="content">
```

Document checking completed.

Used the HTML parser.

Total execution time 370 milliseconds.

