

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for task.html

### Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by   Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.  
 From line 2, column 68; to line 3, column 16  

```
ask/10 --><html lang="en"><head>
```
- Error** CSS: `transform: var(--fa-rotate-angle, none)` is not a `transform` value.  
 At line 47, column 12654  

```
ate-angle,none))}.fa-stack{dis
```
- Warning** The `type` attribute is unnecessary for JavaScript resources.  
 From line 48, column 5; to line 48, column 35  

```
tyle><script type="text/javascript">
```
- Warning** The `type` attribute is unnecessary for JavaScript resources.  
 From line 52, column 5; to line 52, column 81  

```
ript><script type="text/javascript" src="./task_files/app.js.transferir"
defer=""></scri
```
- Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).  
 From line 135, column 17; to line 135, column 35

<h1 id="page\_name">Task -

6. **Error** Element `form` not allowed as child of element `h3` in this context.  
(Suppressing further errors from this subtree.)

From line 151, column 29; to line 151, column 99

```
<form method="post"
action="http://lbaw2215.lbaw.fe.up.pt/api/task/10">
```

Contexts in which element `form` may be used:

Where [flow content](#) is expected.

7. **Error** Bad value `2023-12-30 00:00:00` for attribute `value` on element `input`: The literal did not satisfy the date format.

From line 169, column 29; to line 169, column 140

```
<input class="form-control" type="date" name="due_date"
value="2023-12-30 00:00:00" pattern="\d{4}-\d{2}-\d{2}">
```

8. **Error** Attribute `pattern` is only allowed when the input type is `email`, `password`, `search`, `tel`, `text`, or `url`.

From line 169, column 29; to line 169, column 140

```
<input class="form-control" type="date" name="due_date"
value="2023-12-30 00:00:00" pattern="\d{4}-\d{2}-\d{2}">
```

9. **Error** Attribute `closed` not allowed on element `section` at this point.

From line 173, column 21; to line 173, column 59

```
<section class="comment-tab" closed="">
```

Attributes for element `section`:

[Global attributes](#)

10. **Error** Attribute `user-id` not allowed on element `input` at this point.

From line 177, column 25; to line 177, column 131

```
<input type="text" user-id="13" task-id="10" id="comment-input"
placeholder="Type a message" cursor="null">
```

Attributes for element `input`:

[Global attributes](#)

[accept](#) when type is [file](#)

[alt](#) when type is [image](#)

[autocomplete](#) when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [password](#), [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), [range](#), or [color](#)

[autofocus](#)

[checked](#) when type is [checkbox](#) or [radio](#)

[dirname](#) when type is [text](#) or [search](#)

<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

11. **Error** Attribute `task-id` not allowed on element `input` at this point.

From line 177, column 25; to line 177, column 131

```
<input type="text" user-id="13" task-id="10" id="comment-input"
placeholder="Type a message" cursor="null">
```

Attributes for element `input`:

[Global attributes](#)

[accept](#) when type is [file](#)

[alt](#) when type is [image](#)

<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

12. **Error** Attribute `cursor` not allowed on element `input` at this point.

From line 177, column 25; to line 177, column 131

```
<input type="text" user-id="13" task-id="10" id="comment-input"
placeholder="Type a message" cursor="null"></input>
```

Attributes for element [input](#):[Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

13. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 174, column 25; to line 174, column 33

```
<section>↵
.....
```

14. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 173, column 21; to line 173, column 59

```
<section class="comment-tab" closed="">↵
.....
```

15. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 96, column 7; to line 96, column 28

```
↵      <section id="content">↵
.....
```

16. **Error** Element `style` not allowed as child of element `main` in this context. (Suppressing further errors from this subtree.)

From line 181, column 17; to line 181, column 23

```
<style>↵
.....
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `main`:

[Flow content](#).

17. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

From line 164, column 29; to line 164, column 46

```
<label for="name">Name:
.....
```

18. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

From line 166, column 29; to line 166, column 53

```
<label for="description">Descri
.....
```

19. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

From line 168, column 29; to line 168, column 50

```
<label for="due_date">Due Da
```

### Document checking completed.

Used the HTML parser.

Total execution time 446 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.12.5