

```
[root@localhost ~]# ls /proc
```

1	32	8	devices	iomem	mounts	swaps	vmstat
10	4	9	device-tree	ioports	net	sys	zoneinfo
11	42	buddyinfo	diskstats	irq	pagetypeinfo	sysvipc	
12	47	bus	driver	kallsyms	partitions	thread-self	
13	48	cgroups	execdomains	kmsg	sched_debug	timer_list	
14	5	cmdline	fb	loadavg	self	tty	
15	6	consoles	filesystems	locks	slabinfo	uptime	
2	7	cpuinfo	fs	meminfo	softirqs	version	
3	79	crypto	interrupts	misc	stat	vmallocinfo	

```
[root@localhost ~]# cat /proc/cpuinfo
```

```
hart      : 0
isa       : rv64acdfimsu
mmu       : sv48
```

```
[root@localhost ~]# cat /proc/meminfo
```

```
MemTotal:      186324 kB
MemFree:       177500 kB
MemAvailable:  177052 kB
Buffers:       0 kB
Cached:        3804 kB
SwapCached:    0 kB
Active:        3908 kB
Inactive:     1164 kB
Active(anon):  1268 kB
Inactive(anon): 0 kB
Active(file):  2640 kB
Inactive(file): 1164 kB
Unevictable:   0 kB
Mlocked:      0 kB
SwapTotal:    0 kB
SwapFree:     0 kB
Dirty:        0 kB
Writeback:    0 kB
AnonPages:    1304 kB
Mapped:       2844 kB
Shmem:        0 kB
Slab:         2964 kB
SReclaimable: 452 kB
SUnreclaim:   2512 kB
KernelStack:  160 kB
PageTables:    72 kB
NFS_Unstable: 0 kB
Bounce:       0 kB
WritebackTmp: 0 kB
CommitLimit:  93160 kB
Committed_AS: 2336 kB
VmallocTotal: 67108863 kB
VmallocUsed:   0 kB
VmallocChunk: 0 kB
```

```
[root@localhost ~]# cat /proc/uptime
```

1292.14 955.88

```
[root@localhost ~]# ls /bin | wc -l
2349
```

```
[root@localhost ~]# ls /dev
```

console	ptycf	ptyr3	ptyv7	ptyzb	tty7	ttye1	ttys5	ttyw9
cpu_dma_latency	ptyd0	ptyr4	ptyv8	ptyzc	tty8	ttye2	ttys6	ttywa
full	ptyd1	ptyr5	ptyv9	ptyzd	tty9	ttye3	ttys7	ttywb
hvc0	ptyd2	ptyr6	ptyva	ptyze	ttya0	ttye4	ttys8	ttywc
hvc1	ptyd3	ptyr7	ptyvb	ptyzf	ttya1	ttye5	ttys9	ttywd
hvc2	ptyd4	ptyr8	ptyvc	random	ttya2	ttye6	ttysa	ttywe
hvc3	ptyd5	ptyr9	ptyvd	tty	ttya3	ttye7	ttysb	ttywf
hvc4	ptyd6	ptyra	ptyve	tty0	ttya4	ttye8	ttysc	ttyx0
hvc5	ptyd7	ptyrb	ptyvf	tty1	ttya5	ttye9	ttysd	ttyx1
hvc6	ptyd8	ptyrc	ptyw0	tty10	ttya6	ttyea	ttyse	ttyx2
hvc7	ptyd9	ptyrd	ptyw1	tty11	ttya7	ttyeb	ttysf	ttyx3
kmem	ptyda	ptyre	ptyw2	tty12	ttya8	ttyec	ttyt0	ttyx4
kmsg	ptydb	ptyrf	ptyw3	tty13	ttya9	ttyed	ttyt1	ttyx5
mem	ptydc	ptys0	ptyw4	tty14	ttyaa	ttyee	ttyt2	ttyx6
memory_bandwidth	ptydd	ptys1	ptyw5	tty15	ttyab	ttyef	ttyt3	ttyx7
network_latency	ptyde	ptys2	ptyw6	tty16	ttyac	ttyp0	ttyt4	ttyx8
network_throughput	ptydf	ptys3	ptyw7	tty17	ttyad	ttyp1	ttyt5	ttyx9
null	ptye0	ptys4	ptyw8	tty18	ttyae	ttyp2	ttyt6	ttyxa
port	ptye1	ptys5	ptyw9	tty19	ttyaf	ttyp3	ttyt7	ttyxb
ptmx	ptye2	ptys6	ptywa	tty2	ttyb0	ttyp4	ttyt8	ttyxc
pts	ptye3	ptys7	ptywb	tty20	ttyb1	ttyp5	ttyt9	ttyxd
ptya0	ptye4	ptys8	ptywc	tty21	ttyb2	ttyp6	ttyta	ttyxe
ptya1	ptye5	ptys9	ptywd	tty22	ttyb3	ttyp7	ttytb	ttyxf
ptya2	ptye6	ptysa	ptywe	tty23	ttyb4	ttyp8	ttystc	ttyy0
ptya3	ptye7	ptysb	ptywf	tty24	ttyb5	ttyp9	ttystd	ttyy1
ptya4	ptye8	ptysc	ptyx0	tty25	ttyb6	ttypa	ttyste	ttyy2
ptya5	ptye9	ptysd	ptyx1	tty26	ttyb7	ttypb	ttystf	ttyy3
ptya6	ptyea	ptyse	ptyx2	tty27	ttyb8	ttypc	tttyu0	ttyy4
ptya7	ptyeb	ptysf	ptyx3	tty28	ttyb9	ttypd	tttyu1	ttyy5
ptya8	ptyec	ttyt0	ptyx4	tty29	ttyba	tttpe	tttyu2	ttyy6
ptya9	ptyed	ttyt1	ptyx5	tty3	ttybb	tttpe	tttyu3	ttyy7
ptyaa	ptyee	ttyt2	ptyx6	tty30	ttybc	tttyq0	tttyu4	ttyy8
ptyab	ptyef	ttyt3	ptyx7	tty31	ttybd	tttyq1	tttyu5	ttyy9
ptyac	ttyp0	ttyt4	ptyx8	tty32	ttybe	tttyq2	tttyu6	ttyya
ptyad	ttyp1	ttyt5	ptyx9	tty33	ttybf	tttyq3	tttyu7	ttyyb
ptyae	ttyp2	ttyt6	ptyxa	tty34	tttyc0	tttyq4	tttyu8	ttyyc
ptyaf	ttyp3	ttyt7	ptyxb	tty35	tttyc1	tttyq5	tttyu9	ttyyd
ptyb0	ttyp4	ttyt8	ptyxc	tty36	tttyc2	tttyq6	tttyua	ttyye
ptyb1	ttyp5	ttyt9	ptyxd	tty37	tttyc3	tttyq7	tttyub	ttyyf
ptyb2	ttyp6	ttyta	ptyxe	tty38	tttyc4	tttyq8	tttyuc	ttyz0
ptyb3	ttyp7	tttyb	ptyxf	tty39	tttyc5	tttyq9	tttyud	ttyz1
ptyb4	ttyp8	tttytc	tttyy0	tty4	tttyc6	tttyqa	tttyue	ttyz2
ptyb5	ttyp9	tttytd	tttyy1	tty40	tttyc7	tttyqb	tttyuf	ttyz3
ptyb6	ttypa	tttyte	tttyy2	tty41	tttyc8	tttyqc	tttyv0	ttyz4
ptyb7	ttypb	tttytf	tttyy3	tty42	tttyc9	tttyqd	tttyv1	ttyz5
ptyb8	tttypc	tttyu0	tttyy4	tty43	tttyca	tttyqe	tttyv2	ttyz6
ptyb9	tttypd	tttyu1	tttyy5	tty44	tttycb	tttyqf	tttyv3	ttyz7

ptyba	ptype	ptyu2	ptyy6	tty45	ttycc	ttyr0	ttyv4	ttyz8
ptybb	ptypf	ptyu3	ptyy7	tty46	ttycd	ttyr1	ttyv5	ttyz9
ptybc	ptyq0	ptyu4	ptyy8	tty47	ttyce	ttyr2	ttyv6	ttyza
ptybd	ptyq1	ptyu5	ptyy9	tty48	ttycf	ttyr3	ttyv7	ttyzb
ptybe	ptyq2	ptyu6	ptyya	tty49	ttyd0	ttyr4	ttyv8	ttyzc
ptybf	ptyq3	ptyu7	ptyyb	tty5	ttyd1	ttyr5	ttyv9	ttyzd
ptyc0	ptyq4	ptyu8	ptyyc	tty50	ttyd2	ttyr6	ttyva	ttyze
ptyc1	ptyq5	ptyu9	ptyyd	tty51	ttyd3	ttyr7	ttyvb	ttyzf
ptyc2	ptyq6	ptyua	ptyye	tty52	ttyd4	ttyr8	ttyvc	urandom
ptyc3	ptyq7	ptyub	ptyyf	tty53	ttyd5	ttyr9	ttyvd	vcs
ptyc4	ptyq8	ptyuc	ptyz0	tty54	ttyd6	ttyra	ttyve	vcs1
ptyc5	ptyq9	ptyud	ptyz1	tty55	ttyd7	ttyrb	ttyvf	vcsa
ptyc6	ptyqa	ptyue	ptyz2	tty56	ttyd8	ttyrc	ttyw0	vcsa1
ptyc7	ptyqb	ptyuf	ptyz3	tty57	ttyd9	ttyrd	ttyw1	vga_arbiter
ptyc8	ptyqc	ptyv0	ptyz4	tty58	ttyda	ttyre	ttyw2	vport0p0
ptyc9	ptyqd	ptyv1	ptyz5	tty59	ttydb	ttyrf	ttyw3	zero
ptyca	ptyqe	ptyv2	ptyz6	tty6	ttydc	ttys0	ttyw4	
ptycb	ptyqf	ptyv3	ptyz7	tty60	ttydd	ttys1	ttyw5	
ptycc	ptyr0	ptyv4	ptyz8	tty61	ttyde	ttys2	ttyw6	
ptycd	ptyr1	ptyv5	ptyz9	tty62	ttydf	ttys3	ttyw7	
ptyce	ptyr2	ptyv6	ptyza	tty63	ttye0	ttys4	ttyw8	

```
[root@localhost ~]# ls /etc
```

adjtime	geoclue	mime.types	rpm lint
aliases	glances	mke2fs.conf	rsyncd.conf
alternatives	glvnd	mock	rwtab.d
appstream.conf	gnupg	modprobe.d	sasl2
asciidoc	GREP_COLORS	modules-load.d	screenrc
asound.conf	groff	motd	security
audit	group	motd.d	selinux
axelrc	group-	mtab	sensors3.conf
bash_completion.d	gshadow	multilib.conf	sensors.d
bashrc	gshadow-	Muttrc	services
bindresvport.blacklist	gss	Muttrc.local	sestatus.conf
binfmt.d	gssproxy	nanorc	setroubleshoot
cheat	host.conf	netconfig	sgml
chkconfig.d	hostname	NetworkManager	shadow
chrony.conf	hosts	networks	shadow-
chrony.keys	i3	nfs.conf	shells
cifs-utils	i3status.conf	nfsmount.conf	skel
colordiffrc	idmapd.conf	nftables	ssh
crypto-policies	ImageMagick-6	nsswitch.conf	ssl
csh.cshrc	incron.conf	nsswitch.conf.bak	sssd
csh.login	incron.d	ntp	statetab.d
dblatex	init.d	nvme	subgid
dbus-1	inittab	openldap	subuid
dconf	inputrc	opt	subversion
default	iproute2	os-release	sudo.conf
depmod.d	issue	pam.d	sudoers
dhcp	issue.d	papersize	sudoers.d
dhcpcd.conf	issue.net	passwd	sway
dhcpcd.duid	kde	passwd-	swid
dillo	kernel	pesign	sysconfig

DIR_COLORS	koji.conf	pkcs11	sysctl.conf
DIR_COLORS.256color	koji.conf.d	pkgconfig	sysctl.d
DIR_COLORS.lightbgcolor	kojid	pki	systemd
dkms	krb5.conf	plymouth	system-release
dnf	krb5.conf.d	pm	
system-release-cpe			
dnscrypt-proxy.conf	ld.so.cache	polkit-1	tcsd.conf
dnscrypt-proxy.conf.example	ld.so.conf	popt.d	terminfo
dnsmasq.conf	ld.so.conf.d	printcap	texlive
dnsmasq.d	lftp.conf	profile	tigrc
dracut.conf	libaudit.conf	profile.d	tmpfiles.d
dracut.conf.d	libblockdev	protocols	tpm2-tss
egl	libguestfs-tools.conf	pulse	Trolltech.conf
elinks.conf	libibverbs.d	qemu	trusted-key.key
environment	libnl	qemu-ga	udev
ethertypes	libpaper.d	radvd.conf	udisks2
exports	libreport	rc0.d	unbound
exports.d	libssh	rc1.d	urlview.conf
extlinux.conf	libuser.conf	rc2.d	
usb_modeswitch.conf			
fakechroot	libvirt	rc3.d	vconsole.conf
favicon.png	locale.conf	rc4.d	vimrc
fedora-release	localtime	rc5.d	virac
filesystems	login.defs	rc6.d	virt-builder
firewalld	logrotate.d	rc.d	vulkan
flexiblasrc	lorax	rdma	w3m
flexiblasrc.d	lvm	rearj.cfg	wgetrc
fltk	lynx.cfg	redhat-release	X11
fonts	lynx.lss	request-key.conf	xattr.conf
freeipmi	lynx-site.cfg	request-key.d	xdg
fstab	machine-id	resolv.conf	xml
fuse.conf	magic	rhashrc	yum.repos.d
fw_env.config	mailcap	rpc	zlogin
gconf	mail.rc	rpkg	zlogout
gcrypt	man_db.conf	rpkg.conf	zprofile
gdbinit	mc	rpm	zshenv
gdbinit.d	mercurial	rpmdevtools	zshrc

```
[root@localhost ~]# cat /proc/version
Linux version 4.15.0-00049-ga3b1e7a-dirty (bellard@localhost.localdomain) (gcc version
7.3.0 (Buildroot
2016.08-git-svn30683)) #11 Thu Nov 8 20:30:26 CET 2018
```

```
[root@localhost ~]# cat /proc/self/status
Name:   cat
Umask:  0022
State:  R (running)
Tgid:   88
Ngid:   0
Pid:    88
PPid:   47
TracerPid:      0
Uid:    0      0      0      0
```

```
Gid:      0      0      0      0
FDSize: 256
Groups:
NStgid: 88
NSpid: 88
NSpgid: 88
NSSid: 47
VmPeak: 4688 kB
VmSize: 4688 kB
VmLck: 0 kB
VmPin: 0 kB
VmHWM: 1440 kB
VmRSS: 1440 kB
RssAnon: 100 kB
RssFile: 1340 kB
RssShmem: 0 kB
VmData: 312 kB
VmStk: 132 kB
VmExe: 28 kB
VmLib: 1260 kB
VmPTE: 32 kB
VmSwap: 0 kB
CoreDumping: 0
Threads: 1
SigQ: 0/1455
SigPnd: 0000000000000000
ShdPnd: 0000000000000000
SigBlk: 0000000000000000
SigIgn: 0000000000000000
SigCgt: 0000000000000000
CapInh: 0000000000000000
CapPrm: 0000003fffffffffff
CapEff: 0000003fffffffffff
CapBnd: 0000003fffffffffff
CapAmb: 0000000000000000
NoNewPrivs: 0
Cpus_allowed: 1
Cpus_allowed_list: 0
voluntary_ctxt_switches: 0
nonvoluntary_ctxt_switches: 0
```

```
[root@localhost ~]# cat /etc/os-release
NAME=Fedora
VERSION="33 (Rawhide)"
ID=fedora
VERSION_ID=33
VERSION_CODENAME=""
PLATFORM_ID="platform:f33"
PRETTY_NAME="Fedora 33 (Rawhide)"
ANSI_COLOR="0;34"
LOGO=fedora-logo-icon
CPE_NAME="cpe:/o:fedoraproject:fedora:33"
HOME_URL="https://fedoraproject.org/"
```

```
DOCUMENTATION_URL="https://docs.fedoraproject.org/en-US/fedora/rawhide/system-administrators-guide/"
SUPPORT_URL="https://fedoraproject.org/wiki/Communicating_and_getting_help"
BUG_REPORT_URL="https://bugzilla.redhat.com/"
REDHAT_BUGZILLA_PRODUCT="Fedora"
REDHAT_BUGZILLA_PRODUCT_VERSION=rawhide
REDHAT_SUPPORT_PRODUCT="Fedora"
REDHAT_SUPPORT_PRODUCT_VERSION=rawhide
PRIVACY_POLICY_URL="https://fedoraproject.org/wiki/Legal:PrivacyPolicy"
[root@localhost ~]# ^C
[root@localhost ~]# ^C
[root@localhost ~]# ^C
```

```
[root@localhost ~]# cat /etc/os-release
NAME=Fedora
VERSION="33 (Rawhide)"
ID=fedora
VERSION_ID=33
VERSION_CODENAME=""
PLATFORM_ID="platform:f33"
PRETTY_NAME="Fedora 33 (Rawhide)"
ANSI_COLOR="0;34"
LOGO=fedora-logo-icon
CPE_NAME="cpe:/o:fedoraproject:fedora:33"
HOME_URL="https://fedoraproject.org/"
DOCUMENTATION_URL="https://docs.fedoraproject.org/en-US/fedora/rawhide/system-administrators-guide/"
SUPPORT_URL="https://fedoraproject.org/wiki/Communicating_and_getting_help"
BUG_REPORT_URL="https://bugzilla.redhat.com/"
REDHAT_BUGZILLA_PRODUCT="Fedora"
REDHAT_BUGZILLA_PRODUCT_VERSION=rawhide
REDHAT_SUPPORT_PRODUCT="Fedora"
REDHAT_SUPPORT_PRODUCT_VERSION=rawhide
PRIVACY_POLICY_URL="https://fedoraproject.org/wiki/Legal:PrivacyPolicy"
[root@localhost ~]# ^C
[root@localhost ~]# ^C
[root@localhost ~]# ^C
```

PARTE B — Questão de reflexão

A apresentação mostrou que o supervisor controlava o acesso a I/O

e que rotinas de dispositivo traduziam comandos.

Em qual diretório do Linux você reconhece essa função?

Resposta:

O diretório (devices) contém arquivos especiais que representam o hardware do sistema. No Linux, a interação com periféricos é feita através desses arquivos, permitindo que o kernel controle o acesso a I/O e utilize drivers (rotinas de dispositivo) para traduzir comandos de software em operações de hardware.