

Nome: Emanuelly Hanada Morino e Nicole dos Santos

Turma: 302- Informática

PRINTS:

→ Clonagem do Repositório


```
C:\Users\DELL>git clone https://gitlab.com/hvescovi/progs.git
Cloning into 'progs'...
remote: Enumerating objects: 2127, done.
remote: Counting objects: 100% (941/941), done.
remote: Compressing objects: 100% (874/874), done.
remote: Total 2127 (delta 451), reused 0 (delta 0), pack-reused 1186 (from 1)
Receiving objects: 100% (2127/2127), 5.23 MiB | 7.28 MiB/s, done.
Resolving deltas: 100% (797/797), done.
Updating files: 100% (938/938), done.
```

→ SEM definir as variáveis de ambiente:

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\discente\INFO 101\1707\Imagens\progs-main\progs-main\web\react_with_next\06-complete-app\back-python> uv run
flask --app src/app run
Using CPython 3.12.8 interpreter at: C:\Users\discente\AppData\Local\Programs\Python\Python312\python.exe
Creating virtual environment at: .env
Built back-python @ file:///C:/Users/discente/INFO%20101/1707/Imagens/progs-main/progs-main/web/react_with_next/06
Installed 23 packages in 388ms
* Serving Flask app 'src/app'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [10/Aug/2026 11:13:32] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [10/Aug/2026 11:13:32] "GET /favicon.ico HTTP/1.1" 404 -
```

Utilizando o comando: `uv run flask --app src/app run`, dentro da pasta de back-python



→ COM as variáveis de ambiente:

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\discente\INFO 101\1707\Imagens\progs-main\progs-main\web\react_with_next\06-complete-app\back-python> uv run
flask --app src/app run
Using CPython 3.12.8 interpreter at: C:\Users\discente\AppData\Local\Programs\Python\Python312\python.exe
Creating virtual environment at: .venv
    Built back-python @ file:///C:/Users/discente/INFO%20101/1707/Imagens/progs-main/progs-main/web/react_with_next/06
Installed 23 packages in 388ms
* Serving Flask app 'src/app'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [10/Aug/2026 11:13:32] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [10/Aug/2026 11:13:32] "GET /favicon.ico HTTP/1.1" 404 -
PS C:\Users\discente\INFO 101\1707\Imagens\progs-main\progs-main\web\react_with_next\06-complete-app\back-python> $env:P
OSTGRES_URL_NON_POOLING="postgres://postgres.jxrocwbmsarmvbedhpa:XJu7qPe8kPEnK14f@aws-0-us-east-1.pooler.supabase.com:5
432/postgres?sslmode=require"
PS C:\Users\discente\INFO 101\1707\Imagens\progs-main\progs-main\web\react_with_next\06-complete-app\back-python> uv run
flask --app src/app run
* Serving Flask app 'src/app'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [10/Aug/2026 11:45:49] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [10/Aug/2026 11:45:59] "GET /pessoas HTTP/1.1" 200 -
127.0.0.1 - - [10/Aug/2026 11:46:49] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [10/Aug/2026 11:46:57] "GET /pessoas HTTP/1.1" 200 -
```




The screenshot shows a Windows PowerShell terminal window. The title bar reads "Windows PowerShell". The window content displays the following text:

```

Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\discente\INFO 101\1707\Imagens\progs-main\progs-main\web\react_with_next\06-complete-app\back-python> uv run
flask --app src/app run
* Serving Flask app 'src/app'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit

```



Da mesma forma, fomos capazes de rodar o backend, agora com as variáveis de ambiente. Seguimos o seguinte passo a passo:

1. No mesmo terminal, encerramos o run anterior e então criaremos uma variável de ambiente temporária no Windows com este comando:
`$env:POSTGRES_URL_NON_POOLING="postgres://postgres:jwtrocbwmsarmvbe@dhdpa:XJu7qPe8kPEnK14F@aws-0-us-east-1.pooler.supabase.com:5432/postgres?sslmode=require"`
2. Em seguida, apenas retomamos aquele mesmo comando para de novo rodar o run: `uv run flask --app src/app run`

→ Teste das ROTAS:

1. Para acessarmos à rota padrão, em um segundo terminal, usamos o comando: `curl localhost:5000`
2. E para a rota de listagem das pessoas seguimos com: `curl localhost:5000/pessoas`

```
C:\Users\DELL>curl localhost:5000
Backend operante :-)
C:\Users\DELL>curl localhost:5000/pessoas
{"detalhes":[{"email":"admin@admin","id":1,"login":"admin","nome":"Administrador","senha":"$2b$12$0Cn8GIC4wemrqP/Z/FtB8e7fK34JSt0Dq0jhpkygilyjC
LitBfXPG","telefone":"(00) 0 0000-0000"}, {"email":"saja@gmail.com","id":2,"login":"saja","nome":"Sara Jango","senha":"$2b$12$yXKeQh.Gj40QXsD2fH
0s40LQd.TTDfeULkZTtrMKNv1.ve.6ZukCS","telefone":"47 9 1155 4376"}], "resultado": "ok"}
```

3. Para acessar a rota do login, tivemos que utilizar o comando: `curl http://127.0.0.1:5000/login -X POST -H "Content-Type: application/json" -d '{"login":"admin","senha":"admin123"}'`

```
C:\Users\DELL>curl http://127.0.0.1:5000/login -X POST -H "Content-Type: application/json" -d '{"login":"admin","senha":"admin123"}'
{"detalhes":{"token":"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJmcmVzaCI6ZmFsc2UsImhhdCI6MTc4NjkzNjZlLnR5c2VzcyIsInN1YiI6IjEiLCJybmYiOiJlODY5Mzc2NTAsImNzcmYiOiIyNWl3MmZlMC04Mjg2LTQ0ODQtYWZjMS1jZTkxODgwYzUyZGIiLCJleHAiOiJlODY5Mzc2NTB9.EPHGBaU1IhKGyS4nEFCJOeuWq0JzOtrXud2ykZUk4a0","resultado":"ok"}
```

4. Por fim, para incluirmos uma pessoa, usaremos o seguinte comando: `curl http://localhost:5000/pessoa -X POST -H "Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJmcmVzaCI6ZmFsc2UsImhhdCI6MTc4NjkzNjZlLnR5c2VzcyIsInN1YiI6IjEiLCJybmYiOiJlODY5Mzc2NTAsImNzcmYiOiIyNWl3MmZlMC04Mjg2LTQ0ODQtYWZjMS1jZTkxODgwYzUyZGIiLCJleHAiOiJlODY5Mzc2NTB9.EPHGBaU1IhKGyS4nEFCJOeuWq0JzOtrXud2ykZUk4a0" -H "Content-Type: application/json" -d '{"nome":"Joestar","email":"jojo@gmail.com","telefone":"47 9 1155 4376","login":"joestar","senha":"jojo123"}'`

```
C:\Users\DELL>curl http://localhost:5000/pessoa -X POST -H "Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJmcmVzaCI6ZmFsc2UsImhhdCI6MTc4NjkzNjZlLnR5c2VzcyIsInN1YiI6IjEiLCJybmYiOiJlODY5Mzc2NTAsImNzcmYiOiIyNWl3MmZlMC04Mjg2LTQ0ODQtYWZjMS1jZTkxODgwYzUyZGIiLCJleHAiOiJlODY5Mzc2NTB9.EPHGBaU1IhKGyS4nEFCJOeuWq0JzOtrXud2ykZUk4a0" -H "Content-Type: application/json" -d '{"nome":"Joestar","email":"jojo@gmail.com","telefone":"47 9 1155 4376","login":"joestar","senha":"jojo123"}'
{"detalhes":{"email":"jojo@gmail.com","id":3,"login":"joestar","nome":"Joestar","senha":"$2b$12$Xbtp40ySjycPBheutkiPeIN0UjQ1iuk9y/gSY36EjSb70/GLC6ve","telefone":"47 9 1155 4376"},"resultado":"ok"}
```

OBS: Tudo isso, mantendo o terminal 1 com o run rodando o site, o que resultará em algo como isso ao final:

```
C:\Users\DELL\progs\web\react_with_next\06-complete-app\back-python>uv run flask --app src/app
Using CPython 3.14.7
Creating virtual environment at: .venv
Built back-python @ file:///C:/Users/DELL/progs/web/react_with_next/06-complete-app
Installed 23 packages in 3.55s
* Serving Flask app 'src/app'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use Werkzeug's
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [16/Aug/2026 23:34:40] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:34:40] "GET /favicon.ico HTTP/1.1" 404 -
127.0.0.1 - - [16/Aug/2026 23:47:05] "GET /pessoas HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:47:33] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:48:57] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:49:09] "GET /pessoas HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:55:20] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:55:59] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:56:01] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:56:07] "GET /pessoas HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:57:34] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:57:46] "GET /pessoas HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:58:22] "POST /login HTTP/1.1" 400 -
127.0.0.1 - - [17/Aug/2026 00:05:58] "POST /login HTTP/1.1" 400 -
127.0.0.1 - - [17/Aug/2026 00:06:19] "POST /login HTTP/1.1" 400 -
127.0.0.1 - - [17/Aug/2026 00:09:17] "POST / HTTP/1.1" 405 -
127.0.0.1 - - [17/Aug/2026 00:10:36] "POST /login HTTP/1.1" 200 -
```

```
Prompt de Comando - uv run flask --app src/app run
Built back-python @ file:///C:/Users/DELL/progs/web/react_with_next/06-complete-app
Installed 23 packages in 3.55s
* Serving Flask app 'src/app'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use Werkzeug's
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [16/Aug/2026 23:34:40] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:34:40] "GET /favicon.ico HTTP/1.1" 404 -
127.0.0.1 - - [16/Aug/2026 23:47:05] "GET /pessoas HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:47:33] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:48:57] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:49:09] "GET /pessoas HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:55:20] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:55:59] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:56:01] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:56:07] "GET /pessoas HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:57:34] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:57:46] "GET /pessoas HTTP/1.1" 200 -
127.0.0.1 - - [16/Aug/2026 23:58:22] "POST /login HTTP/1.1" 400 -
127.0.0.1 - - [17/Aug/2026 00:05:58] "POST /login HTTP/1.1" 400 -
127.0.0.1 - - [17/Aug/2026 00:06:19] "POST /login HTTP/1.1" 400 -
127.0.0.1 - - [17/Aug/2026 00:09:17] "POST / HTTP/1.1" 405 -
127.0.0.1 - - [17/Aug/2026 00:10:36] "POST /login HTTP/1.1" 200 -
127.0.0.1 - - [17/Aug/2026 00:17:41] "POST /pessoa HTTP/1.1" 401 -
127.0.0.1 - - [17/Aug/2026 00:19:10] "POST /login HTTP/1.1" 200 -
127.0.0.1 - - [17/Aug/2026 00:19:21] "POST /pessoa HTTP/1.1" 401 -
127.0.0.1 - - [17/Aug/2026 00:21:15] "POST /pessoas HTTP/1.1" 405 -
127.0.0.1 - - [17/Aug/2026 00:21:33] "POST /pessoa HTTP/1.1" 201 -
```