

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```
@extends('layouts.app')

@section('title', $project->name)

@section('content')

<script type="text/javascript" src="{{ asset('js/project_fav.js') }}" defer></script>
<script type="text/javascript" src="{{ asset('js/project_func.js') }}" defer>
</script>
<script src="{{ asset('js/search_tasks.js') }}" defer></script>
<script type="text/javascript" src="{{ asset('js/project_changes.js') }}" defer>
</script>

<link href="{{ asset('css/project.css') }}" rel="stylesheet">
<link href="{{ asset('css/sidebar.css') }}" rel="stylesheet">
```

[Check](#)

Use the Message Filtering button below to display options for hiding/showing particular messages, and to see total counts of errors and warnings.

[Message Filtering](#) 22 messages hidden by filtering

- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 7, column 1; to line 7, column 76](#)

```
content')<script type="text/javascript" src="{{ asset('js/project_fav.js') }}"
defer></scri
```
- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 8, column 1; to line 8, column 77](#)

```
</script><script type="text/javascript" src="{{ asset('js/project_func.js') }}"
defer></scri
```
- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 10, column 1; to line 10, column 80](#)

```
</script><script type="text/javascript" src="{ asset('js/project_changes.js')
  }}" defer></scri
```

4. **Warning** Attribute `$user-` is not serializable as XML 1.0.

[From line 35, column 29; to line 35, column 52](#)

```
<option value={{ $user->id }}>
```

5. **Error** Duplicate ID `changesAndArchiveWrapper`.

[From line 54, column 13; to line 54, column 47](#)

```
<div id="changesAndArchiveWrapper"><
```

6. **Warning** The first occurrence of ID `changesAndArchiveWrapper` was here.

[From line 47, column 13; to line 47, column 47](#)

```
<div id="changesAndArchiveWrapper"><
```

7. **Error** Duplicate ID `projectSettingsTitle`.

[From line 97, column 5; to line 97, column 34](#)

```
ner">< <h2 id="projectSettingsTitle">Create
```

8. **Warning** The first occurrence of ID `projectSettingsTitle` was here.

[From line 21, column 9; to line 21, column 38](#)

```
>< <h2 id="projectSettingsTitle">Projec
```

9. **Error** Duplicate ID `submitWrapper`.

[From line 113, column 13; to line 113, column 36](#)

```
<div id="submitWrapper"><
```

10. **Warning** The first occurrence of ID `submitWrapper` was here.

[From line 84, column 17; to line 84, column 40](#)

```
<div id="submitWrapper"><
```

11. **Error** Duplicate ID `submitChangesButton`.

[From line 114, column 17; to line 114, column 90](#)

```
<button type="submit" class="button edit-button"
id="submitChangesButton">Create
```

12. **Warning** The first occurrence of ID `submitChangesButton` was here.

[From line 85, column 21; to line 85, column 94](#)

```
<button type="submit" class="button edit-button"
id="submitChangesButton"><i cla
```

13. **Error** Duplicate ID `close-project-settings`.

[From line 115, column 17; to line 115, column 118](#)

```
<button type="button" class="exit-button"
onclick="hideCreateTask(event)" id="close-project-settings"><
```

14. **Warning** The first occurrence of ID `close-project-settings` was here.

[From line 86, column 21; to line 86, column 127](#)

```
<button type="button" class="exit-button"
onclick="hideProjectSettings(event)" id="close-project-settings"><
```

15. **Error** Duplicate ID `projectSettingsTitle`.

[From line 126, column 5; to line 126, column 34](#)

```
ner">< <h2 id="projectSettingsTitle">Projec
```

16. **Warning** The first occurrence of ID `projectSettingsTitle` was here.

[From line 21, column 9; to line 21, column 38](#)

```
>< <h2 id="projectSettingsTitle">Projec
```

17. **Error** Duplicate ID `submitWrapper`.

[From line 132, column 5; to line 132, column 28](#)

```
div><< <div id="submitWrapper"><
```

18. **Warning** The first occurrence of ID `submitWrapper` was here.

[From line 84, column 17; to line 84, column 40](#)

```
<div id="submitWrapper"><
```

19. **Error** Duplicate ID `submitChangesButton`.

[From line 133, column 9; to line 133, column 122](#)

```
>< <button type="button" class="button edit-button"
id="submitChangesButton" onclick="hideProjectDescription(event)">Back</
```

20. **Warning** The first occurrence of ID `submitChangesButton` was here.

[From line 85, column 21; to line 85, column 94](#)

```
<button type="submit" class="button edit-button"
id="submitChangesButton"><i cla
```

21. **Error** Bad value `submit` for attribute `type` on element `a`: Subtype missing.

[From line 151, column 29; to line 151, column 172](#)

```
<a type="submit" id="favorite-button" class="favorite-button-solid
scales-on-hover" data-action="unfavorite-project" title="Unfavorite Project">
```

22. **Error** Element `a` is missing required attribute `href`.

[From line 151, column 29; to line 151, column 172](#)

```
<a type="submit" id="favorite-button" class="favorite-button-solid
scales-on-hover" data-action="unfavorite-project" title="Unfavorite Project">
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

23. **Error** Duplicate ID `favorite-button`.

[From line 155, column 29; to line 155, column 168](#)

```
<a type="submit" id="favorite-button" class="favorite-button-empty
scales-on-hover" data-action="favorite-project" title="Favorite Project">
```

24. **Warning** The first occurrence of ID `favorite-button` was here.

[From line 151, column 29; to line 151, column 172](#)

```
<a type="submit" id="favorite-button" class="favorite-button-solid
scales-on-hover" data-action="unfavorite-project" title="Unfavorite Project">
```

25. **Error** Bad value `submit` for attribute `type` on element `a`: Subtype missing.

[From line 155, column 29; to line 155, column 168](#)

```
<a type="submit" id="favorite-button" class="favorite-button-empty
scales-on-hover" data-action="favorite-project" title="Favorite Project">
```

26. **Error** Element `a` is missing required attribute `href`.

[From line 155, column 29; to line 155, column 168](#)

```
<a type="submit" id="favorite-button" class="favorite-button-empty
scales-on-hover" data-action="favorite-project" title="Favorite Project">↵
```

Attributes for element [a](#):

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

27. **Error** Bad value `submit` for attribute `type` on element `a`: Subtype missing.

[From line 174, column 17; to line 174, column 133](#)

```
<a href="{{ route('forum.show', ['id' => $project->id]) }}"
class="scales-on-hover" type="submit" title="Open Forum">↵
```

28. **Error** Duplicate ID `forumLinkContainer`.

[From line 181, column 17; to line 181, column 45](#)

```
<div id="forumLinkContainer">↵
```

29. **Warning** The first occurrence of ID `forumLinkContainer` was here.

[From line 173, column 13; to line 173, column 41](#)

```
<div id="forumLinkContainer">↵
```

30. **Error** Duplicate ID `forumLinkContainer`.

[From line 187, column 17; to line 187, column 45](#)

```
<div id="forumLinkContainer">↵
```

31. **Warning** The first occurrence of ID `forumLinkContainer` was here.

[From line 173, column 13; to line 173, column 41](#)

```
<div id="forumLinkContainer">↵
```

32. **Error** Duplicate ID `addTaskButton`.

[From line 215, column 17; to line 215, column 40](#)

```
<div id="addTaskButton">↵
```

33. **Warning** The first occurrence of ID `addTaskButton` was here.

[From line 204, column 17; to line 204, column 40](#)

```
<div id="addTaskButton">↵
```

34. **Error** Duplicate ID `addTaskButton`.

[From line 226, column 17; to line 226, column 40](#)

```
<div id="addTaskButton">↵
```

35. **Warning** The first occurrence of ID `addTaskButton` was here.

[From line 204, column 17; to line 204, column 40](#)

```
<div id="addTaskButton">↵
```

36. **Error** Element `style` not allowed as child of element `body` in this context.
(Suppressing further errors from this subtree.)

[From line 235, column 1; to line 235, column 7](#)

```
section>↵↵<style>↵ @
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `body`:

[Flow content](#).

Document checking completed.

Source

```
1. @extends('layouts.app')↵
2. ↵
3. @section('title', $project->name)↵
4. ↵
5. @section('content')↵
6. ↵
7. <script type="text/javascript" src="{{ asset('js/project_fav.js') }}" defer>
</script>↵
8. <script type="text/javascript" src="{{ asset('js/project_func.js') }}" defer>
</script>↵
9. <script src="{{ asset('js/search_tasks.js') }}" defer></script>↵
10. <script type="text/javascript" src="{{ asset('js/project_changes.js') }}" defer>
</script>↵
11. ↵
12. <link href="{{ asset('css/project.css') }}" rel="stylesheet">↵
13. <link href="{{ asset('css/sidebar.css') }}" rel="stylesheet">↵
14. ↵
15. @include('partials.sidebar', ['current_project_id' => $project->id])↵
16. @include('partials.members')↵
17. ↵
18. {{-- Hidden div for project coordinator settings --}}↵
```

```

19. @if($project->isCoordinator(Auth::user()))<
20.     <div id="project-settings-container" class="hidden modal opaque-project-
    container scrollable"><
21.         <h2 id="projectSettingsTitle">Project Settings</h2><
22.     <
23.         {{-- change coordinator --}}<
24.         <h3 class="changeCordinator" id="changeCoordinator">Change
Coordinator</h3><
25.         <form class="project-form" method="POST" <
26.             action="{{ route('assign.new.coordinator', ['project_id' =>
    $project->id]) }}" <
27.                 id="newProjectCoordinatorForm"><
28.                 @method('POST')<
29.                 @csrf<
30.                 <div id="changeCoordinatorContainer"><
31.                     <select id="username" name="new_id" class="project-form-input"><
32.                         <option value="" selected disabled>{{ $project-
    >getCoordinator()->name }}</option><
33.                         @foreach($project->members as $user)<
34.                             @if (!$project->isCoordinator($user))<
35.                                 <option value="{{ $user->id }}">{{ $user->name . ' (' .
    $user->username . ')' }}</option><
36.                             @endif<
37.                         @endforeach<
38.                     </select><
39.                 <
40.                 <input type="hidden" name="old_id" value="{{ $project-
    >getCoordinator()->id }}"><
41.                 <button type="submit" class="project-submit-
    button">Confirm</button><
42.             </div><
43.         </form><
44.     <
45.     {{-- changes record --}}<
46.     <div style="display: flex;"><
47.         <div id="changesAndArchiveWrapper"><
48.             <form class="project-form-top"><
49.                 <a href="{{ route('project changes', ['project_id' =>
    $project->id]) }}" id="changes-button" class="button">TimeLine <i class="fas fa-
    history"></i></a><
50.                 <p class="info-label">View project change history</p><
51.             </form><
52.         </div><
53.         <
54.         <div id="changesAndArchiveWrapper"><
55.             <form class="project-form-top" method="POST" <
56.                 action="{{ route('archive', ['project_id' => $project-
    >id]) }}" <
57.                     id="archiveProjectForm"><
58.                     @method('POST')<
59.                     @csrf<
60.                     <a class="archive-button button" id="archive-button"
    onclick="showPopup('archive-popup');"><
61.                         Archive <i class="fa-solid fa-box-archive"></i><
62.                     </a><
63.                     <p class="info-label">Archive this project</p><
64.                     <
65.                     <div id="archive-popup" class="confirmation-popup hidden"><
66.                         <p>Are you sure you want to archive "{{ $project->name
    }}"?<br>(This action cannot be undone!)</p><
67.                         <button type="button" class="button cancel-button"
    onclick="hidePopup('archive-popup')">No</button><
68.                         <button class="button confirm-button">Yes</button><
69.                     </div><
70.                 </form><
71.             </div><
72.         </div><

```

```

73.  ↵
74.      {{-- change description --}}↵
75.      <div id="changeDescWrapper">↵
76.          <form method="POST" action="{{ route('project.update', ['project_id'
=> $project->id]) }}" class="project-form">↵
77.              @method('POST')↵
78.              @csrf↵
79.              <p class="info-label">Description:</p>↵
80.              <textarea name="description" class="project_description_area"
placeholder="{{ $project->description }}"></textarea>↵
81.              <p class="info-label">Delivery Date (currently {{
strval($project->delivery_date) }}):</p>↵
82.              <input type="date" name="delivery_date"
class="project_delivery_date">↵
83.          ↵
84.          <div id="submitWrapper">↵
85.              <button type="submit" class="button edit-button"
id="submitChangesButton"><i class="fas fa-edit"></i> Save</button>↵
86.              <button type="button" class="exit-button"
onclick="hideProjectSettings(event)" id="close-project-settings">↵
87.                  Cancel↵
88.              </button>↵
89.          </div>↵
90.      </form>↵
91.  </div>↵
92.  </div> ↵
93. @endif↵
94. ↵
95. {{-- Hidden div for creating tasks --}}↵
96. <div id="create-task-container" class="hidden modal opaque-project-container">↵
97.     <h2 id="projectSettingsTitle">Create New Task</h2>↵
98.     ↵
99.     <form class="task-form project-form" method="POST" action="{{
route('create_task', ['project_id' => $project->id]) }}">↵
100.         @method('PUT')↵
101.         @csrf↵
102.     ↵
103.         <div style="align-items:baseline;width:100%">↵
104.             <p class="info-label">Name:</p>↵
105.             <input type="text" id="name" name="name" required placeholder="ex:
Create New Navbar">↵
106.         ↵
107.             <p class="info-label">Description:</p>↵
108.             <textarea type="text" id="description" name="description"
class="project description area" required placeholder="ex: Create Navbar with
four different buttons ..."></textarea>↵
109.         ↵
110.             <p class="info-label">Delivery Date:</p>↵
111.             <input type="date" id="delivery_date" name="delivery_date">↵
112.         ↵
113.         <div id="submitWrapper">↵
114.             <button type="submit" class="button edit-button"
id="submitChangesButton">Create</button>↵
115.             <button type="button" class="exit-button"
onclick="hideCreateTask(event)" id="close-project-settings">↵
116.                 Cancel↵
117.             </button>↵
118.         </div>↵
119.     </div>↵
120.     ↵
121. </form>↵
122. </div>↵
123. ↵
124. {{-- Hidden div for project description --}}↵
125. <div id="project-description-container" class="hidden modal opaque-project-
container">↵
126.     <h2 id="projectSettingsTitle">Project Description</h2>↵

```



```

127.     ↵
128.     <div id="innerDescriptionContainer" class="scrollable">↵
129.         {{ $project->description }}↵
130.     </div>↵
131. ↵
132.     <div id="submitWrapper">↵
133.         <button type="button" class="button edit-button" id="submitChangesButton"
onclick="hideProjectDescription(event)">Back</button>↵
134.     </div>↵
135. </div>↵
136. ↵
137. <section id="project">↵
138.     @include('partials.messages')↵
139. ↵
140.     @if($project->archived)↵
141.         <h1>This project has been archived by the coordinator.</h1>↵
142.     @endif↵
143. ↵
144.     <div class="project-info-card">↵
145.         <div id="project-links">↵
146.             @if(!(Auth::user()->isadmin || $project->archived))↵
147.                 <div id="favorite-button-container">↵
148.                     <form method="POST" action="{ { route('project.favorite',
['project_id' => $project->id]) } }">↵
149.                         @csrf↵
150.                         @if($project->isFavoriteOf(Auth::user()))↵
151.                             <a type="submit" id="favorite-button"
class="favorite-button-solid scales-on-hover" data-action="unfavorite-project"
title="Unfavorite Project">↵
152.                                 <i class="fa-solid fa-star"></i>↵
153.                             </a>↵
154.                         @else↵
155.                             <a type="submit" id="favorite-button"
class="favorite-button-empty scales-on-hover" data-action="favorite-project"
title="Favorite Project">↵
156.                                 <i class="fa-regular fa-star"></i>↵
157.                             </a>↵
158.                         @endif↵
159.                         {{ $project->name }}↵
160.                     </form>↵
161.                 </div>↵
162.             @endif↵
163. ↵
164.             <div class="" id="search-task-container">↵
165.                 <form class="task-form project-form" id="search_task_form">↵
166.                     <input type="text" name="task" ↵
167.                         required placeholder="Search tasks by name or status" ↵
168.                         id="search_task_input" class="project-form"↵
169.                         title="Search for tasks">↵
170.                 </form>↵
171.             </div>↵
172. ↵
173.             <div id="forumLinkContainer">↵
174.                 <a href="{ { route('forum.show', ['id' => $project->id]) } }"
class="scales-on-hover" type="submit" title="Open Forum">↵
175.                     <i class="fas fa-comments"></i>↵
176.                 </a>↵
177.                 Forum↵
178.             </div>↵
179. ↵
180.             @if($project->isCoordinator(Auth::user()) && !$project->archived)↵
181.                 <div id="forumLinkContainer">↵
182.                     <a class="scales-on-hover"
onclick="showProjectSettings(event)" title="Project Settings">↵
183.                         <i class="fa-solid fa-gear"></i>↵
184.                     </a>↵
185.                 </div>↵

```

```

186.         @else↵
187.             <div id="forumLinkContainer">↵
188.                 <a class="scales-on-hover"
onclick="showProjectDescription(event)" title="View Description">↵
189.                     <i class="fa-solid fa-scroll"></i>↵
190.                 </a>↵
191.                 Description↵
192.             </div>↵
193.         @endif↵
194.     </div>↵
195. </div>↵
196. ↵
197. <div id="tasks">↵
198.     <div id="task-container">↵
199.         <div class="task-list-container" id="task-todo-container">↵
200.             <h3>To Do</h3>↵
201.             <div class="scrollable task-list-inner-container">↵
202.                 <ul id="tasks-todo" class="task-list"></ul>↵
203.             </div>↵
204.             <div id="addTaskButton">↵
205.                 <i class="fa-solid fa-plus scales-on-hover"
onclick="showCreateTask(event)" title="Create new task"></i>↵
206.                 Add Task↵
207.             </div>↵
208.         </div>↵
209. ↵
210.         <div class="task-list-container scrollable" id="task-doing-
container">↵
211.             <h3>Doing</h3>↵
212.             <div class="scrollable task-list-inner-container">↵
213.                 <ul id="tasks-doing" class="task-list"></ul>↵
214.             </div>↵
215.             <div id="addTaskButton">↵
216.                 <i class="fa-solid fa-plus scales-on-hover"
onclick="showCreateTask(event)" title="Create new task"></i>↵
217.                 Add Task↵
218.             </div>↵
219.         </div>↵
220. ↵
221.         <div class="task-list-container scrollable" id="task-done-
container">↵
222.             <h3>Done</h3>↵
223.             <div class="scrollable task-list-inner-container">↵
224.                 <ul id="tasks-done" class="task-list"></ul>↵
225.             </div>↵
226.             <div id="addTaskButton">↵
227.                 <i class="fa-solid fa-plus scales-on-hover"
onclick="showCreateTask(event)" title="Create new task"></i>↵
228.                 Add Task↵
229.             </div>↵
230.         </div>↵
231.     </div>↵
232. </div>↵
233. </section>↵
234. ↵
235. <style>↵
236.     @media (min-width: 2300px) {↵
237.         section#content {↵
238.             height: 100vh;↵
239.         }↵
240.     }↵
241. </style>↵
242. ↵
243. @endsection

```

Used the HTML parser.

Total execution time 31 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28