## Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

```
Checker Input
Show Source
               outline
                                     Options...
                        image report
Check by text input ✓ □ css
        @if(count($notifications) > 0)
        <form method="POST" action="{{ route('notification.checkAll', ['username' =>
request('username')]) }}">
            @method('POST')
            @csrf
            <button type="submit" class="checkAll">CHECK ALL</button>
        </form>
        @endif
    </div>
    <div class="listOfNotifications">
        @forelse ($notifications as $notification)
                <div class="notificationCard">
                   <div class="notificationHeader">
                       {{$notification->date}}
                        cform mothod="DOST" action="SS route('notification chack'
 Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering 8 messages hidden by filtering

```
1. Error Attribute name not allowed on element meta at this point.

From line 9, column 1; to line 9, column 53

ontent') ⇔ meta name="csrf-token" content="{{ csrf_token() }}"> ⇔ div

Attributes for element meta:

Global attributes

name — Metadata name

http-equiv — Pragma directive

content — Value of the element

charset — Character encoding declaration

media — Applicable media
```

2. Error Element meta is missing one or more of the following attributes: itemprop, property.

```
From line 9, column 1; to line 9, column 53

ontent') ↔ cometa name="csrf-token" content="{{ csrf_token() }}"> ↔ cdiv

Attributes for element meta:

Global attributes

name — Metadata name

http-equiv — Pragma directive

content — Value of the element

charset — Character encoding declaration

media — Applicable media
```

```
3. Error Element div not allowed as child of element ul in this context.

(Suppressing further errors from this subtree.)

From line 24, column 17; to line 24, column 46

⟨div class="notificationCard">←

Contexts in which element div may be used:

Where flow content is expected.

As a child of a dl element.

Content model for element ul:

Zero or more li and script-supporting elements.
```

```
4. Error Element h4 not allowed as child of element u1 in this context.

(Suppressing further errors from this subtree.)

From line 37, column 17; to line 37, column 36

<h4 class="noPosts">No uns

Content model for element u1:

Zero or more 11 and script-supporting elements.
```

Document checking completed.

## Source

```
1. link rel="stylesheet" href="{{ asset('css/notifications.css') }}"> ↔
2. ↔
3. @extends('layouts.app') ↔
4. ↔
5. @section('title', 'Forum') ↔
6. ↔
7. @section('content') ↔
8. ↔
9. <meta name="csrf-token" content="{{ csrf_token() }}"> ↔
10. <div class="NotificationsBody"> ↔
11. <div class="checkAll"> ↔
12. <h2 class="title"> Your Notifications ({{count($notifications)}})</h2> ↔
13. @if(count($notifications) > 0) ↔
```

```
14.
            <form method="POST" action="{{ route('notification.checkAll', ['username')}</pre>
    => request('username')]) }}">↩
15.
                @method('POST')↔
16.
                @csrf↔
17.
                <button type="submit" class="checkAll">CHECK ALL</button>←
18.
            </form>←
19.
            @endif←
20.
        </div>←
21.
        <div class="listOfNotifications">←
22.
            ↔
23.
                @forelse ($notifications as $notification)←
24.
                    <div class="notificationCard">←
25.
                        <div class="notificationHeader">←
26.
                            {{$notification->date}}↔
                            <form method="POST" action="{{</pre>
27.
    route('notification.check', ['username' => request('username')]) }}">↔
28.
                                @method('POST') ←
29.
                                @csrf↔
30.
                                <input type="hidden" name="notification_id" value="</pre>
    {{$notification->id}}">↩
31.
                                <button type="submit"</pre>
    class="checkAll">CHECK</button>↔
32.
                            </form>←
33.
                        </div>←
34.
                        <h4 class="notDesc">{{$notification->description}}</h4>↔
35.
                    </div>←
36.
                @empty←
37.
                    <h4 class="noPosts">No unseen notifications</h4>
38.
                @endforelse←
39.

←
40.
        </div>←
41. ←
42. </div>←
43. ←
44. @endsection
```

Used the HTML parser.

Total execution time 12 milliseconds.

About this checker • Report an issue • Version: 23.12.19