

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<link rel="stylesheet" href="{{ asset('css/forum.css') }}">

@extends('layouts.app')

@section('title', 'Forum')

@section('content')

<script type="text/javascript" src="{{ asset('js/post_upvotes.js') }}" defer>
</script>
<script type="text/javascript" src="{{ asset('js/search_posts.js') }}" defer>
</script>
<meta name="csrf-token" content="{{ csrf_token() }}">
<div class="ForumBody">
  <div class="errors">
```

[Check](#)

Use the Message Filtering button below to display options for hiding/showing particular messages, and to see total counts of errors and warnings.

[Message Filtering](#) 15 messages hidden by filtering

- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 9, column 1; to line 9, column 77](#)

```
content')<<<script type="text/javascript" src="{{ asset('js/post_upvotes.js') }}
    }}" defer></scri
```
- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 10, column 1; to line 10, column 77](#)

```
</script><<<script type="text/javascript" src="{{ asset('js/search_posts.js') }}"
    defer></scri
```
- Error** Attribute `name` not allowed on element `meta` at this point.

[From line 11, column 1; to line 11, column 53](#)

```
</script><<<meta name="csrf-token" content="{{ csrf_token() }}"><<<div
```

Attributes for element [meta](#):

[Global attributes](#)

[name](#) — Metadata name

[http-equiv](#) — Pragma directive

[content](#) — Value of the element

[charset](#) — [Character encoding declaration](#)

[media](#) — Applicable media

4. **Error** Element [meta](#) is missing one or more of the following attributes:

[itemprop](#), [property](#).

[From line 11, column 1; to line 11, column 53](#)

```
</script><meta name="csrf-token" content="{ { csrf_token() } }"><div
```

Attributes for element [meta](#):

[Global attributes](#)

[name](#) — Metadata name

[http-equiv](#) — Pragma directive

[content](#) — Value of the element

[charset](#) — [Character encoding declaration](#)

[media](#) — Applicable media

5. **Error** Element [p](#) not allowed as child of element [button](#) in this context.

(Suppressing further errors from this subtree.)

[From line 72, column 43; to line 72, column 45](#)

```
= "submit"><p>Search
```

Contexts in which element [p](#) may be used:

Where [flow content](#) is expected.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

6. **Error** Element [p](#) not allowed as child of element [ul](#) in this context.

(Suppressing further errors from this subtree.)

[From line 83, column 17; to line 83, column 35](#)

```
<p class="noPosts">No pos
```

Contexts in which element [p](#) may be used:

Where [flow content](#) is expected.

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

Document checking completed.

Source

```

1. <link rel="stylesheet" href="{{ asset('css/forum.css') }}">↵
2. ↵
3. @extends('layouts.app')↵
4. ↵
5. @section('title', 'Forum')↵
6. ↵
7. @section('content')↵
8. ↵
9. <script type="text/javascript" src="{{ asset('js/post_upvotes.js') }}" defer>↵
   </script>↵
10. <script type="text/javascript" src="{{ asset('js/search_posts.js') }}" defer>↵
    </script>↵
11. <meta name="csrf-token" content="{{ csrf_token() }}">↵
12. <div class="ForumBody">↵
13.     <div class="errors">↵
14.         @if(session('success'))↵
15.             <div class="alert alert-success">↵
16.                 {{ session('success') }}↵
17.             </div>↵
18.         @elseif ($errors->any())↵
19.             <div class="alert alert-danger">↵
20.                 <ul>↵
21.                     @foreach ($errors->all() as $error)↵
22.                         <li>{{ $error }}</li>↵
23.                     @endforeach↵
24.                 </ul>↵
25.             </div>↵
26.         @endif↵
27.     </div>↵
28.     <div class="backButton">↵
29.         <h3><a href="/projects/{{ request('id') }}">&larr;</a>List of Posts</h3>↵
30.     </div>↵
31. ↵
32.     <div class="createPost">↵
33.         <form action="{{ route('post.create') }}" method="post">↵
34.             @method('PUT')↵
35.             @csrf↵
36.             <p class="createPost">Title:</p>↵
37.             <input type="text" name="title" class="title-form" placeholder="Post
title...">↵
38.             <p class="createPost">Description:</p>↵
39.             <textarea name="description" class="post-form" placeholder="Post
content..."></textarea>↵
40.             <input type="hidden" name="project_id" class="post-form" value="{{
request('id') }}">↵
41.             @if(!App\Models\Project::find(request('id'))->archived)↵
42.                 <button type="submit" class="button">POST</button>↵
43.             @else↵
44.                 <button type="submit" class="button" disabled>POST</button>↵
45.             @endif↵
46.         </form>↵
47.     </div>↵
48. ↵
49.     <div class="searchPosts">↵
50.         <div class="search-bar">↵

```

```

51.      <form id="searchForm" action="{ route('forum.search', ['id' =>
request('id')]) }}" method="GET">↵
52.      @csrf↵
53.      <div class="filters">↵
54.          <label> ↵
55.              <input type="radio" name="filter" value="upvotes"> Best↵
56.          </label>↵
57.          ↵
58.          <label>↵
59.              <input type="radio" name="filter" value="date_asc"> Oldest↵
60.          </label>↵
61.          ↵
62.          <label>↵
63.              <input type="radio" name="filter" value="date_des"> Newest↵
64.          </label>↵
65.      ↵
66.          <label>↵
67.              <input type="radio" name="filter" value="none"> None↵
68.          </label>↵
69.      </div>↵
70.      <div class="searchBarFlex">↵
71.          <input type="text" class="searchPosts" id="searchInput"
name="query" placeholder="Search Posts...">↵
72.          <button type="submit"><p>Search Posts</p></button>↵
73.      </div>↵
74.  </form>↵
75. </div>↵
76. </div>↵
77. ↵
78. <div class="listOfPosts" style="word-wrap: break-word;">↵
79.     <ul class="listOfPosts" id="postList">↵
80.         @forelse ($forumPosts as $post)↵
81.             @include('partials.post_preview', ['post' => $post])↵
82.         @empty↵
83.             <p class="noPosts">No posts</p> ↵
84.         @endforelse↵
85.     </ul>↵
86. </div>↵
87. ↵
88. </div>↵
89. ↵
90. @endsection

```

Used the HTML parser.

Total execution time 21 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28