
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to display options for hiding/showing particular messages, and to see total counts of errors and warnings.

Message Filtering 4 messages hidden by filtering

```
1. Error Element head is missing a required instance of child element title.

From line 1, column 1; to line 1, column 23

@extends('layouts.app') ↔ @sec

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a title element and no more than one is a base element.

Otherwise: One or more elements of metadata content, of which exactly one is a title element and no more than one is a base element.
```

2. Error A document must not include more than one autofocus attribute.

From line 30, column 29; to line 30, column 135

```
<input id="name" type="text" name="name" value="{{ old('name') }}"
required autofocus class="form-control">←
```

Document checking completed.

Source

```
1. @extends('layouts.app')←
 2. ←
 @section('content') ←
 4.
        <link href="{{ asset('css/register.css') }}" rel="stylesheet">←
        <div class="container mt-2">↔
 5.
 6.
            <div class="text-center mb-3">←
 7.
                ←
 8.
                    Create a new account↔
 9.
                ←
10.
            </div>←
11.
            <div class="register-container">←
12.
                <div class="card register-card">←
13.
                    <div class="card-body">↔
                        <form method="POST" action="{{ route('adminPage.create_user')}</pre>
14.
    }}" class="login-form">↩
15.
                            @csrf↔
16.
                            @method('PUT')↔
17. ←
18.
                            <div class="mb-3">↔
                                <label for="username" class="form-</pre>
19.
    label">Username</label>↔
20.
                                <input id="username" type="text" name="username"</pre>
    value="{{ old('username') }}" required autofocus class="form-control">↔
21.
                                @if ($errors->has('username'))↔
                                    <span class="error">←
22.
23.
                                         {{ $errors->first('username') }}↔
24.
                                     </span>←
25.
                                @endif↔
26.
                            </div>←
27. ←
28.
                            <div class="mb-3">↔
29.
                                <label for="name" class="form-label">Name</label>←
                                <input id="name" type="text" name="name" value="{{</pre>
30.
    old('name') }}" required autofocus class="form-control">↩
31.
                                @if ($errors->has('name'))↔
                                    <span class="error">←
32.
33.
                                         {{ $errors->first('name') }}↔
34.
                                    </span>←
35.
                                @endif↔
36.
                            </div>←
37. ←
38.
                            <div class="mb-3">←
39.
                                <label for="email" class="form-label">E-mail</label>←
40.
                                <input id="email" type="email" name="email" value="{{</pre>
    old('email') }}" required class="form-control">↔
41.
                                @if ($errors->has('email'))↔
42.
                                     <span class="error">←
43.
                                         {{ $errors->first('email') }}↔
44.
                                    </span>←
45.
                                @endif↔
46.
                            </div>←
47. ←
48.
                            <div class="mb-3">↔
```

```
22/12/23, 21:06
                                        Showing results for contents of text-input area - Nu Html Checker
     49.
                                        <label for="phonenumber" class="form-label">Phone
         Number</label>↔
                                        <input id="phonenumber" type="text"</pre>
     50.
         name="phonenumber" value="{{ old('phonenumber') }}" class="form-control">↔
                                        @if ($errors->has('phonenumber'))↔
     51.
                                             <span class="error">←
     52.
     53.
                                                 {{ $errors->first('phonenumber') }}↔
     54.
                                             </span>←
     55.
                                        @endif↔
     56.
                                    </div>←
     57. ←
     58.
                                    <div class="mb-3">↔
                                        <label for="user-type" class="form-label">User
     59.
         Type</label>↔
                                        <select id="user-type" name="user-type"</pre>
     60.
         class="project-form-input">↔
     61.
                                             <option value="regular">Regular</option>←
                                             <option value="admin">Admin</option>←
     62.
     63.
                                        </select>↔
                                    </div>↔
     64.
     65. ←
                                    <div class="mb-3">↔
     66.
     67.
                                        <label for="password" class="form-</pre>
         label">Password</label>↔
     68.
                                        <input id="password" type="password" name="password"</pre>
         required class="form-control">↔
     69.
                                        @if ($errors->has('password'))↔
     70.
                                             <span class="error">←
     71.
                                                 {{ $errors->first('password') }}↔
     72.
                                             </span>←
     73.
                                        @endif↔
     74.
                                    </div>↔
     75.
     76.
                                    <div class="mb-3">↔
                                        <label for="password-confirm" class="form-</pre>
     77.
         label">Confirm Password</label>←
                                        <input id="password-confirm" type="password"</pre>
     78.
         name="password_confirmation" required class="form-control">←
     79.
                                    </div>←
     80. ←
     81.
                                    <button type="submit" class="btn btn-primary">←
     82.
                                        Register↩
     83.
                                    </button>↔
     84.
                               </form>←
                           </div>←
     85.
     86.
                       </div>↩
     87.
                  </div>←
     88.
              </div>←
     89. @endsection
   Used the HTML parser.
```

Total execution time 12 milliseconds.

About this checker • Report an issue • Version: 23.11.28