# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report   [Options…]

Check by [text input ⌄] ☐ css

```
@extends('layouts.app')

@section('title', 'Projects')

@section('content')

<link href="{{ asset('css/projects.css') }}" rel="stylesheet">
<link href="{{ asset('css/sidebar.css') }}" rel="stylesheet">

@include('partials.sidebar', ['current_project_id' => -1])

<section id="projects">
    @include('partials.messages')
    <div id="toggle-create-project" class="hover-card">
        <h2>Create New Project</h2>
```

[Check]

Use the Message Filtering button below to display options for hiding/showing particular messages, and to see total counts of errors and warnings.

[Message Filtering] *6 messages hidden by filtering*

1. **Error** **Attribute** `placeholder` **is only allowed when the input type is** `email`, `number`, `password`, `search`, `tel`, `text`, **or** `url`.

   [From line 26, column 17; to line 26, column 135](#)

   ```
            <input type="date" name="delivery_date" id="delivery-date"
   class="project-input" required placeholder="ex: 2023-12-31">↵
   ```

2. **Error** **Element** [style] **not allowed as child of element** [body] **in this context.**
   (Suppressing further errors from this subtree.)

   [From line 43, column 1; to line 43, column 7](#)

   ```
   section>↵↵<style>↵      s
   ```

   Contexts in which element [style] may be used:
      Where [metadata content] is expected.

      In a [noscript] element that is a child of a [head] element.

Content model for element [body](#):

  [Flow content](#).

Document checking completed.

Source

1. **@extends('layouts.app')**↵
2. ↵
3. @section('title', 'Projects')↵
4. ↵
5. @section('content')↵
6. ↵
7. **<link href="{{ asset('css/projects.css') }}" rel="stylesheet">**↵
8. **<link href="{{ asset('css/sidebar.css') }}" rel="stylesheet">**↵
9. ↵
10. @include('partials.sidebar', ['current_project_id' => -1])↵
11. ↵
12. <section id="projects">↵
13.   @include('partials.messages')↵
14.   <div id="toggle-create-project" class="hover-card">↵
15.   <h2>Create New Project</h2>↵
16.   **<form class="project-form" method="POST" action="{{ route('create_project') }}">**↵
17.   @method('PUT')↵
18.   @csrf↵
19.   <div class="input-group">↵
20.   <label for="project-name">Project Name:</label>↵
21.   <input type="text" name="name" id="project-name" class="project-input" required placeholder="ex: Project X">↵
22.   </div>↵
23.   ↵
24.   <div class="input-group">↵
25.   <label for="delivery-date">Delivery Date:</label>↵
26.   **<input type="date" name="delivery_date" id="delivery-date" class="project-input" required placeholder="ex: 2023-12-31">**↵
27.   </div>↵
28. ↵
29.   <div class="bottomHalf">↵
30.   <div class="input-group-bottom">↵
31.   <label for="description">Description:</label>↵
32.   <textarea name="description" id="description" class="project-input" required placeholder="ex: The objective of this project is to....">
    </textarea>↵
33.   </div>↵
34.   ↵
35.   <button type="submit" id="create-project-button">↵
36.   <i class="fas fa-plus"></i> Add Project↵
37.   </button>↵
38.   </div>↵
39.   </form>↵
40.   </div>↵
41. </section>↵
42. ↵
43. **<style>**↵
44.   section#content {↵
45.   grid-template-columns: 70px 1fr;↵
46.   grid-template-rows: auto;↵
47.   grid-template-areas: "sidebar content";↵
48.   height: 80vh;↵
49.   }↵

```
50.  ↵
51.      @media (min-width: 2500px) {↵
52.          section#content {↵
53.              height: 100vh;↵
54.          }↵
55.      }↵
56. </style>↵
57.  ↵
58. @endsection
```

Used the HTML parser.

Total execution time 28 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28