Terminal Screenshot:

```
[tacotitan@Tacos-MacBook-Pro Week2 % mkdir M02_CL_Test
[tacotitan@Tacos-MacBook-Pro Week2 % cd M02_CL_Test
[tacotitan@Tacos-MacBook-Pro M02_CL_Test % mkdir myfolder
[tacotitan@Tacos-MacBook-Pro M02_CL_Test % cd myfolder
[tacotitan@Tacos-MacBook-Pro myfolder % man nano
[tacotitan@Tacos-MacBook-Pro myfolder % touch mytext1.txt
[tacotitan@Tacos-MacBook-Pro myfolder % ls
 mytext1.txt
[tacotitan@Tacos-MacBook-Pro myfolder % touch moveme.txt
[tacotitan@Tacos-MacBook-Pro myfolder % ls
 moveme.txt       mytext1.txt
[tacotitan@Tacos-MacBook-Pro myfolder % cd ..
[tacotitan@Tacos-MacBook-Pro M02_CL_Test % touch parenttext.txt
[tacotitan@Tacos-MacBook-Pro M02_CL_Test % ls
 myfolder         parenttext.txt
[tacotitan@Tacos-MacBook-Pro M02_CL_Test % mv myfolder/moveme.txt M02_CL_Test
[tacotitan@Tacos-MacBook-Pro M02_CL_Test % ls
 M02_CL_Test      myfolder         parenttext.txt
[tacotitan@Tacos-MacBook-Pro M02_CL_Test % cd myfolder
[tacotitan@Tacos-MacBook-Pro myfolder % ls
 mytext1.txt
                              _
```