



ABS5670

Issue 1
July 2003
Page 1 of 4

Honeycomb cores, N-636 Polyamide paper (meta and para-aramid), phenolic resin impregnated/ Over-expanded

**Published and distributed by:
AIRBUS INDUSTRIE
31707 BLAGNAC CEDEX
FRANCE**

1 Scope and field of application

This standard specifies the required characteristics of honeycomb cores made of N-636 polyamide paper (meta and para-aramid) impregnated with phenolic resin in over-expanded configuration in a cured state for light-weight sandwich components.

2 Normative references

This Airbus Industrie standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any these publications apply to this Airbus Industrie standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applied.

AIMS 11-01-000 Part 1	Honeycomb cores, phenolic resin impregnated – Part 1, General requirements. Technical Specification.
AIMS 11-01-000 Part 2	Honeycomb cores, phenolic resin impregnated – Part 2, Qualification program/ Batch release testing - Polyamide Paper/ Hexagonal/ Over-expanded/ Flexible. Technical Specification.
AIMS 11-01-007	Honeycomb cores, N-636 Polyamide paper (meta and para-aramid). Phenolic resin impregnated/ Over-expanded. Material Specification.

3 Required characteristics

3.1 Configuration – Dimensions –Tolerances - Mass

The configuration, dimensions, tolerances and mass shall conform with Figure 1 and Table 1 and 2.

3.2 Material

AIMS 11-01-007.




Figure 1 - Configuration

Table 1

Dimensions in mm

Material code	Material	Density kg/m ³		Cell size b ± 10% before after over-expansion b b _w b _l			Length l ¹⁾ ± 50 ²⁾	Width w ¹⁾ ± 75 ²⁾	Height h Max. variation	
A1	AIMS11-01-007B	32	±10%	4,8	7,25	2,7	1120	2440	3,0 to 400,0	< 50 ± 0,13 ≥ 50 ≤ 100 ± 0,25 > 100 +3/- 0

1) Other widths or lengths to be agreed
2) Smaller tolerances to be agreed

Table 2 Limits of size of cell size

Cell size b	Limits of size	
	b _w	b _l
4,8	6,90 to 7,60	2,40 to 3,00

4 Designation

Each honeycomb core shall only be designated as in the following example:

Description block

Honeycomb core

Identity block

ABS5670 A1 - 88

Number of ABS standard _____

Material code in accordance with table 1 _____

Height h in steps of 1/10 mm _____

Designation for delivery:

Honeycomb core AIMS 11-01-007B, Height h=8.8, L-Direction l= 1120, W-Direction w=2440

Honeycomb core ABS 5670A1 – 8.8 x 1120 x 2440 (-0+30)¹⁾

5 Technical specification

AIMS 11-01-000 Part 1 and AIMS 11-01-000 Part 2.

¹⁾ Applicable in case of different tolerances from Table 1

RECORD OF REVISIONS

Issue	Clause modified	Description of modification
1 06/03		New Standard

AIRBUS | NormMaster