

# Anthropocentric uses of phosphorus: flows quantification and potential for recycling in Ontario

Université Laval team<sup>a,\*</sup>, McGill University team<sup>b</sup>, University of Waterloo team<sup>c</sup>

<sup>a</sup> *Université Laval*

<sup>b</sup> *McGill University*

<sup>c</sup> *University of Waterloo*

---

## Abstract

Anthropocentric uses of phosphorus: flows quantification and potential for recycling in Ontario

---

## 1. Introduction

Phosphorus is an essential for production of food which has been intensively used for crop and livestock production since the development of synthetic fertilizers in the XIX and XX centuries (Samreen and Kausar, 2019). The combination of synthetic fertilizers with other modern intensive agricultural techniques have increased the productivity of agriculture and farming industries (Pingali, 2012). However, the intensive use of fertilizers in agriculture has resulted in the over-application of phosphorus in many regions worldwide REF, while the run of intensive livestock production facilities, also known as concentrated animal feeding operations (CAFOs) (U.S. Department of Agriculture, 2011), result in important difficulties in the management of the large amounts of manure produced, which is often spread in lands in the vicinity of CAFOs, which also leads to the accumulation of phosphorus in soil. Soil acts as a phosphorus reservoir (Ehlert et al., 2003), building-up a legacy P that can be used for future crops, but also can be transported to waterbodies by erosion and runoff leading to the eutrophication of aquatic ecosystems.

The dual dimension of the anthropogenic use of phosphorus, i.e., its key role in the food production system and the negative environmental impacts associated with the phosphorus used in intensive agricultural techniques, has been stated by the United Nations Environment Assembly in the resolution UNEP/EA.5/Res.2 (United Nations Environment Programme, 2022). An additional

---

\*Corresponding author

Email address: `edgar.martin-hernandez.1@ulaval.ca` (Université Laval team)

25 factor to be considered for addressing the phosphorus challenge is the non-renewable nature of  
26 phosphorus, since the phosphorus consumed is not replenished by natural means at human time  
27 scale, and there is currently no known synthetic substitute for this material (Cordell et al., 2009).  
28 Since the global phosphorus reserves are concentrated in a few number of regions, the supply of  
29 phosphorus from a limited number of global supply chains lacks resiliency and it has been proven  
30 that it can be globally disrupted by regional events and conflicts, resulting geopolitical tensions  
31 (Food and Agriculture Organization of the United Nations, 2022). As a consequence, the recovery  
32 and recycling of phosphorus is not just a desirable but also a necessary approach to assure a  
33 sustainable, reliable, and sovereign food production system.

34 Although the main uses of phosphorus are in the agri-food sector, phosphorus is also involved in  
35 other industrial activities, including steel, chemical, and forestry industries. Henceforth, phosphorus  
36 is a key material for many aspects of human development. As a result, mapping the phosphorus  
37 flows involved in human activities to detect opportunities for recovery and recycling is essential  
38 for, in a second stage, assess amount of phosphorus that is viable to recover, the economical costs  
39 involved, and the enhancement in terms of resiliency of the regional food production system, savings  
40 from the reduction of phosphorus imports, and the mitigation of phosphorus pollution on the region  
41 implementing strategies for phosphorus recovery and recycling. The quantification of phosphorus  
42 flows has been addressed in previous works in the literature for certain sectors such as the agri-  
43 food sector (Boh and Clark, 2020; Zhou et al., 2021; Nesme et al., 2018). Additionally, studies  
44 on the global phosphorus flows have also been performed (Villalba et al., 2008; Chen and Graedel,  
45 2016), although these studies tend to have a low flow resolution since these are aggregated by major  
46 sectors. Additionally, the works quantifying phosphorus often include qualitative recommendations  
47 to improve the phosphorus use efficiency and recycling (Van Dijk et al., 2016; Senthilkumar et al.,  
48 2012), but often they do not include quantitative assessments on the amount of phosphorus which  
49 recovery is feasible along with the costs involved. Conversely, those works focused on estimating  
50 the recoverable phosphorus and the associated recovery cost target specific flows, lacking a holistic  
51 perspective of the phosphorus flows in the various human activities (Martín-Hernández et al., 2021;  
52 Sampat et al., 2018).

53        In this work, we have selected the Canadian province of Ontario for mapping the phosphorus  
54 flows involved in the agri-food, industrial and urban sectors. This data is used to assess the amount  
55 of phosphorus that could be recovered within the province, considering different scenarios regarding  
56 the availability of phosphorus recovery technologies, and to estimate the costs associated with the  
57 recovery of phosphorus. Finally, we discuss the implications on the use of phosphorus in Ontario  
58 that would be derived from implementing active phosphorus recovery and recycling approaches.

## 59    **2. Methods**

### 60    *2.1. Spatial resolution*

### 61    *2.2. Temporal resolution*

### 62    *2.3. Estimation of phosphorus flows*

#### 63    *2.3.1. Agricultural sector*

#### 64    *2.3.2. Industrial sector*

#### 65    *2.3.3. Urban sector*

## 66    **3. Results and discussion**

### 67    *3.1. Phosphorus flows in Ontario*

68        *Showing an overview of the P flows in the province. The use of figures summarizing all the flows*  
69 *of the province in the shape of Sankey or network flow figures could be so great*




Figure 1: Phosphorus flows in the province of Ontario. The streams within red rectangles denote phosphorus inflows into the province, while those streams within blue rectangles denote phosphorus outflows out of the province.

70 Figure 1 summarizes the phosphorus flows in the province of Ontario. It can be observed that  
71 the flow of of phosphorus through the anthropogenic activities are divided into 3 independent  
72 networks, i.e., the flow of phosphorus involved the production and processing of food (including the  
73 treatment of wastewater), the flow of phosphorus used in the steel and chemical industries, and the  
74 phosphorus involved in the forestry industry.

75 The production of animal food products exhibits a lower phosphorus use efficiency than the  
76 production of plant base products, similarly to the use efficiency of other resources such as water  
77 CITE HERE, CALCULAR ENTRA VS SALE!

### 78 3.2. Phosphorus recovery techniques (*This section could be Supplementary Material*)

79 Brief overview of potential P recovery techniques for each sector

#### 80 3.2.1. Agricultural sector

#### 81 3.2.2. Industrial sector

#### 82 3.2.3. Urban sector

### 83 3.3. Potential of phosphorus recovery in Ontario

84 Assessment of different scenarios of P recovery in Ontario, P imports that would be saved,  
85 reduction of P dependency of the province, etc (all implications related with mass-balances)

### 86 3.4. Economic implications of phosphorus recovery in Ontario

87 Economic costs or saving derived from the recovery of P in the province and all implications  
88 related with economy

### 89 3.5. Implications on food sovereignty of phosphorus recovery in Ontario

90 Implications on food production self-sufficiency derived from the (partial) recycling of P. Discus-  
91 sion on the improvement of the food production system resiliency against disruptions of the global  
92 supply supply chains (e.g., current context derived from the COVID-19 pandemia and the war in  
93 Ukraine)

94 3.6. *Gaps of knowledge*

## 95 4. Conclusions

## 96 References

- 97 Boh, M.Y., Clark, O.G., 2020. Nitrogen and phosphorus flows in ontario’s food systems. *Resources,*  
98 *Conservation and Recycling* 154, 104639.
- 99 Chen, M., Graedel, T., 2016. A half-century of global phosphorus flows, stocks, production, con-  
100 sumption, recycling, and environmental impacts. *Global Environmental Change* 36, 139–152.
- 101 Cordell, D., Drangert, J.O., White, S., 2009. The story of phosphorus: global food security and  
102 food for thought. *Global environmental change* 19, 292–305.
- 103 Ehlert, P., Morel, C., Fotyma, M., Destain, J.P., 2003. Potential role of phosphate buffering capacity  
104 of soils in fertilizer management strategies fitted to environmental goals. *Journal of plant nutrition*  
105 *and soil science* 166, 409–415.
- 106 Food and Agriculture Organization of the United Nations, 2022. The importance of Ukraine and  
107 the Russian Federation for global agricultural markets and the risks associated with the war in  
108 Ukraine.
- 109 Martín-Hernández, E., Martín, M., Ruiz-Mercado, G.J., 2021. A geospatial environmental and  
110 techno-economic framework for sustainable phosphorus management at livestock facilities. *Re-*  
111 *sources, Conservation and Recycling* 175, 105843.
- 112 Nesme, T., Metson, G.S., Bennett, E.M., 2018. Global phosphorus flows through agricultural trade.  
113 *Global Environmental Change* 50, 133–141.
- 114 Pingali, P.L., 2012. Green revolution: impacts, limits, and the path ahead. *Proceedings of the*  
115 *National Academy of Sciences* 109, 12302–12308.
- 116 Sampat, A.M., Martin-Hernandez, E., Martín, M., Zavala, V.M., 2018. Technologies and logistics  
117 for phosphorus recovery from livestock waste. *Clean Technologies and Environmental Policy* 20,  
118 1563–1579.

- 119 Samreen, S., Kausar, S., 2019. Phosphorus fertilizer: The original and commercial sources, in:  
120 Zhang, T. (Ed.), Phosphorus. IntechOpen. chapter 6.
- 121 Senthilkumar, K., Nesme, T., Mollier, A., Pellerin, S., 2012. Conceptual design and quantification  
122 of phosphorus flows and balances at the country scale: The case of france. Global Biogeochemical  
123 Cycles 26.
- 124 United Nations Environment Programme, 2022. Resolution adopted by the United Nations Envi-  
125 ronment Assembly on 2 March 2022, UNEP/EA.5 Res.2, on Sustainable nitrogen management.
- 126 U.S. Department of Agriculture, 2011. Animal Feeding Operations (AFO) and Concentrated  
127 Animal Feeding Operations (CAFO). [https://www.nrcs.usda.gov/wps/portal/nrcs/main/  
128 national/plantsanimals/livestock/afo/](https://www.nrcs.usda.gov/wps/portal/nrcs/main/national/plantsanimals/livestock/afo/). [Online; accessed 10-August-2020].
- 129 Van Dijk, K.C., Lesschen, J.P., Oenema, O., 2016. Phosphorus flows and balances of the european  
130 union member states. Science of the Total Environment 542, 1078–1093.
- 131 Villalba, G., Liu, Y., Schroder, H., Ayres, R.U., 2008. Global phosphorus flows in the industrial  
132 economy from a production perspective. Journal of Industrial ecology 12, 557–569.
- 133 Zhou, J., Jiao, X., Ma, L., de Vries, W., Zhang, F., Shen, J., 2021. Model-based analysis of  
134 phosphorus flows in the food chain at county level in china and options for reducing the losses  
135 towards green development. Environmental Pollution 288, 117768.