[MP2] Private test 過不了

謝典樺 (HSIEH, TIEN-HUA)

All Sections

我想請問我的public都過了，但是在private test卻報錯：

```
== Test private/mp2-0 (5%) ==
private/mp2-0: FAIL (0/5) (3.2s)
    No available slabs to allocate object
    QEMU output saved to out/private/mp2-0.out.failed
== Test private/mp2-1 (5%) ==
private/mp2-1: FAIL (0/5) (1.9s)
    Should free slab when MP2_MIN_AVAIL_SLAB exceeded
    QEMU output saved to out/private/mp2-1.out.failed
== Test private/mp2-2 (5%) ==
private/mp2-2: FAIL (0/5) (2.4s)
    Should free slab when MP2_MIN_AVAIL_SLAB exceeded
    QEMU output saved to out/private/mp2-2.out.failed
== Test private/mp2-3 (5%) ==
private/mp2-3: FAIL (0/5) (2.4s)
    Should free slab when MP2_MIN_AVAIL_SLAB exceeded
    QEMU output saved to out/private/mp2-3.out.failed
Score: 0/20
```

我在slab free的邏輯都檢查過了應該在超過MP2_MIN_AVAIL_SLAB的時候都有free slab，這樣還有沒有可能會是其他問題呢？

Search entries or author

Unread

Subscribe

Reply