[MP2] StopIteration問題

5 5

張彥崴 (CHANG, YEN-WEI)

All Sections

2-1 2-2 過了但2-0會遇到這樣的問題，想請問怎麼解決?

```
== Test public/mp2-0 (3%) ==
Traceback (most recent call last):
  File "/home/student/run_test/test/run_mp2.py", line 129, in <module>
    run_tests()
  File "/home/student/run_test/test/gradelib.py", line 125, in run_tests
    no_error = test() and no_error
  File "/home/student/run_test/test/gradelib.py", line 57, in run_test
    _point = fn()
  File "/home/student/run_test/test/run_mp2.py", line 43, in test_case
    interpreter(r.qemu.output.splitlines())
  File "pseudo_fslab.pyx", line 716, in pseudo_fslab.interpreter
  File "pseudo_fslab.pyx", line 548, in pseudo_fslab.run_msg
StopIteration
```

```
*** Now run 'gdb' in another window.

xv6 kernel is booting

[MP2] Slab size: 6
[FILE] fileinit
[SLAB] New kmem_cache (name: file_cache, object size: 504 bytes, at: 0x0000000087f59000, max objects per slab: 8, support in cache obj: 7) is created
hart 1 starting
hart 2 starting
[FILE] filealloc
[SLAB] Alloc request on cache file_cache
[SLAB] Object 0x0000000087f59088 in slab 0x0000000087f59000 (file_cache) is allocated and initialized
init: starting sh
[FILE] filealloc
[SLAB] Alloc request on cache file_cache
[SLAB] Object 0x0000000087f59280 in slab 0x0000000087f59000 (file_cache) is allocated and initialized
[FILE] fileclose
[SLAB] Free 0x0000000087f59280 in slab 0x0000000087f59000 (file_cache)
[SLAB] End of free
$ mp2
[SLAB] kmem_cache { name: file_cache, object_size: 504, at: 0x0000000087f59000, in cache obj: 7 }
[SLAB]  [ cache slabs ]
[SLAB]      [ slab 0x0000000087f59000 ] { freelist: 0x0000000087f59280, nxt: 0x0000000000000000 }
[SLAB]          [ idx 0 ] { addr: 0x0000000087f59088, as_ptr: 0x0000000900000003, as_obj: { tp: 3, ref: 9, readable: 1, writable: 1, pipe: 0x0000000000000000, ip: 0x000000
[SLAB]          [ idx 1 ] { addr: 0x0000000087f59280, as_ptr: 0x0000000087f59478, as_obj: { tp: -2013948808, ref: 0, readable: 1, writable: 1, pipe: 0x0000000000000000, ip
[SLAB]          [ idx 2 ] { addr: 0x0000000087f59478, as_ptr: 0x0000000087f59670, as_obj: { tp: -2013948304, ref: 0, readable: 5, writable: 5, pipe: 0x0505050505050505, ip
[SLAB]          [ idx 3 ] { addr: 0x0000000087f59670, as_ptr: 0x0000000087f59868, as_obj: { tp: -2013947800, ref: 0, readable: 5, writable: 5, pipe: 0x0505050505050505, ip
[SLAB]          [ idx 4 ] { addr: 0x0000000087f59868, as_ptr: 0x0000000087f59a60, as_obj: { tp: -2013947296, ref: 0, readable: 5, writable: 5, pipe: 0x0505050505050505, ip
[SLAB]          [ idx 5 ] { addr: 0x0000000087f59a60, as_ptr: 0x0000000087f59c58, as_obj: { tp: -2013946792, ref: 0, readable: 5, writable: 5, pipe: 0x0505050505050505, ip
[SLAB]          [ idx 6 ] { addr: 0x0000000087f59c58, as_ptr: 0x0000000000000000, as_obj: { tp: 0, ref: 0, readable: 5, writable: 5, pipe: 0x0505050505050505, ip: 0x050505
[SLAB] print_kmem_cache end
$ qemu-system-riscv64: terminating on signal 15 from pid 237 (make)
```

螢幕擷取畫面 2025-03-29 065902.jpg

Search entries or author | Unread | Subscribe

Reply



李怡霈 (LEE I-PEI) (https://cool.ntu.edu.tw/courses/46296/users/220438)

Saturday

我在實作內部碎裂問題以後也有遇到這個問題

但把print_kmem_cache中有關partial slabs的輸出訊息comment掉以後就不會stopiteration

本來comment掉以後還會跑這個：

```
xv6 kernel compilation error: kernel/slab.c: In function ‘kmem_cache_free’:
kernel/slab.c:198:3: error: ‘retur’ undeclared (first use in this function)
  198 |   retur
      |   ^~~~~
kernel/slab.c:198:3: note: each undeclared identifier is reported only once for each function it appears in
kernel/slab.c:198:8: error: expected ‘;’ at end of input
  198 |   retur
      |        ^
      |        ;
kernel/slab.c:198:3: error: expected declaration or statement at end of input
  198 |   retur
      |   ^~~~~
make: *** [<builtin>: kernel/slab.o] Error 1
```

但我程式是打return;

然後換一下return的順序（本來在free裡面我有兩個return改成一個）跑test all會全部拿滿

感覺不是我們實作的問題嗎...

Edited by 李怡霈 (LEE I-PEI) (https://cool.ntu.edu.tw/courses/46296/users/220438) on Mar 29 at 9:41pm



楊子慶 (YANG, TZU-CHING) (https://cool.ntu.edu.tw/courses/46296/users/229158)

Sunday

同學們好：

回覆張同學：請同學提供文字檔或者於助教時間前來討論。

回覆李同學：同學遇到的 return; 靈異現象為編譯 xv6 時的訊息，與測試系統無關。這可能是同學的編輯器並未及時儲存同學編輯的檔案，亦或其他問題，可能可以通過重啟編輯器、重啟 docker 等解決。

若有更多問題請不吝提問，感謝。

子慶



李怡霈 (LEE I-PEI) (https://cool.ntu.edu.tw/courses/46296/users/220438)

Sunday

我在print_kmem_cache多加了一個if檢查是否有partial slab在這個cache中

沒有的話就不要輸出partial slabs就沒事了

不過本來沒實作處理內部碎裂的時候不加這個if直接輸出也沒事

但總之還是很謝謝助教的回覆><

Reply



藍少君 (LAN,SHAU-JIUN) (https://cool.ntu.edu.tw/courses/46296/users/186145)

Sunday

我也有遇到這個問題

我的情況是 print_kmem_cache 的格式錯誤造成的錯誤

看了一下你的輸出，在 kmem_cache { name: ... } 那行輸出，最後面 in_cache_obj 是不是少了底線

供參



張彥崴 (CHANG, YEN-WEI) (https://cool.ntu.edu.tw/courses/46296/users/181228)

Sunday

太感謝了， 真的是in_cache_obj 的問題，因為我是照一開始下載下來的spec 去輸出才一直找不到問題...

Reply