[MP2] test case 10 MP2_MIN_AVAIL_SLAB exceeded

吳家欣 (JIA-SIN WU)

All Sections

1 1

報錯：

== Test public/mp2-10 (3%) ==

public/mp2-10: FAIL (0/3) (6.0s)

Should free slab when MP2_MIN_AVAIL_SLAB exceeded

QEMU output saved to out/public/mp2-10.out.failed

Score: 0/3

相同的slab用同一個顏色標起來，灰色是 cache slabs

我自己看起來是有正確的在移除 slab，想請問是發生甚麼問題呢

[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087f59a50 in slab 0x0000000087f59000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087f59858 in slab 0x0000000087f59000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087f59660 in slab 0x0000000087f59000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087f59468 in slab 0x0000000087f59000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087f59270 in slab 0x0000000087f59000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087f59078 in slab 0x0000000087f59000 (file) is allocated and initialized
[SLAB] Free 0x0000000087f59858 in slab 0x0000000087f59000 (file)
[SLAB] End of free
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087f59858 in slab 0x0000000087f59000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] A new slab 0x0000000087eec000 (file) is allocated
[SLAB] Object 0x0000000087eecde0 in slab 0x0000000087eec000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087eecbe8 in slab 0x0000000087eec000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087eec9f0 in slab 0x0000000087eec000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087eec7f8 in slab 0x0000000087eec000 (file) is allocated and initialized
[SLAB] Alloc request on cache file

[SLAB] Object 0x0000000087eec600 in slab 0x0000000087eec000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087eec408 in slab 0x0000000087eec000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087eec210 in slab 0x0000000087eec000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087eec018 in slab 0x0000000087eec000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] A new slab 0x0000000087e8f000 (file) is allocated
[SLAB] Object 0x0000000087e8fde0 in slab 0x0000000087e8f000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8fbe8 in slab 0x0000000087e8f000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8f9f0 in slab 0x0000000087e8f000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8f7f8 in slab 0x0000000087e8f000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8f600 in slab 0x0000000087e8f000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8f408 in slab 0x0000000087e8f000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8f210 in slab 0x0000000087e8f000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8f018 in slab 0x0000000087e8f000 (file) is allocated and initialized
[SLAB] Alloc request on cache file

[SLAB] A new slab 0x0000000087e8e000 (file) is allocated
[SLAB] Object 0x0000000087e8ede0 in slab 0x0000000087e8e000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8ebe8 in slab 0x0000000087e8e000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8e9f0 in slab 0x0000000087e8e000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8e7f8 in slab 0x0000000087e8e000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8e600 in slab 0x0000000087e8e000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8e408 in slab 0x0000000087e8e000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8e210 in slab 0x0000000087e8e000 (file) is allocated and initialized
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087e8e018 in slab 0x0000000087e8e000 (file) is allocated and initialized
[SLAB] Free 0x0000000087f59078 in slab 0x0000000087f59000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087f59468 in slab 0x0000000087f59000 (file)
[SLAB] End of free

[SLAB] Free 0x0000000087eecde0 in slab 0x0000000087eec000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087eecbe8 in slab 0x0000000087eec000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087eec9f0 in slab 0x0000000087eec000 (file)

[SLAB] End of free
[SLAB] Free 0x0000000087eec7f8 in slab 0x0000000087eec000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087eec600 in slab 0x0000000087eec000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087eec408 in slab 0x0000000087eec000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087eec210 in slab 0x0000000087eec000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087eec018 in slab 0x0000000087eec000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8fde0 in slab 0x0000000087e8f000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8fbe8 in slab 0x0000000087e8f000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8f9f0 in slab 0x0000000087e8f000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8f7f8 in slab 0x0000000087e8f000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8f600 in slab 0x0000000087e8f000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8f408 in slab 0x0000000087e8f000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8f210 in slab 0x0000000087e8f000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8f018 in slab 0x0000000087e8f000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8ede0 in slab 0x0000000087e8e000 (file)
[SLAB] slab 0x0000000087e8f000 (file) is freed due to save memory
[SLAB] End of free
[SLAB] Free 0x0000000087e8ebe8 in slab 0x0000000087e8e000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8e9f0 in slab 0x0000000087e8e000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8e7f8 in slab 0x0000000087e8e000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8e600 in slab 0x0000000087e8e000 (file)

[SLAB] End of free
[SLAB] Free 0x0000000087e8e408 in slab 0x0000000087e8e000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8e210 in slab 0x0000000087e8e000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087e8e018 in slab 0x0000000087e8e000 (file)
[SLAB] End of free

以下是cache slabs
[SLAB] Free 0x0000000087f59270 in slab 0x0000000087f59000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087f59858 in slab 0x0000000087f59000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087f59660 in slab 0x0000000087f59000 (file)
[SLAB] End of free
[SLAB] Free 0x0000000087f59a50 in slab 0x0000000087f59000 (file)
[SLAB] End of free

Search entries or author | Unread | Subscribe

Reply



楊子慶 (YANG, TZU-CHING) (https://cool.ntu.edu.tw/courses/46296/users/229158)

Saturday

同學您好：

請同學檢查 free 的流程圖，會發現同學的實作在綠色 slab 尚未變成閒置 slab 時就進行最少可用 slab 的檢查，與流程圖不符。直譯器依據流程圖檢查，故不會在綠色 slab 釋放第一個物件時釋放藍色 slab。當綠色 slab 變為閒置時直譯器發現同學並沒有在此時釋放任何 slab 導致報錯。

若有更多問題請不吝提出，感謝。

子慶

Reply