[MP2] test-0 mp2 command infinity loop

高顯翔 (KAO, YI-HSIANG)

All Sections

2 2


在本次的作業中，我已實作了mp2的systemcall，但在qemu中有正確輸出的狀態下，使用助教提供的test卻會在評分時陷入不會timeout的無限迴圈。
以下附上我在qemu中顯示的畫面，與刻意打錯其中一行標準輸出，在mp2-0.out所得到的輸出([SLAB] .print_kmem_cache end=>[SLAB] "."print_kmem_cache end)

*** Now run 'gdb' in another window.

xv6 kernel is booting

[MP2] Slab size: 3
[FILE] fileinit
[SLAB] New kmem_cache (name: file, object size: 504 bytes, at: 0x0000000087f59000, max objects per slab: 8, support in cache obj: 0) is created
hart 2 starting
hart 1 starting
[FILE] filealloc
[SLAB] Alloc request on cache file
[SLAB] A new slab 0x0000000087f4e000 (file) is allocated
[SLAB] Object 0x0000000087f4e018 in slab 0x0000000087f4e000 (file) is allocated and initialized
init: starting sh
[FILE] filealloc
[SLAB] Alloc request on cache file
[SLAB] Object 0x0000000087f4e210 in slab 0x0000000087f4e000 (file) is allocated and initialized
[FILE] fileclose
[SLAB] Free 0x0000000087f4e210 in slab 0x0000000087f4e000 (file)
[SLAB] End of free
$ mp2
[SLAB] kmem_cache { name: file, object_size: 504, at: 0x0000000087f59000, in_cache_obj: 0 }
[SLAB] [partial slabs]
[SLAB] [slab 0x0000000087f4e000] { freelist: 0x0000000087f4e408, nxt: 0x0000000000000000 }
[SLAB] [idx 0] { addr: 0x0000000087f4e018, as_ptr: 0x0000000900000003, as_obj: {tp: 3, ref: 9, readable: 1, writable: 1, pipe: 0x0505050505050505, ip: 0x00000000800353f8, off: 84215045, major: 1} }

[SLAB] [idx 1] { addr: 0x0000000087f4e210, as_ptr: 0x0000000087f4e600, as_obj: {tp: -2013993472, ref: 0, readable: 8, writable: 228, pipe: 0x0000000000000000, ip: 0x0000000000000000, off: 0, major: 0} }
[SLAB] [idx 2] { addr: 0x0000000087f4e408, as_ptr: 0x0000000087f4e210, as_obj: {tp: -2013994480, ref: 0, readable: 224, writable: 237, pipe: 0x0505050505050505, ip: 0x0505050505050505, off: 84215045, major: 1285} }
[SLAB] [idx 3] { addr: 0x0000000087f4e600, as_ptr: 0x0000000087f4e7f8, as_obj: {tp: -2013992968, ref: 0, readable: 16, writable: 226, pipe: 0x0505050505050505, ip: 0x0505050505050505, off: 84215045, major: 1285} }
[SLAB] [idx 4] { addr: 0x0000000087f4e7f8, as_ptr: 0x0000000087f4e9f0, as_obj: {tp: -2013992464, ref: 0, readable: 0, writable: 230, pipe: 0x0505050505050505, ip: 0x0505050505050505, off: 84215045, major: 1285} }
[SLAB] [idx 5] { addr: 0x0000000087f4e9f0, as_ptr: 0x0000000087f4ebe8, as_obj: {tp: -2013991960, ref: 0, readable: 248, writable: 231, pipe: 0x0505050505050505, ip: 0x0505050505050505, off: 84215045, major: 1285} }
[SLAB] [idx 6] { addr: 0x0000000087f4ebe8, as_ptr: 0x0000000087f4ede0, as_obj: {tp: -2013991456, ref: 0, readable: 240, writable: 233, pipe: 0x0505050505050505, ip: 0x0505050505050505, off: 84215045, major: 1285} }
[SLAB] [idx 7] { addr: 0x0000000087f4ede0, as_ptr: 0x0000000087f4e408, as_obj: {tp: -2013993976, ref: 0, readable: 232, writable: 235, pipe: 0x0505050505050505, ip: 0x0505050505050505, off: 84215045, major: 1285} }
[SLAB] .print_kmem_cache end
$ qemu-system-riscv64: terminating on signal 15 from pid 237 (make)



Search entries or author | Unread | Subscribe

Reply



楊子慶 (YANG, TZU-CHING) (https://cool.ntu.edu.tw/courses/46296/users/229158)

Monday

同學您好：

這是由於助教的直譯器沒有考慮到環狀 freelist 結構，環狀 freelist 也是一種可能的實作，故這是直譯器的問題。

問題已修正，可見以下提交，麻煩請同學更新作業後再次執行，感謝。

https://github.com/Shiritai/xv6-ntu-mp2/commit/7364b0f73ece8df9d4585367848334b0b08a29b5 (https://github.com/Shiritai/xv6-ntu-mp2/commit/7364b0f73ece8df9d4585367848334b0b08a29b5)

子慶

(http

高顗翔 (KAO, YI-HSIANG) (https://cool.ntu.edu.tw/courses/46296/users/229193)

Monday

好的，謝謝助教

Reply