Data Dictionary Codebook

SONA Exercise & Eating Study (PID: 796)

10-29-2026 10:46am

Instruments	
Instrument	**Form Name**
Study Introduction	study_intro
Research Information Sheet	ris
Study ID	study_id
BDI-II	bdi
Ed 100k Plus	ed_100k_plus
OCI-12	oci12
EPSI	eating_pathology_symptoms_inventory_epsi
EFQ	eating_disorder_fear_questionnaire_efq
STAI	statetrait_anxiety_inventory
Exercise Questions Compiled	exercise_questions
AED - Brief	analogue_exercise_decisions_brief
ART	athletes_relationships_with_training_scale_art
FADE	functional_assessment_of_driven_exercise_fade
Data Collection Form - Brief	data_collection_form
EED	exercise_and_eating_disorders_questionnaire
TMFS	tmfs
Intuitive Exercise Scale	intuitive_exercise_scale
Hypothetical Questions	hypothetical_questions
Exercise Motivations Inventory (EMI-2)	exercise_motivations_inventory_emi2
Godin Leisure-Time Exercise Questionnaire	godin_leisuretime_exercise_questionnaire
Eating Habits Questionnaire (EHQ)	ehq_orthorexia
AED Continuous	aed_continuous
Exercise Beliefs Questionnaire (EBQ)	ebq
EDI Drive For Thinness	edi_drive_for_thinness
EAI	exercise_addiction_inventory
EDE-Q6	edeq
Study Recruitment & Resources	study_recruitment_resources

	#	Variable / Field Name	Field Label *Field Note*	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)
Instrument: Study Introduction (study_intro) **Enabled as survey**				

	1	[record_id]	Record ID	text
	2	[onlinescreening_contact]	Contact information: Embark Lab (Austin, TX) Phone: (512) 524-7631 Email: embarklab@austin.utexas.edu	descriptive
	3	[intro]	Thank you for your interest in participating in this study on exercise and eating motivations and behaviors. Please read all instructions and questions carefully and answer to the best of your ability. There is no option to stop and save progress, so please complete all questions in one sitting. It is expected that participation will take about 1-2 hours. You will receive 2 credits after completing the study surveys in full, but this may take a few days so please be patient. Please complete this study's survey only ONCE – do not repeat the survey. Thank you!	descriptive
	4	[intro_consent]	Do you agree to complete the questions asked in this study and allow the research team to collect, store, and use the information you provide for research purposes?	yesno, Required 1, Yes 0, No Stop actions on 0
	5	[intro_notes]	Notes:	notes Field Annotation: @HIDDEN-SURVEY
	6	[study_intro_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: Research Information Sheet (ris) **Enabled as survey**				
	7	[sona_ris]	Research Information Sheet Title of the Project: Exercise Motivations and Eating Behaviors UT Austin Investigator: Katherine Schaumberg PhD You are invited to be part of a research study. Your participation is voluntary and it is totally up to you to decide whether you want to participate. Even if you decide to be part of the study now, you may change your mind and stop at any time. If you agree to take part in this study, you will be asked to complete a series of online questionnaires, including demographics, medical and treatment history, alcohol and drug use, and height and weight. Examples include: "In the past 12 months, how often have you had 4 or more drinks containing alcohol in one day or how often have you consumed marijuana?", and "Are you currently receiving medical or psychiatric/psychological treatment? (Therapy, Dietitian, General Doctor, etc)." You will be asked about your exercise and eating habits and motivations for these behaviors, as well as your thoughts and feelings related to exercise, body image, weight gain, self-esteem, mood, mental health, and self-worth. Examples of these questions	descriptive (Attachment: SONA Consent 5.28.26.pdf, Display format: Link)

include: “People would be surprised if they knew how little I ate”, “I notice when I get hungry”, “I stop exercising when I am fatigued”, “What is the least you have ever weighed since reaching your current height?”, “Have you had a definite fear that you might gain weight?”, “I did not like how my body looked.”, “I spend more than three hours a day thinking about healthy food.”, “If I have eaten too much, I will do more exercise.”, “I am terrified of gaining weight.”, “How dissatisfied have you been with your weight?”, “If I do not exercise I will be an uninteresting person.” and “Do you have any mental health diagnoses?” In addition, some questions examine how exercise may affect your relationships with others, including family members and/or partners. You will also be presented with hypothetical scenarios related to exercise, in which you will be asked to indicate whether you would continue exercising under different conditions (e.g., when sick). Examples include: “Concerns have arisen between me and my family and/or my partner about the amount of exercise I do.” and “You had a bad stomachache that persisted throughout the day, making it uncomfortable to exercise. In this scenario, do you believe you would still find a way to engage in exercise?” You may skip any questions that make you uncomfortable or that you do not wish to answer and you may stop at any time. We expect that this study will take about 1.5-2 hours. You will be receiving 2 course credits through SONA for your participation in this study. Please note that if you do not finish the study in completion, you will not be assigned the 2 credits through SONA. Contact Information If you have any questions, concerns, or complaints about this research now or in the future, you may contact: Lily Palmer Phone: (512)-524-7631 Email: embarklab@austin.utexas.edu If you have questions about your rights as a research participant, or wish to obtain information, ask questions, or discuss any concerns about this study with someone other than the researcher(s), please contact the following: The University of Texas at Austin Institutional Review Board Phone: (512)-232-1543 Email: irb@austin.utexas.edu REQUIRED DISCLOSURES Under certain situations, we may break confidentiality. If during the study we learn about child abuse or neglect, or that someone is a clear, serious, and direct harm to self or others, we will report this information to the appropriate authorities [including the police and/or the Texas Department of Family and Protective Services, and/or emergency medical facility.] Texas Education Code, Chapter 51, Subchapters E-2 and E-3, requires reporting incidents of sexual assault, sexual harassment, dating violence, or stalking committed by or against a person who was a student enrolled at or an employee of UT Austin at the time of the incident. However, the researchers working on this study have been designated as confidential employees. This means that if we learn about any incidents of sexual assault, sexual harassment, dating violence, or stalking, we are only required to report the type of incident reported and the date we learn about the incident. We will not report any information that could identify you. WHAT WILL HAPPEN TO THE INFORMATION WE COLLECT

			ABOUT YOU AFTER THE STUDY IS OVER? In general, we will not give you any individual results from the study. Research data will be kept for at least seven years after study completion. No identifiable information will be collected (e.g., name, date of birth). All data will be kept in a secure location that is only accessible by study staff. Data may be used for other research studies by this study team or by other researchers without asking you for additional consent.	
	8	[ris_yes]	After reading the research information sheet, please select "I acknowledge" in order to proceed.	radio, Required 1 | I acknowledge
	9	[ris_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete 1 | Unverified 2 | Complete
Instrument: Study ID (study_id) **Enabled as survey**				
	10	[sona_id]	SONA ID for credit approval.	text Field Annotation: @HIDDEN
	11	[unique_sona_id]	Please create a unique user ID by entering the last four digits of your phone number followed by your two-digit date of birth.For example, if the last four digits of one's phone number were 1234 and they were born on June 5th, their user ID would be "123405."	text, Required
	12	[study_id_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete 1 | Unverified 2 | Complete
Instrument: BDI-II (bdi) **Enabled as survey**				
	13	[bdi_1_sadness]	Section Header: *Instructions: This questionnaire consists of 21 groups of statements. Please read each group of statements carefully, and then pick out the one statement in each group that best describes the way you have been feeling during the past two weeks, including today. Select the bubble next to the statement you have picked. If several statements in the group seem to apply equally well, select the most latter bubble for that group.* Sadness	radio, Required 0 | I do not feel sad. 1 | I feel sad much of the time. 2 | I am sad all the time. 3 | I am so sad or unhappy that I can't stand it.
	14	[bdi_2_pessimism]	Pessimism (Old version)	radio, Required 0 | I am not discouraged about my future. 1 | I feel more discouraged about my future than I used to be. 2 | I do not expect things to work out for me. 3 | I dislike myself.

				Field Annotation: @HIDDEN-SURVEY
	15	[bdi_2_pessimism_2]	Pessimism	radio, Required 0 I am not discouraged about my future. 1 I feel more discouraged about my future than I used to be. 2 I do not expect things to work out for me. 3 I feel my future is hopeless and will only get worse
	16	[bdi_3_failure]	Past Failure	radio, Required 0 I do not feel like a failure. 1 I have failed more than I should have 2 As I look back, I see a lot of failures. 3 I feel I am a total failure as a person.
	17	[bdi_4_pleasure]	Loss of Pleasure	radio, Required 0 I get as much pleasure as I ever did from the things I enjoy 1 I don't enjoy things as much as I used to. 2 I get very little pleasure from the things I used to enjoy 3 I can't get any pleasure from the things I used to enjoy.
	18	[bdi_5_guilty]	Guilty Feelings	radio, Required 0 I don't feel particularly guilty 1 I feel guilty over many things I have done or should have done. 2 I feel quite guilty most of the time. 3 I feel guilty all of the time.
	19	[bdi_6_punishment]	Punishment Feelings	radio, Required 0 I don't feel I am being punished. 1 I feel I may be punished. 2 I expect to be punished. 3 I feel I am being punished.
	20	[bdi_attention]	Please select "I expect to be punished" if you are paying attention.	radio, Required 0 I don't feel I am being punished. 1 I feel I may be punished. 2 I expect to be punished. 3 I feel I am being punished.

	21	[bdi_7_dislike]	Self-Dislike (Old version)	radio, Required 0 I feel the same about myself as ever. 1 I have lost confidence in myself. 2 I am disappointed in myself. 3 I feel my future is hopeless and will only get worse Field Annotation: @HIDDEN-SURVEY
	22	[bdi_7_dislike_2]	Self-Dislike	radio, Required 0 I feel the same about myself as ever. 1 I have lost confidence in myself. 2 I am disappointed in myself. 3 I dislike myself.
	23	[bdi_8_criticalness]	Self-Criticalness	radio, Required 0 I don't criticize or blame myself more than usual. 1 I am more critical of myself than I used to be. 2 I criticize myself for all of my faults. 3 I blame myself for everything bad that happens.
	24	[bdi_10_crying]	Crying	radio, Required 0 I don't cry anymore than I used to. 1 I cry more than I used to. 2 I cry over every little thing. 3 I feel like crying, but I can't.
	25	[bdi_11_agitation]	Agitation	radio, Required 0 I am no more restless or wound up than usual. 1 I feel more restless or wound up than usual. 2 I am so restless or agitated that it's hard to stay still. 3 I am so restless or agitated that I have to keep moving or doing something.
	26	[bdi_12_interest]	Loss of interest	radio, Required 0 I have not lost interest in other people or activities. 1 I am less interested in other people or things 2 I have lost most of my interest in other people or things. 3 It's hard to get interested in anything.

	27	[bdi_13_indecisiveness]	Indecisiveness	radio, Required 0 I make decisions about as well as ever. 1 I find it more difficult to make decisions than usual. 2 I have much greater difficulty in making decisions than I used to. 3 I have trouble making any decisions.
	28	[bdi_14_worthlessness]	Worthlessness	radio, Required 0 I do not feel I am worthless. 1 I don't consider myself as worthwhile and useful as I used to. 2 I feel more worthless as compared to other people. 3 I feel utterly worthless.
	29	[bdi_15_energy]	Loss of Energy	radio, Required 0 I have as much energy as ever. 1 I have less energy than I used to have. 2 I don't have enough energy to do very much. 3 I don't have enough energy to do anything.
	30	[bdi_16_sleeping]	Changes in Sleeping Pattern	radio, Required 0 I have not experienced any change in my sleeping pattern. 1a I sleep somewhat more than usual. 1b I sleep somewhat less than usual. 2a I sleep a lot more than usual. 2b I sleep a lot less than usual. 3a I sleep most of the day. 3b I wake up 1-2 hours early and can't get back to sleep.
	31	[bdi_17_irritability]	Irritability	radio, Required 0 I am no more irritable than usual. 1 I am more irritable than usual. 2 I am much more irritable than usual. 3 I am irritable all the time.
	32	[bdi_18_appetite]	Changes in Appetite	radio, Required 0 I have not experienced any change in my appetite

				1a My appetite is somewhat less than usual. 1b My appetite is somewhat greater than usual. 2a My appetite is much less than usual. 2b My appetite is much greater than usual. 3a I have no appetite at all. 3b I crave food all the time.
	33	[bdi_19_concentration]	Concentration Difficulty	radio, Required 0 I can concentrate as well as ever. 1 I can't concentrate as well as usual. 2 It's hard to keep my mind on anything for very long. 3 I find I can't concentrate on anything.
	34	[bdi_20_fatigue]	Tiredness or Fatigue	radio, Required 0 I am no more tired or fatigued than usual. 1 I get more tired or fatigued more easily than usual. 2 I am too tired or fatigued to do a lot of the things I used to do. 3 I am too tired or fatigued to do most of the things I used to do.
	35	[bdi_21_sex]	Loss of Interest in Sex	radio, Required 0 I have not noticed any recent change in my interest in sex. 1 I am less interested in sex than I used to be. 2 I am much less interested in sex now. 3 I have lost interest in sex completely.
	36	[bdi_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: Ed 100k Plus (ed_100k_plus) **Enabled as survey**				
	37	[ed100k_record_id_plus]	Record ID	text Field Annotation: @WORDLIMIT="1" @HIDDEN-SURVEY
	38	[ed100kp_dem_plus]	DEMOGRAPHICS	descriptive Field Annotation: @HIDDEN-SURVEY
	39	[ed100k_age_plus]	Current age *Report your answer as a number*	text (number, Min: 0, Max: 100), Required

	40	[ed100kp_sex_plus]	Sex assigned at birth?	radio, Required 0, Male 1, Female
	41	[ed100kp_cur_weight_plus]	Section Header: *Weight History* CURRENT WEIGHT AND HEIGHT	descriptive Field Annotation: @HIDDEN-SURVEY
	42	[ed100k_lbs_kg_plus]	The following section will ask about how your weight has changed over the years. For this section, you can report in either pounds or kilograms. Will you be answering in pounds or kilograms?	radio, Required 1, pounds 2, kilograms
	43	[ed100k_wt_current_plus]	How much do you currently weigh? *Report your answer as a number*	text (integer, Min: 50, Max: 300), Required
	44	[ed100k_wt_current_correct_plus]	Corrected weight.	calc Calculation: if([ed100k_lbs_kg_plus]=2, [ed100k_wt_current_plus]*2.2046,[ed100k_wt_current_plus]) Field Annotation: @HIDDEN-SURVEY
	45	[ed100k_height_plus]	How tall are you now?	dropdown, Required 48, 4'0" (122 cm) 49, 4'1" (124 cm) 50, 4'2" (127 cm) 51, 4'3" (130 cm) 52, 4'4" (132 cm) 53, 4'5" (135 cm) 54, 4'6" (137 cm) 55, 4'7" (140 cm) 56, 4'8" (142 cm) 57, 4'9" (145 cm) 58, 4'10" (147 cm) 59, 4'11" (150 cm) 60, 5'0" (152 cm) 61, 5'1" (155 cm) 62, 5'2" (158 cm) 63, 5'3" (160 cm) 64, 5'4" (163 cm) 65, 5'5" (165 cm) 66, 5'6" (168 cm)

				67 5'7" (170 cm) 68 5'8" (173 cm) 69 5'9" (175 cm) 70 5'10" (178 cm) 71 5'11" (180 cm) 72 6'0" (183 cm) 73 6'1" (185 cm) 74 6'2" (188 cm) 75 6'3" (191 cm) 76 6'4" (193 cm) 77 6'5" (196 cm) 78 6'6" (198 cm) 79 6'7" (200 cm) 80 6'8" (203 cm) 81 6'8" (206 cm) 82 6'10" (208 cm) 83 6'11" (211 cm) 84 7'0" (213 cm)
	46	[dcf_current_height_plus]	How old were you when you reached your current height? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	47	[ed100k_currentbmi_plus]	Current BMI	calc Calculation: round(([ed100k_wt_current_correct_plus]/(([ed100k_height_plus])^(1) Field Annotation: @HIDDEN-SURVEY
	48	[wdqhq_poundschange_plus]	Which of these statements best describes what has happened to your weight during the past 6 months?	radio, Required 1 My weight has stayed about the same 2 I've been losing weight 3 I've been gaining weight 4 My weight has fluctuated a lot
	49	[ed100kp_heigh_weight_plus]	HIGHEST PAST WEIGHT	descriptive Field Annotation: @HIDDEN-SURVEY
	50	[ed100k_wt_hi_lb_plus]	What is the most you have ever weighed (except during pregnancy, if applicable)? *Report your answer as a number*	text (integer, Min: 50, Max: 500), Required

	51	[ed100k_wt_hi_lb_correct_plus]	Corrected weight.	calc Calculation: if([ed100k_lbs_kg_plus]=2, [ed100k_wt_hi_lb_plus]*2.2046,[ed100k_wt_hi_lb_plus]) Field Annotation: @HIDDEN-SURVEY
	52	[ed100k_height_high_plus]	How tall were you then?	dropdown, Required 48 4'0" (122 cm) 49 4'1" (124 cm) 50 4'2" (127 cm) 51 4'3" (130 cm) 52 4'4" (132 cm) 53 4'5" (135 cm) 54 4'6" (137 cm) 55 4'7" (140 cm) 56 4'8" (142 cm) 57 4'9" (145 cm) 58 4'10" (147 cm) 59 4'11" (150 cm) 60 5'0" (152 cm) 61 5'1" (155 cm) 62 5'2" (158 cm) 63 5'3" (160 cm) 64 5'4" (163 cm) 65 5'5" (165 cm) 66 5'6" (168 cm) 67 5'7" (170 cm) 68 5'8" (173 cm) 69 5'9" (175 cm) 70 5'10" (178 cm) 71 5'11" (180 cm) 72 6'0" (183 cm) 73 6'1" (185 cm) 74 6'2" (188 cm) 75 6'3" (191 cm)

				76 | 6'4" (193 cm) 77 | 6'5" (196 cm) 78 | 6'6" (198 cm) 79 | 6'7" (200 cm) 80 | 6'8" (203 cm) 81 | 6'8" (206 cm) 82 | 6'10" (208 cm) 83 | 6'11" (211 cm) 84 | 7'0" (213 cm)
	53	[ed100k_high_bmi_plus]	Highest Past BMI	calc Calculation: round(([ed100k_wt_hi_lb_correct_plus]/(([ed100k_height_high_plus] 1) Field Annotation: @HIDDEN-SURVEY
	54	[ed100kp_wt_cur_hi_plus]	Difference between current weight and highest past weight	calc Calculation: round([ed100k_wt_hi_lb_correct_plus]-[ed100k_wt_current_correct_plus],1) Field Annotation: @HIDDEN-SURVEY
	55	[ed100kp_bmi_cur_hi_plus]	Difference between current BMI and highest past BMI	calc Calculation: round([ed100k_high_bmi_plus]-[ed100k_currentbmi_plus],1) Field Annotation: @HIDDEN-SURVEY
	56	[wdqhq_less5why_plus] Show the field ONLY if: [ed100kp_wt_cur_hi_plus]>5	Please pick the statement below that best describes this greater than 5lb difference between your current weight and your highest past weight:	radio, Required 1 | The difference is due to weight that I lost on purpose 2 | The difference is due to weight that I lost even thought I wasn't trying to 3 | I'm not sure why I weigh less than I once did.
	57	[dcf_weight_happen_plus] Show the field ONLY if: [ed100kp_wt_cur_hi_plus]>5	Was there anything that happened before your highest weight that contributed to weight gain (e.g., a sports injury)?	yesno, Required 1 | Yes 0 | No
	58	[dcf_weight_happen_explain_plus] Show the field ONLY if: [dcf_weight_happen_plus]=1	Explain...	text, Required
	59	[ed100k_age_hitwt_plus]	How old were you when you were at your highest weight? (Years) *Report your answer as a number*	text (integer, Min: 0, Max: 120), Required

	60	[ed100kp_hi_wt_start_plus]	When were you FIRST at your highest weight? (If unsure, please provide your best guess. The day of the month does not matter.)	text (date_mdy), Required
	61	[ed100kp_hi_wt_last_plus]	When were you LAST at your highest weight? (If unsure, please provide your best guess. The day of the month does not matter.)	text (date_mdy), Required
	62	[dcf_hi_wt_long_plus]	How long participant was at their highest ever weight (days)	calc Calculation: datediff ([ed100kp_hi_wt_start_plus], [ed100kp_hi_wt_last_plus], "d", "mdy", true) Field Annotation: @HIDDEN-SURVEY
	63	[ed100kp_maintain_hi_wt_plus]	Did you maintain this same weight for the entirety of the time you were first at your highest weight and last at your highest weight?	yesno, Required 1, Yes 0, No
	64	[ed100kp_heaviest_time_plus]	Think about the time when you were at your heaviest weight relative to peers your same age and gender.	descriptive
	65	[ed100kp_heaviest_compare_plus]	Regarding weight and relative to other people of your same age and gender, would you say you were:	radio, Required 1, a lot lighter 2, somewhat lighter 3, about the same 4, a little heavier 5, a lot heavier
	66	[ed100kp_heaviest_age_plus]	How old were you then? (Years) *Report your answer as a number*	text (integer), Required
	67	[ed100kp_heaviest_height_plus]	How tall were you then? (give your best guess)	dropdown, Required 48, 4'0" (122 cm) 49, 4'1" (124 cm) 50, 4'2" (127 cm) 51, 4'3" (130 cm) 52, 4'4" (132 cm) 53, 4'5" (135 cm) 54, 4'6" (137 cm) 55, 4'7" (140 cm) 56, 4'8" (142 cm) 57, 4'9" (145 cm) 58, 4'10" (147 cm)

				59 4'11" (150 cm) 60 5'0" (152 cm) 61 5'1" (155 cm) 62 5'2" (158 cm) 63 5'3" (160 cm) 64 5'4" (163 cm) 65 5'5" (165 cm) 66 5'6" (168 cm) 67 5'7" (170 cm) 68 5'8" (173 cm) 69 5'9" (175 cm) 70 5'10" (178 cm) 71 5'11" (180 cm) 72 6'0" (183 cm) 73 6'1" (185 cm) 74 6'2" (188 cm) 75 6'3" (191 cm) 76 6'4" (193 cm) 77 6'5" (196 cm) 78 6'6" (198 cm) 79 6'7" (200 cm) 80 6'8" (203 cm) 81 6'8" (206 cm) 82 6'10" (208 cm) 83 6'11" (211 cm) 84 7'0" (213 cm)
	68	[ed100kp_heaviest_weight_plus]	How much did you weigh then? (give your best guess) *Report your answer as a number*	text (number), Required
	69	[ed100k_wt_heaviest_correct_plus]	Corrected weight.	calc Calculation: if([ed100k_lbs_kg_plus]=2, [ed100kp_heaviest_weight_plus]*2.2046, [ed100kp_heaviest_weight_plus]) Field Annotation: @HIDDEN-SURVEY

	70	[ed100kp_heaviest_bmi_plus]	highest developmental BMI	calc Calculation: round(([ed100k_wt_heaviest_correct_plus]/(([ed100kp_heaviest_hei 1) Field Annotation: @HIDDEN-SURVEY
	71	[wdqhq_poundtime_date_plus] Show the field ONLY if: [ed100kp_wt_cur_hi_plus]>5	When was the most recent time you weighed greater than 5lbs (>5lbs) than your current weight? (If unsure, please provide your best guess. The day of the month does not matter.)	text (date_mdy), Required
	72	[ed100kp_cur_date_plus]	Current date	text (date_mdy) Field Annotation: @TODAY @HIDDEN-SURVEY
	73	[ed100kp_close_5lb_plus]	How long the participant has been at or close (within 5lbs.) to their present weight (Days)	calc Calculation: datediff([wdqhq_poundtime_date_plus], 'today', 'd') Field Annotation: @HIDDEN-SURVEY
	74	[ed100kp_lowest_past_weight_plus]	LOWEST PAST WEIGHT	descriptive Field Annotation: @HIDDEN-SURVEY
	75	[wdqhq_leastpounds_plus]	What is the least you have ever weighed since reaching your current height? (do not count any weight losses due to medical conditions or medications). *Report your answer as a number*	text (integer), Required
	76	[ed100k_wt_least_correct_plus]	Corrected weight.	calc Calculation: if([ed100k_lbs_kg_plus]=2, [wdqhq_leastpounds_plus]*2.2046,[wdqhq_leastpounds_plus]) Field Annotation: @HIDDEN-SURVEY
	77	[ed100k_lowestadultbmi_plus]	Lowest Adult BMI	calc Calculation: round(([ed100k_wt_least_correct_plus]/(([ed100k_height_plus])^(2)) 1) Field Annotation: @HIDDEN-SURVEY
	78	[ed100kp_current_low_weight_plus]	Difference between current and lowest weight	calc Calculation: round([ed100k_wt_hi_lb_correct_plus]- [ed100k_wt_least_correct_plus],1) Field Annotation: @HIDDEN-SURVEY
	79	[ed100kp_current_low_bmi_plus]	Difference between current and lowest BMI	calc Calculation: round([ed100k_currentbmi_plus]- [ed100k_lowestadultbmi_plus],1) Field Annotation: @HIDDEN-SURVEY
	80	[ed100kp_high_low_weight_plus]	Difference between highest and lowest weight	calc Calculation: round([ed100k_wt_hi_lb_correct_plus]- [ed100k_wt_least_correct_plus],1) Field Annotation: @HIDDEN-SURVEY
	81	[ed100kp_high_low_bmi_plus]	Difference between highest and lowest BMI	calc Calculation: round([ed100k_high_bmi_plus]-

				[ed100k_lowestadultbmi_plus],1) Field Annotation: @HIDDEN-SURVEY
	82	[ed100kp_current_wt_loss_plus]	Current Weight suppression	calc Calculation: round((([ed100k_wt_hi_lb_correct_plus]-[ed100k_wt_current_correct_plus])/[ed100k_wt_hi_lb_correct_plus]), Field Annotation: @HIDDEN-SURVEY
	83	[ed100k_wt_lo_age_plus]	How old were you when you were at your lowest weight at your current height? (Years) *Report your answer as a number*	text (integer, Min: 0, Max: 120), Required
	84	[ed100kp_lowest_times_plus]	Think about the time when you were at your lowest weight relative to peers your same age and gender.	descriptive
	85	[ed100kp_low_wt_compare_plus]	Regarding weight and relative to other people of your same age and gender, would you say you were:	radio, Required 1, A lot lighter 2, Somewhat lighter 3, About the same 4, Somewhat heavier 5, A lot heavier
	86	[ed100kp_lowest_age_plus]	How old were you then? (Years) *Report your answer as a number*	text (integer), Required
	87	[ed100kp_lowest_height_plus]	How tall were you then? (give your best guess)	dropdown, Required 48, 4'0" (122 cm) 49, 4'1" (124 cm) 50, 4'2" (127 cm) 51, 4'3" (130 cm) 52, 4'4" (132 cm) 53, 4'5" (135 cm) 54, 4'6" (137 cm) 55, 4'7" (140 cm) 56, 4'8" (142 cm) 57, 4'9" (145 cm) 58, 4'10" (147 cm) 59, 4'11" (150 cm) 60, 5'0" (152 cm) 61, 5'1" (155 cm) 62, 5'2" (158 cm)

				63 5'3" (160 cm) 64 5'4" (163 cm) 65 5'5" (165 cm) 66 5'6" (168 cm) 67 5'7" (170 cm) 68 5'8" (173 cm) 69 5'9" (175 cm) 70 5'10" (178 cm) 71 5'11" (180 cm) 72 6'0" (183 cm) 73 6'1" (185 cm) 74 6'2" (188 cm) 75 6'3" (191 cm) 76 6'4" (193 cm) 77 6'5" (196 cm) 78 6'6" (198 cm) 79 6'7" (200 cm) 80 6'8" (203 cm) 81 6'8" (206 cm) 82 6'10" (208 cm) 83 6'11" (211 cm) 84 7'0" (213 cm)
	88	[ed100kp_lowest_weight_plus]	How much did you weigh then? (give your best guess) *Report your answer as a number*	text (integer), Required
	89	[ed100k_wt_lowest_correct_plus]	Corrected weight.	calc Calculation: if([ed100k_lbs_kg_plus]=2, [ed100kp_lowest_weight_plus]*2.2046, [ed100kp_lowest_weight_plus]) Field Annotation: @HIDDEN-SURVEY
	90	[ed100kp_lowest_dev_bmi_plus]	Lowest developmental BMI	calc Calculation: round(([ed100k_wt_lowest_correct_plus]/(([ed100kp_lowest_height_1) Field Annotation: @HIDDEN-SURVEY

	91	[ed100kp_setpoint_plus]	SETPOINT WEIGHT	descriptive Field Annotation: @HIDDEN-SURVEY
	92	[dcf_weight_settle_plus]	Has there been a weight that your body 'settles on' or comes back to?	yesno, Required 1 Yes 0 No
	93	[dcf_weight_settle_weight_plus] Show the field ONLY if: [dcf_weight_settle_plus]=1	What is that weight? *Report your answer as a number*	text (integer), Required
	94	[ed100k_wt_setp_correct_plus]	Corrected weight.	calc Calculation: if([ed100k_lbs_kg_plus]=2, [dcf_weight_settle_weight_plus]*2.2046, [dcf_weight_settle_weight_plus]) Field Annotation: @HIDDEN-SURVEY
	95	[dcf_weight_maintained_plus]	What is the weight that your body has maintained for the longest period of time at your current height? *Report your answer as a number*	text (integer), Required
	96	[ed100k_wt_main_correct_plus]	Corrected weight.	calc Calculation: if([ed100k_lbs_kg_plus]=2, [dcf_weight_maintained_plus]*2.2046, [dcf_weight_maintained_plus]) Field Annotation: @HIDDEN-SURVEY
	97	[dcf_weight_maintain_first_plus]	When were you FIRST at that weight? (If unsure, please provide your best guess. The day of the month does not matter.)	text (date_mdy), Required
	98	[dcf_weight_maintain_last_plus]	When were you LAST at that weight? (If unsure, please provide your best guess. The day of the month does not matter.)	text (date_mdy), Required
	99	[ed100kp_main_wt_time_plus]	How long participant was at the weight their body has maintained for the longest period of time at their current height (days)	calc Calculation: datediff ([dcf_weight_maintain_first_plus], [dcf_weight_maintain_last_plus], "d", "mdy", true) Field Annotation: @HIDDEN-SURVEY
	100	[ed100kp_weight_loss_plus]	WEIGHT LOSS	descriptive Field Annotation: @HIDDEN-SURVEY
	101	[ed100k_underwt_past_plus]	Have you ever had a period of time when you weighed much less than other people thought you ought to weigh?	radio, Required 1 Yes 0 No -9 not sure
	102	[ed100k_other_ill_plus]	When you weighed much less than other people thought you ought to weigh or were at a low weight, was this due to an illness other than an	radio, Required

		Show the field ONLY if: [ed100k_underwt_past_plus] = '1'	eating disorder?	1 Yes 0 No -9 Not Sure
	103	[ed100k_illness_plus] Show the field ONLY if: [ed100k_other_ill_plus] = '1'	What was the illness?	text, Required
	104	[ed100k_sig_weightloss_plus]	Has there ever been a time when you lost a significant amount of weight (i.e. more than 5lb) in a short period of time (less than 6 months)?	yesno, Required 1 Yes 0 No
	105	[ed100k_weightloss_plus] Show the field ONLY if: [ed100k_sig_weightloss_plus] = '1'	If you have had more than one significant weight loss, think about the time that you lost the most weight. How much weight did you lose during that time? *Report your answer as a number*	text (integer, Min: 1, Max: 200), Required
	106	[ed100k_weightloss_corr_plus]	Corrected weight loss.	calc Calculation: if([ed100k_lbs_kg_plus]=2, [ed100k_weightloss_plus]*2.2046,[ed100k_weightloss_plus]) Field Annotation: @HIDDEN-SURVEY
	107	[edhistory_multiweightloss_plus] Show the field ONLY if: [ed100k_sig_weightloss_plus]= '1'	Has this happened more than once?	yesno, Required 1 Yes 0 No
	108	[edhistory_mostweightloss_plus] Show the field ONLY if: [edhistory_multiweightloss_plus] = '1'	Thinking about the period when you lost the most weight:	descriptive
	109	[edhistory_weightlosshigh_plus] Show the field ONLY if: [ed100k_sig_weightloss_plus] = '1' OR [ed100k_underwt_past_plus] = 1	What was your approximate weight before your weight loss/when you weighed much less than other people thought you ought to weigh? *Report your answer as a number*	text (integer), Required
	110	[ed100kp_wt_before_corr_plus]	Corrected weight before weight loss	calc Calculation: if([ed100k_lbs_kg_plus]=2, [edhistory_weightlosshigh_plus]*2.2046, [edhistory_weightlosshigh_plus]) Field Annotation: @HIDDEN-SURVEY

	111	[edhistory_weightlosslow_plus] Show the field ONLY if: [ed100k_sig_weightloss_plus] = '1' OR [ed100k_underwt_past_plus] = 1	What was your weight at the lowest point in your weight loss/when you weighed much less than other people thought you ought to weigh? *Report your answer as a number*	text (integer), Required
	112	[ed100kp_wt_lowest_corr_plus]	Corrected weight at lowest point in weight loss	calc Calculation: if([ed100k_lbs_kg_plus]=2, [edhistory_weightlosslow_plus]*2.2046, [edhistory_weightlosslow_plus]) Field Annotation: @HIDDEN-SURVEY
	113	[ed100kp_percent_wt_loss]	Percentage of body weight lost during this time of significant weight loss	calc Calculation: round(([ed100kp_wt_before_corr_plus] - [ed100kp_wt_lowest_corr_plus])/ [ed100kp_wt_before_corr_plus] *100, 1) Field Annotation: @HIDDEN-SURVEY
	114	[edhistory_weightlossage_plus] Show the field ONLY if: [ed100k_sig_weightloss_plus] = '1' OR [ed100k_underwt_past_plus] = 1	How old were you when you when you reached the lowest point in your weight loss/when you weighed much less than other people thought you ought to weigh? (Years) *Report your answer as a number*	text (integer), Required
	115	[edhistory_height_plus] Show the field ONLY if: [ed100k_sig_weightloss_plus] = '1' OR [ed100k_underwt_past_plus] = 1	How tall were you then? (give your best guess)	dropdown, Required 48, 4'0" (122 cm) 49, 4'1" (124 cm) 50, 4'2" (127 cm) 51, 4'3" (130 cm) 52, 4'4" (132 cm) 53, 4'5" (135 cm) 54, 4'6" (137 cm) 55, 4'7" (140 cm) 56, 4'8" (142 cm) 57, 4'9" (145 cm) 58, 4'10" (147 cm) 59, 4'11" (150 cm) 60, 5'0" (152 cm) 61, 5'1" (155 cm) 62, 5'2" (158 cm) 63, 5'3" (160 cm)

				64 | 5'4" (163 cm) 65 | 5'5" (165 cm) 66 | 5'6" (168 cm) 67 | 5'7" (170 cm) 68 | 5'8" (173 cm) 69 | 5'9" (175 cm) 70 | 5'10" (178 cm) 71 | 5'11" (180 cm) 72 | 6'0" (183 cm) 73 | 6'1" (185 cm) 74 | 6'2" (188 cm) 75 | 6'3" (191 cm) 76 | 6'4" (193 cm) 77 | 6'5" (196 cm) 78 | 6'6" (198 cm) 79 | 6'7" (200 cm) 80 | 6'8" (203 cm) 81 | 6'8" (206 cm) 82 | 6'10" (208 cm) 83 | 6'11" (211 cm) 84 | 7'0" (213 cm)
	116	[ed100k_an_dur_1_plus] Show the field ONLY if: [ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'	How long were you at this low weight?	dropdown, Required 1 | 1 to 6 months 2 | 7 to 11 months 3 | 1 year to 2 years 4 | More than 2 years
	117	[ed100k_an_dur_2_plus] Show the field ONLY if: [ed100k_an_dur_1_plus] = '4'	How many years? *Report your answer as a number*	text (number, Min: 0, Max: 100), Required
	118	[ed100k_an_bmi_plus]	AN BMI	calc Calculation: round(([ed100kp_wt_lowest_corr_plus]/(([edhistory_height_plus])^(2 1) Field Annotation: @HIDDEN-SURVEY

	119	[ed100kp_cur_an_wt_plus]	Difference between current and AN weight	calc Calculation: round([ed100k_wt_current_plus]-[edhistory_weightlosslow_plus],1) Field Annotation: @HIDDEN-SURVEY
	120	[ed100kp_cur_an_bmi_plus]	Difference between current and AN BMI	calc Calculation: round([ed100k_currentbmi_plus]-[ed100k_an_bmi_plus],1) Field Annotation: @HIDDEN-SURVEY
	121	[ed100k_hi_an_wt_plus]	Difference between highest and AN weight	calc Calculation: round([ed100k_wt_hi_lb_plus]-[edhistory_weightlosslow_plus],1) Field Annotation: @HIDDEN-SURVEY
	122	[ed100k_hi_an_bmi_plus]	Difference between highest and AN BMI	calc Calculation: round([ed100k_high_bmi_plus]-[ed100k_an_bmi_plus],1) Field Annotation: @HIDDEN-SURVEY
	123	[ed100k_had_mens_plus] Show the field ONLY if: [ed100kp_sex_plus] = 1 AND ([ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1')	Before this time, had your periods already started?	yesno, Required 1 Yes 0 No
	124	[ed100k_stop_mens_plus] Show the field ONLY if: [ed100k_had_mens_plus] = '1'	Did your periods stop at any time when you were at low weight?	yesno, Required 1 Yes 0 No
	125	[ed100k_age_nomen_plus] Show the field ONLY if: [ed100k_stop_mens_plus] = '1'	How old were you when your periods stopped? (Years) *Report your answer as a number*	text (number, Min: 0, Max: 100), Required
	126	[ed100k_nomen_dur_1_plus] Show the field ONLY if: [ed100k_stop_mens_plus] = '1'	For how long did your periods stop?	dropdown, Required 1 1-3 months 2 4-6 months 3 7-11 months 4 1-2 years 5 More than 2 years
	127	[ed100k_nomen_dur_2_plus] Show the field ONLY if: [ed100k_nomen_dur_1_plus] = '5'	Number of years that your period had stopped? *Report your answer as a number*	text (number, Min: 0, Max: 120), Required
	128	[ed100kp_birth_control_plus] Show the field ONLY if:	During this time, were you on any form of birth control?	yesno, Required 1 Yes

		[ed100k_had_mens_plus] = '1'		0 No
	129	[ed100kp_bc_type_plus] Show the field ONLY if: [ed100kp_birth_control_plus]='1'	What type of birth control?	radio, Required 1 birth control pill 2 hormonal implant 3 IUD 4 birth control shot 5 birth control patch 6 vaginal ring 7 other
	130	[ed100kp_bc_other_plus] Show the field ONLY if: [ed100kp_bc_type_plus] = '7'	Describe:	text
	131	[ed100kp_low_wt_cog_plus]	LOW WEIGHT COGNITIONS	descriptive Field Annotation: @HIDDEN-SURVEY
	132	[ed100k_feel_fat_plus] Show the field ONLY if: [ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'	During the time when you were at this low weight, did you still feel fat?	radio, Required 0 Not at all 1 2 slightly 3 4 moderately 5 6 Extremely
	133	[ed100k_afraid_gain_plus] Show the field ONLY if: [ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'	During the time when you were at this low weight, how afraid were you that you might gain weight or become fat?	radio, Required 0 Not at all 1 2 slightly 3 4 moderately 5 6 Extremely
	134	[ed100kp_lwt_self_worth_plus] Show the field ONLY if:	During the time when you were at this low weight, how dependent was your self-worth on your body shape or weight?	radio, Required 1 Not at all dependent 2 2

		[ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'		3 | 3 4 | 4 5 | 5 6 | 6 7 | Completely dependent
	135	[ed100k_negconseq_plus] Show the field ONLY if: [ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'	Did you ever think your low weight had negative consequences for your health?	radio, Required 1 | Not at all 2 | Somewhat 3 | Very Much -9 | Don't know
	136	[ed100k_bigbody_plus] Show the field ONLY if: [ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'	During the time when you were at this low weight, did you ever experience your body or parts of your body to be larger than they actually were or than other people thought they were?	radio, Required 1 | Not at all 2 | Somewhat 3 | Very Much -9 | Don't know
	137	[edhistory_needthin_plus] Show the field ONLY if: [ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'	Did you need to be very thin in order to feel better about yourself?	radio, Required 1 | Yes 0 | No -9 | I choose not to answer
	138	[edhistory_weightimportant_plus] Show the field ONLY if: [ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'	During this period of low weight, was your weight or shape one of the most important factors in how you felt about yourself?	radio, Required 1 | Yes 0 | No -9 | I choose not to answer
	139	[edhistory_limitfood_plus] Show the field ONLY if: [ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'	During this period of low weight, were you deliberately trying to limit the amount of food that you were eating to influence your shape or weight?	radio, Required 1 | Yes 0 | No -9 | I choose not to answer
	140	[edhistory_limitfoodhowlong_plus] Show the field ONLY if: [edhistory_limitfood_plus] = 1	Do you currently, i.e. in the past three months, deliberately try to limit the amount of food you eat to influence your shape or weight on most days in a month, regardless of your weight?	radio, Required 1 | Yes 0 | No
	141	[edhistory_concentrate_plus] Show the field ONLY if:	During this period of low weight, did thinking about food, eating, calories, your shape, or your weight, make it difficult to concentrate on	radio, Required 1 | Yes

		[ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'	things you were interested in (e.g. working, following a conversation, reading) most days?	0 No -9 I choose not to answer
	142	[wdqhq_diet_plus]	Section Header: *Dieting History* Are you currently on a diet?	radio, Required 1 Yes 0 No -9 I choose not to answer
	143	[wdqhq_dietwhy_plus] Show the field ONLY if: [wdqhq_diet_plus] = '1'	Are you currently dieting to lose weight or to avoid gaining weight?	radio, Required 1 To lose weight 2 To avoid gaining weight
	144	[wdqhq_dietlife1_4_plus]	Section Header: *Please estimate as best you can the number of times in your life you have dieted and purposely lost the amount of weight listed (count each period of dieting separately)* How many times in your life have you dieted and lost: 1-4 pounds?	radio (Matrix), Required 0 0 1 1 2 2 3 3 4 4 5 5 6 >5
	145	[wdqhq_dietlife5_10_plus]	How many times in your life have you dieted and lost: 5-10 pounds?	radio (Matrix), Required 0 0 1 1 2 2 3 3 4 4 5 5 6 >5
	146	[wdqhq_dietlife11_20_plus]	How many times in your life have you dieted and lost: 11-20 pounds?	radio (Matrix), Required 0 0 1 1 2 2 3 3 4 4 5 5

				6 >5
	147	[wdqhq_dietlife21more_plus]	How many times in your life have you dieted and lost: 21 or more pounds?	radio (Matrix), Required 0 0 1 1 2 2 3 3 4 4 5 5 6 >5
	148	[ed100k_surgery_plus]	Have you ever had any of the following surgical procedures?	checkbox, Required 1 ed100k_surgery_plus___1 Roux-en-Y gastric bypass 2 ed100k_surgery_plus___2 Laparoscopic adjustable gastric banding 3 ed100k_surgery_plus___3 Sleeve gastrectomy 4 ed100k_surgery_plus___4 Duodenal switch with biliopancreatic diversion 5 ed100k_surgery_plus___5 Aspire assist 6 ed100k_surgery_plus___6 Other gastrointestinal or weight loss surgery not listed here 0 ed100k_surgery_plus___0 I have never had a weight loss surgery
	149	[ed100k_surgery_other_plus] Show the field ONLY if: [ed100k_surgery_plus(6)] = '1'	If you selected other weight loss surgery above, please describe what surgery you had.	text
	150	[ed100kp_ac1_plus]	If you are paying attention, select "Strongly agree".	radio, Required 0 Strongly disagree 1 Disagree 2 Agree 3 Strongly agree
	151	[ed100kp_ed_behaviors_past_plus]	Section Header: *Eating Behaviors* ED BEHAVIORS HISTORY	descriptive Field Annotation: @HIDDEN-SURVEY
	152	[ed100k_compul_eat_plus]	Have there ever been times when you have eaten what other people would regard as an unusually large amount of food given the circumstances within a 2-hour period?	radio, Required 1 Yes 0 No

				-9 I choose not to answer
	153	[ed100k_be_control_plus] Show the field ONLY if: [ed100k_compul_eat_plus] = '1'	When you were having regularly occurring episodes of binge eating or overeating, did you feel that your eating was out of control such that you felt you could not stop eating or that you could not control what or how much you were eating?	radio, Required 0 No 1 Slightly 2 Somewhat 3 Very 4 Extremely -9 Don't know/Prefer not to answer
	154	[ed100kp_binge_exper_label] Show the field ONLY if: [ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4'	When you were experiencing binge eating episodes, did you:	descriptive
	155	[ed100k_be_eatfast_plus] Show the field ONLY if: [ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4'	Eat much more rapidly than normal?	radio (Matrix), Required 1 Yes 0 No
	156	[ed100k_be_full_plus] Show the field ONLY if: [ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4'	Eat until you felt uncomfortably full?	radio (Matrix), Required 1 Yes 0 No
	157	[ed100k_be_nohunger_plus] Show the field ONLY if: [ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4'	Eat large amounts of food when you didn't feel physically hungry?	radio (Matrix), Required 1 Yes 0 No
	158	[ed100k_be_alone_plus] Show the field ONLY if: [ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4'	Eat alone because you were embarrassed by how much you were eating?	radio (Matrix), Required 1 Yes 0 No

	159	[ed100k_be_be_guilt_plus] Show the field ONLY if: [ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4'	Feel disgusted with yourself, depressed, or very guilty after overeating?	radio (Matrix), Required 1 Yes 0 No
	160	[ed100kp_his_binge_cog_plus]	Total binge cognitions (history)	calc Calculation: [ed100k_be_eatfast_plus] + [ed100k_be_full_plus] + [ed100k_be_nohunger_plus] + [ed100k_be_alone_plus] + [ed100k_be_be_guilt_plus] Field Annotation: @HIDDEN-SURVEY
	161	[ed100kp_hist_eat_mo_plus] Show the field ONLY if: [ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4'	When you were experiencing episodes of binge eating in the past, how many times PER MONTH (on average) in a 3 month period did you have a binge eating episode? *Report your answer as a number*	dropdown, Required 0 0 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 10 10 11 11 12 12+
	162	[ed100k_be_onlylowt_plus] Show the field ONLY if: [ed100kp_hist_eat_mo_plus] >= 4 and ([ed100k_sig_weightloss_plus] = '1' OR [ed100k_underwt_past_plus] = 1)	Have you had periods of binge eating while NOT at a low weight?	radio, Required 1 Yes 0 No, I have only has periods of binge eating while at a low weight
	163	[ed100k_be_agefirst_plus] Show the field ONLY if: [ed100kp_hist_eat_mo_plus] >= 4	How old were you when you began having regular episodes of binge eating? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	164	[ed100k_be_current_plus] Show the field ONLY if:	Have you experienced episodes of binge eating (feeling a lack of control over your eating and eating more than what most people would eat in a 2 hour period) in the PAST 3 MONTHS?	radio, Required 1 Yes 0 No

		[ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4'		-9 I choose not to answer
	165	[ed100k_be_agelast_plus] Show the field ONLY if: [ed100k_be_current_plus] = '0'	How old were you when you last had a binge-eating episode? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	166	[ed100k_vomit_plus]	Section Header: *Have you ever used any of the following in order to control your weight or shape?* made yourself vomit	radio (Matrix), Required 0 never 1 a few times, but it never became a habit 2 more often -9 I choose not to answer
	167	[ed100k_laxatives_diur_plus]	Used laxatives or diuretics	radio (Matrix), Required 0 never 1 a few times, but it never became a habit 2 more often -9 I choose not to answer
	168	[ed100k_dietpills_plus]	Used diet pills	radio (Matrix), Required 0 never 1 a few times, but it never became a habit 2 more often -9 I choose not to answer
	169	[ed100k_fast_plus]	Fasted (skipped at least two meals in a row)	radio (Matrix), Required 0 never 1 a few times, but it never became a habit 2 more often -9 I choose not to answer
	170	[ed100k_exercise_plus]	Engaged in more intense exercise specifically to counteract the effects of overeating	radio (Matrix), Required 0 never 1 a few times, but it never became a habit 2 more often -9 I choose not to answer
	171	[ed100k_be_icb_plus] Show the field ONLY if:	Have you ever used any of the following to compensate for episodes of binge eating or	checkbox, Required 1 ed100k_be_icb_plus___1 Made yourself vomit

		([ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4') AND (([ed100k_vomit_plus] = '1' or [ed100k_vomit_plus] = '2') OR ([ed100k_laxatives_diur_plus] = '1' or [ed100k_laxatives_diur_plus] = '2') OR ([ed100k_dietpills_plus] = '1' or [ed100k_dietpills_plus] = '2') OR ([ed100k_fast_plus] = '1' or [ed100k_fast_plus] = '2') OR ([ed100k_exercise_plus] = '1' or [ed100k_exercise_plus] = '2'))	overeating?	2 ed100k_be_icb_plus___2 Used laxatives or diuretics 3 ed100k_be_icb_plus___3 Used diet pills 4 ed100k_be_icb_plus___4 Fasted (skipped at least 2 meals in a row) 5 ed100k_be_icb_plus___5 Intensely exercised to counteract the effects of overeating 0 ed100k_be_icb_plus___0 None of the above -9 ed100k_be_icb_plus____9 I choose not to answer
	172	[ed100k_be_withicb_plus] Show the field ONLY if: [ed100k_be_icb_plus(1)] = '1' or [ed100k_be_icb_plus(2)] = '1' or [ed100k_be_icb_plus(3)] = '1'	Have you had periods of time that lasted three months or more when you had binge- eating episodes AND engaged in the compensatory behavior(s), such as self-induced vomiting, laxative/diuretic use, or used diet pills?	radio, Required 1 Yes 0 No
	173	[ed100k_be_icbsame_plus] Show the field ONLY if: [ed100k_be_withicb_plus] = '1'	Did the binge eating and compensatory behaviors occur at the same time, on average, once a week for 3 months?	radio, Required 1 Yes, there have been periods when I engaged in binge eating and compensatory behaviors at the same time, on average, once a week for 3 months 0 No
	174	[ed100k_be_no_purge_plus] Show the field ONLY if: [ed100k_be_icb_plus(4)] = '1' or [ed100k_be_icb_plus(5)] = '1'	Have you had periods of time that lasted three months or more when you had binge- eating episodes AND engaged in non-purging compensatory behaviors, such as fasting or excessive exercise?	radio, Required 1 Yes 0 No
	175	[ed100k_no_purge_time_plus] Show the field ONLY if: [ed100k_be_no_purge_plus] = '1'	Did the binge eating and non-purging compensatory behaviors occur at the same time, on average, once a week for 3 months?	radio, Required 1 Yes, there have been periods when I engaged in binge eating and non-purging compensatory behaviors at the same time, on average, once a week for 3 months 0 No
	176	[ed100kp_binge_no_purge_plus] Show the field ONLY if: ([ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4') AND ([ed100k_vomit_plus] = '1' or [ed100k_vomit_plus] = '2' or [ed100k_laxatives_diur_plus] = '1' or [ed100k_laxatives_diur_plus] = '2' or [ed100k_diet	Have you had periods of time that lasted three months or more when you had binge- eating episodes AND DID NOT engaged in the compensatory behavior(s), such as self-induced vomiting, laxative/diuretic use, diet pill use, fasting, or excessive exercise?	yesno, Required 1 Yes 0 No

		pills_plus] = '1' or [ed100k_dietpills_plus] = '2' or [ed100k_fast_plus] = '1' or [ed100k_fast_plus] = '2' or [ed100k_exercise_plus] = '1' or [ed100k_exercise_plus] = '2')		
	177	[ed100kp_no_purge_time_plus] Show the field ONLY if: [ed100kp_binge_no_purge_plus] = 1	Did the binge eating WITHOUT compensatory behaviors occur, on average, once a week for 3 months?	radio, Required 1 Yes, there have been periods when I engaged in binge eating but no compensatory behaviors, on average, once a week for 3 months 0 No -9 Don't know/Prefer not to answer
	178	[ed100k_be_noicb_plus] Show the field ONLY if: ([ed100k_be_control_plus] = '1' or [ed100k_be_control_plus] = '2' or [ed100k_be_control_plus] = '3' or [ed100k_be_control_plus] = '4') AND ([ed100k_vomit_plus] = '1' or [ed100k_vomit_plus] = '2' or [ed100k_laxatives_diur_plus] = '1' or [ed100k_laxatives_diur_plus] = '2' or [ed100k_dietpills_plus] = '1' or [ed100k_dietpills_plus] = '2')	Was there ever a time when you made yourself vomit, used laxatives, or used diuretics, on average, at least once a week for 3 months when you were NOT binge eating?	radio, Required 1 Yes 2 No -9 Don't know/Prefer not to answer
	179	[ed100k_icb_lowt_plus] Show the field ONLY if: [ed100k_underwt_past_plus] = '1' or [ed100k_sig_weightloss_plus] = '1'	During the period of time when you were at your lowest weight, did you use any of the following as a way to control your weight or shape? (Mark all that apply).	checkbox, Required 1 ed100k_icb_lowt_plus___1 made yourself vomit 2 ed100k_icb_lowt_plus___2 Used laxatives or diuretics 3 ed100k_icb_lowt_plus___3 Used diet pills 4 ed100k_icb_lowt_plus___4 Fasted (skipped at least two meals in a row) 5 ed100k_icb_lowt_plus___5 Engaged in more intense exercise specifically to counteract the effects of overeating 0 ed100k_icb_lowt_plus___0 None of the above -9 ed100k_icb_lowt_plus____9 I choose not to answer
	180	[ed100k_icb_no_lowt_plus] Show the field ONLY if: ([ed100k_underwt_past_plus] = '1' OR [ed100k_sig_weightloss_plus] = '1') AND ([ed100k_vomit_plus] = '1'	Was there ever a time when you made yourself vomit, used laxatives or diuretics, or used diet pills on average, at least once a week for 3 months when you were NOT at low weight?	radio, Required 1 Yes, ONLY during times when I was not at a low weight 2 Yes, at times of low weight AND at times when I was not at low weight

		OR [ed100k_vomit_plus] = '2' OR [ed100k_laxatives_diur_plus] = '1' OR [ed100k_laxatives_diur_plus] = '2' OR [ed100k_dietpills_plus] = '1' OR [ed100k_dietpills_plus] = '2')		0 | No, ONLY during times of low weight
	181	[ed100kp_vomit_hist_plus]	History of Vomiting	descriptive Field Annotation: @HIDDEN-SURVEY
	182	[ed100k_vom_age_plus] Show the field ONLY if: [ed100k_vomit_plus] = '1' or [ed100k_vomit_plus] = '2'	How old were you when you self-induced vomiting for the first time? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	183	[ed100k_vom_dur_plus] Show the field ONLY if: [ed100k_vomit_plus] = '1' or [ed100k_vomit_plus] = '2'	For how long did you self-induce vomiting?	radio, Required 1 | Less than 1 month 2 | 1 to 2 months 3 | 3 to 5 months 4 | 6 to 12 months 5 | more than 1 year -9 | Don't know/Prefer not to answer
	184	[ed100k_vom_freq_plus] Show the field ONLY if: [ed100k_vomit_plus] = '1' or [ed100k_vomit_plus] = '2'	During these periods, how often did you usually self-induce vomiting?	radio, Required 1 | less than once a week 2 | at least once a week 3 | at least twice a week 4 | every day/nearly every day -9 | Don't know/Prefer not to answer
	185	[ed100k_vom_current_plus] Show the field ONLY if: [ed100k_vomit_plus] = '1' or [ed100k_vomit_plus] = '2'	Have you engaged in self-induced vomiting to prevent weight gain in the PAST 3 MONTHS?	yesno, Required 1 | Yes 0 | No
	186	[ed100k_vom_age_last_plus] Show the field ONLY if: [ed100k_vom_current_plus] = '0'	How old were you when you stopped self-induced vomiting? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	187	[ed100kp_hist_lax_diuret_plus]	History of Laxatives or Diuretics	descriptive Field Annotation: @HIDDEN-SURVEY

	188	[ed100k_lax_diur_age_plus] Show the field ONLY if: [ed100k_laxatives_diur_plus] = '1' or [ed100k_laxatives_diur_plus] = '2'	How old were you when you used laxatives and/or diuretics for the first time? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	189	[ed100k_lax_diur_dur_plus] Show the field ONLY if: [ed100k_laxatives_diur_plus] = '1' or [ed100k_laxatives_diur_plus] = '2'	For how long were you using laxatives and/or diuretics?	radio, Required 1, less than 1 month 2, 1 to 2 months 3, 3 to 5 months 4, 6 to 12 months 5, more than 1 year -9, Don't know/Prefer not to answer
	190	[ed100k_lax_diur_freq_plus] Show the field ONLY if: [ed100k_laxatives_diur_plus] = '1' or [ed100k_laxatives_diur_plus] = '2'	During these periods, how often did you usually use laxatives and/or diuretics in a week?	radio, Required 1, less than once a week 2, at least once a week 3, at least twice a week 4, every day/nearly every day -9, Don't know/Prefer not to answer
	191	[ed100k_lax_diur_current_plus] Show the field ONLY if: [ed100k_laxatives_diur_plus] = '1' or [ed100k_laxatives_diur_plus] = '2'	Have you used laxatives or diuretics to prevent weight gain in the PAST 3 MONTHS?	yesno, Required 1, Yes 0, No
	192	[ed100k_lax_diur_last_age_plus] Show the field ONLY if: [ed100k_lax_diur_current_plus] = '0'	How old were you when you stopped using laxatives and/or diuretics? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	193	[ed100k_hist_diet_pills_plus]	History of Diet Pills	descriptive Field Annotation: @HIDDEN-SURVEY
	194	[ed100k_dp_age_plus] Show the field ONLY if: [ed100k_dietpills_plus] = '1' or [ed100k_dietpills_plus] = '2'	How old were you when you used diet pills for the first time? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	195	[ed100k_dp_dur_plus] Show the field ONLY if: [ed100k_dietpills_plus] = '1' or [ed100k_dietpills_plus] = '2'	For how long were you using diet pills?	radio, Required 1, less than 1 month 2, 1 to 2 months

				3 | 3 to 5 months 4 | 6 to 12 months 5 | more than a year -9 | Don't know/Prefer not to answer
	196	[ed100k_dp_freq_plus] Show the field ONLY if: [ed100k_dietpills_plus] = '1' or [ed100k_dietpills_plus] = '2'	During these periods, how often did you usually use diet pills in a week?	radio, Required 1 | less than once a week 2 | at least once a week 3 | at least twice a week 4 | every day/nearly every day -9 | Don't know/Prefer not to answer
	197	[ed100k_wp_current_plus] Show the field ONLY if: [ed100k_dietpills_plus] = '1' or [ed100k_dietpills_plus] = '2'	Have you used diet pills to prevent weight gain in the PAST 3 MONTHS?	yesno, Required 1 | Yes 0 | No
	198	[ed100k_dp_age_last_plus] Show the field ONLY if: [ed100k_wp_current_plus] = '0'	How old were you when you stopped using diet pills? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	199	[ed100kp_hist_fasting_plus]	History of Fasting	descriptive Field Annotation: @HIDDEN-SURVEY
	200	[ed100k_fast_age_plus] Show the field ONLY if: [ed100k_fast_plus] = '1' or [ed100k_fast_plus] = '2'	How old were you when you fasted for the first time? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	201	[ed100k_fast_dur_plus] Show the field ONLY if: [ed100k_fast_plus] = '1' or [ed100k_fast_plus] = '2'	For what period of time did you engage in periods of fasting?	radio, Required 1 | less than 1 month 2 | 1 to 2 months 3 | 3 to 5 months 4 | 6 to 12 months 5 | more than a year -9 | Don't know/Prefer not to answer
	202	[ed100k_fast_freq_plus] Show the field ONLY if: [ed100k_fast_plus] = '1' or [ed100k_fast_plus] = '2'	During these periods, how often did you usually fast in a week?	radio, Required 1 | less than once a week 2 | at least once a week 3 | at least twice a week

				4 every day/nearly every day -9 Don't know/Prefer not to answer
	203	[ed100k_fast_current_plus] Show the field ONLY if: [ed100k_fast_plus] = '1' or [ed100k_fast_plus] = '2'	Have you engaged in fasting to prevent weight gain in the PAST 3 MONTHS?	yesno, Required 1 Yes 0 No
	204	[ed100k_fast_age_last_plus] Show the field ONLY if: [ed100k_fast_current_plus] = '0'	How old were you when you stopped fasting? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	205	[ed100kp_hist_comp_exerc_plus]	History of Compensatory Exercise	descriptive Field Annotation: @HIDDEN-SURVEY
	206	[ed100k_comp_ex_age_plus] Show the field ONLY if: [ed100k_exercise_plus] = '1' or [ed100k_exercise_plus] = '2'	How old were you when you engaged in more intense exercise specifically to counteract the effects of overeating for the first time? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required
	207	[ed100k_comp_ex_dur_plus] Show the field ONLY if: [ed100k_exercise_plus] = '1' or [ed100k_exercise_plus] = '2'	For what period of time did you engage in more intense exercise specifically to counteract the effects of overeating?	radio, Required 1 less than 1 month 2 1 to 2 months 3 3 to 5 months 4 6 to 12 months 5 more than a year -9 Don't know/Prefer not to answer
	208	[ed100k_comp_ex_freq_plus] Show the field ONLY if: [ed100k_exercise_plus] = '1' or [ed100k_exercise_plus] = '2'	During these periods, how often did you engage in more intense exercise specifically to counteract the effects of overeating?	radio, Required 1 less than once a week 2 at least once a week 3 at least twice a week 4 every day/nearly every day -9 Don't know/Prefer not to answer
	209	[ed100kp_current_comp_ex_plus] Show the field ONLY if: [ed100k_exercise_plus] = '1' or [ed100k_exercise_plus] = '2'	Have you engaged in more intense exercise specifically to counteract the effects of overeating in the PAST 3 MONTHS?	yesno, Required 1 Yes 0 No
	210	[ed100kp_stop_comp_ex_plus] Show the field ONLY if:	How old were you when you stopped engaging in more intense exercise specifically to counteract the effects of overeating? *Report your answer as a number*	text (integer), Required

		[ed100kp_current_comp_ex_plus] = '0'		
	211	[ed100kp_hist_driven_exercise_plus]	History of Driven Exercise	descriptive Field Annotation: @HIDDEN-SURVEY
	212	[ed100k_ex_compel_plus]	Section Header: *Have you ever engaged in a behavior of driven exercise such as...* Feeling compelled to exercise (like you had to do it) to control your body shape or weight?	radio (Matrix), Required 2 Yes - Regularly 1 Yes - A few times 0 No -9 I choose not to answer
	213	[ed100k_ex_distress_plus]	Feeling uneasy or distressed if unable to exercise?	radio (Matrix), Required 2 Yes - Regularly 1 Yes - A few times 0 No -9 I choose not to answer
	214	[ed100k_ex_friend_plus]	Declining opportunities to be with friends in order to exercise?	radio (Matrix), Required 2 Yes - Regularly 1 Yes - A few times 0 No -9 I choose not to answer
	215	[ed100k_ex_ill_plus]	Exercising despite an injury or illness that would have prevented others from exercising?	radio (Matrix), Required 2 Yes - Regularly 1 Yes - A few times 0 No -9 I choose not to answer
	216	[ed100k_ex_diet_plus]	Modifying your diet/eating habits if you were unable to exercise for any reason?	radio (Matrix), Required 2 Yes - Regularly 1 Yes - A few times 0 No -9 I choose not to answer
	217	[ed100k_driv_ex_age_plus] Show the field ONLY if: [ed100k_ex_compel_plus] = 1 OR [ed100k_ex_compel_plus] = 2 OR [ed100k_ex_distress_plus] = 1 OR [ed1	How old were you when you first engaged in driven exercise to control your shape or weight? *Report your answer as a number*	text (integer, Min: 0, Max: 100), Required

		00k_ex_distress_plus] = 2 OR [ed100k_ex_friend_plus] = 1 OR [ed100k_ex_friend_plus] = 2 OR [ed100k_ex_ill_plus] = 1 OR [ed100k_ex_ill_plus] = 2 OR [ed100k_ex_diet_plus] = 1 OR [ed100k_ex_diet_plus] = 2		
	218	[ed100k_driv_ex_dur_plus] Show the field ONLY if: [ed100k_ex_compel_plus] = 1 OR [ed100k_ex_compel_plus] = 2 OR [ed100k_ex_distress_plus] = 1 OR [ed100k_ex_distress_plus] = 2 OR [ed100k_ex_friend_plus] = 1 OR [ed100k_ex_friend_plus] = 2 OR [ed100k_ex_ill_plus] = 1 OR [ed100k_ex_ill_plus] = 2 OR [ed100k_ex_diet_plus] = 1 OR [ed100k_ex_diet_plus] = 2	For what period of time did you engage in driven exercise to control your shape or weight?	radio, Required 1 less than 1 month 2 1 to 2 months 3 3 to 5 months 4 6 to 12 months 5 more than a year -9 Don't know/Prefer not to answer
	219	[ed100k_driv_ex_freq_plus] Show the field ONLY if: [ed100k_ex_compel_plus] = 1 OR [ed100k_ex_compel_plus] = 2 OR [ed100k_ex_distress_plus] = 1 OR [ed100k_ex_distress_plus] = 2 OR [ed100k_ex_friend_plus] = 1 OR [ed100k_ex_friend_plus] = 2 OR [ed100k_ex_ill_plus] = 1 OR [ed100k_ex_ill_plus] = 2 OR [ed100k_ex_diet_plus] = 1 OR [ed100k_ex_diet_plus] = 2	During these periods, how often did you engage in exercise to control shape or weight?	radio, Required 1 less than once a week 2 at least once a week 3 at least twice a week 4 every day/nearly every day -9 Don't know/Prefer not to answer
	220	[ed100k_ex_current_plus] Show the field ONLY if: [ed100k_ex_compel_plus] = 1 OR [ed100k_ex_compel_plus] = 2 OR [ed100k_ex_distress_plus] = 1 OR [ed100k_ex_distress_plus] = 2 OR [ed100k_ex_friend_plus] = 1 OR [ed100k_ex_friend_plus] = 2 OR [ed100k_ex_ill_plus] = 1 OR [ed100k_ex_ill_plus] = 2 OR [ed100k_ex_diet_plus] = 1 OR [ed100k_ex_diet_plus] = 2	Have you engaged in driven exercise to control weight or shape in the PAST 3 MONTHS?	yesno, Required 1 Yes 0 No
	221	[ed100k_stop_driv_ex_plus] Show the field ONLY if: [ed100k_ex_current_plus] = '0'	How old were you when you stopped engaging in driven exercise to control shape or weight? *Report your answer as a number*	text (integer), Required
	222	[edeq_limit_food_plus]	Section Header: *Have you ever...*	radio (Matrix), Required

			Deliberately tried to limit the amount of food you ate to influence your shape or weight (whether or not you have succeeded)?	2, Yes - Regularly 1, Yes - A few times 0, No -9, Not Sure/Prefer not to answer
	223	[edeq_exclude_food_plus]	Tried to exclude from your diet any foods that you like in order to influence your shape or weight (whether or not you have succeeded)?	radio (Matrix), Required 2, Yes - Regularly 1, Yes - A few times 0, No -9, Not Sure/Prefer not to answer
	224	[edeq_definite_rules_plus]	Tried to follow definite rules regarding your eating (for example, a calorie limit) in order to influence your shape or weight (whether or not you have succeeded)?	radio (Matrix), Required 2, Yes - Regularly 1, Yes - A few times 0, No -9, Not Sure/Prefer not to answer
	225	[edeq_eaten_secret_plus]	Eaten in secret	radio (Matrix), Required 2, Yes - Regularly 1, Yes - A few times 0, No -9, Not Sure/Prefer not to answer
	226	[ed100kp_ed_behaviors_cur_plus]	ED BEHAVIORS CURRENT	descriptive Field Annotation: @HIDDEN-SURVEY
	227	[edeq_cur_limit_food_plus] Show the field ONLY if: [edeq_limit_food_plus] = '1' or [edeq_limit_food_plus] = '2'	Section Header: *Do you currently...* Deliberately try to limit the amount of food you eat to influence your shape or weight (whether or not you have succeeded)?	radio (Matrix), Required 1, Yes 0, No -9, Not sure/Prefer not to answer
	228	[edeq_cur_exclude_food_plus] Show the field ONLY if: [edeq_exclude_food_plus] = '1' or [edeq_exclude_food_plus] = '2'	Try to exclude from your diet any foods that you like in order to influence your shape or weight (whether or not you have succeeded)?	radio (Matrix), Required 1, Yes 0, No -9, Not sure/Prefer not to answer
	229	[edeq_cur_definite_rules_plus] Show the field ONLY if:	Try to follow definite rules regarding your eating (for example, a calorie limit) in order to influence your shape or weight (whether or not you have succeeded)?	radio (Matrix), Required 1, Yes 0, No

		[edeq_definite_rules_plus] = '1' or [edeq_definite_rules_plus] = '2'		-9 Not sure/Prefer not to answer
	230	[edeq_cur_eaten_secret_plus] Show the field ONLY if: [edeq_eaten_secret_plus] = '1' or [edeq_eaten_secret_plus] = '2'	Eat in secret?	radio (Matrix), Required 1 Yes 0 No -9 Not sure/Prefer not to answer
	231	[ed100kp_cur_binge_freq_plus] Show the field ONLY if: [ed100k_be_current_plus] = '1'	How many times per month, on average over the past 3 months, have you experienced episodes of binge eating? *Report your answer as a number*	dropdown, Required 0 0 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 10 10 11 11 12 12+
	232	[ed100kp_cur_binge_label] Show the field ONLY if: [ed100k_be_current_plus] = 1	During eating binges in the past three months, did you:	descriptive
	233	[edds_more_rapid_plus] Show the field ONLY if: [ed100k_be_current_plus] = '1'	Eat much more rapidly than usual?	radio (Matrix), Required 1 yes 0 no
	234	[edds_too_full_plus] Show the field ONLY if: [ed100k_be_current_plus] = '1'	Eat until you felt uncomfortably full?	radio (Matrix), Required 1 yes 0 no
	235	[edds_not_hungry_plus] Show the field ONLY if: [ed100k_be_current_plus] = '1'	Eat large amounts of food when you didn't feel physically hungry?	radio (Matrix), Required 1 yes 0 no

	236	[edds_eat_alone_plus] Show the field ONLY if: [ed100k_be_current_plus] = '1'	Eat alone because you were embarrassed by what/how much you were eating?	radio (Matrix), Required 1 yes 0 no
	237	[edds_digusted_plus] Show the field ONLY if: [ed100k_be_current_plus] = '1'	Feel disgusted with yourself, depressed, or very guilty after overeating?	radio (Matrix), Required 1 yes 0 no
	238	[ed100kp_cur_binge_cog_plus]	Total current binge cognitions	calc Calculation: [edds_more_rapid_plus] + [edds_too_full_plus] + [edds_not_hungry_plus] + [edds_eat_alone_plus] + [edds_digusted_plus] Field Annotation: @HIDDEN-SURVEY
	239	[edds_vomit_plus] Show the field ONLY if: [ed100k_vom_current_plus] = '1'	How many times per month, on average over the past 3 months, have you self-induced vomiting to prevent weight gain? *Report your answer as a number*	dropdown, Required 0 0 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 10 10 11 11 12 12+
	240	[edds_laxatives_plus] Show the field ONLY if: [ed100k_lax_diur_current_plus] = '1'	How many times per month, on average over the past 3 months, have you misused laxatives or diuretics to prevent weight gain? *Report your answer as a number*	dropdown, Required 0 0 1 1 2 2 3 3 4 4 5 5 6 6 7 7

				8 8 9 9 10 10 11 11 12 12+
	241	[ed100kp_diet_pills_plus] Show the field ONLY if: [ed100k_wp_current_plus] = '1'	How many times per month, on average over the past 3 months, have you used diet pills to prevent weight gain? *Report your answer as a number*	dropdown, Required 0 0 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 10 10 11 11 12 12+
	242	[edds_fast_plus] Show the field ONLY if: [ed100k_fast_current_plus] = '1'	How many times per month, on average over the past 3 months, have you fasted (skipped at least two meals in a row) to prevent weight gain? *Report your answer as a number*	dropdown, Required 0 0 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 10 10 11 11

				12 | 12+
	243	[edds_intense_exercise_plus] Show the field ONLY if: [ed100kp_current_comp_ex_plus] = '1'	How many times per month, on average over the past 3 months, have you engaged in more intense exercise SPECIFICALLY to counteract the effects of overeating? *Report your answer as a number*	dropdown, Required 0 | 0 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 11 | 11 12 | 12+
	244	[ed100k_dex_cur_label_plus]	Current Driven Exercise	descriptive Field Annotation: @HIDDEN-SURVEY
	245	[ed100kp_cur_dex_label] Show the field ONLY if: [ed100k_ex_current_plus] = '1'	In the past three months, which of these driven exercise behaviors have you engaged in?	descriptive
	246	[ed100kp_cur_drex_comp_plus] Show the field ONLY if: [ed100k_ex_current_plus] = '1'	Feeling compelled to exercise (like you had to do it) to control your body shape or weight?	radio (Matrix), Required 1 | Yes 0 | No -9 | I choose not to answer
	247	[ed100kp_cur_drex_unease_plus] Show the field ONLY if: [ed100k_ex_current_plus] = '1'	Feeling uneasy or distressed if unable to exercise?	radio (Matrix), Required 1 | Yes 0 | No -9 | I choose not to answer
	248	[ed100kp_cur_drex_oppor_plus] Show the field ONLY if: [ed100k_ex_current_plus] = '1'	Declining opportunities to be with friends in order to exercise?	radio (Matrix), Required 1 | Yes 0 | No -9 | I choose not to answer

	249	[ed100kp_cur_drex_injur_plus] Show the field ONLY if: [ed100k_ex_current_plus] = '1'	Exercising despite an injury or illness that would have prevented others from exercising?	radio (Matrix), Required 1 Yes 0 No -9 I choose not to answer
	250	[ed100kp_cur_drex_modify_plus] Show the field ONLY if: [ed100k_ex_current_plus] = '1'	Modifying your diet/eating habits if you were unable to exercise for any reason?	radio (Matrix), Required 1 Yes 0 No -9 I choose not to answer
	251	[ed100kp_cur_drex_plus] Show the field ONLY if: [ed100kp_cur_drex_comp_plus] = '1' or [ed100kp_cur_drex_unease_plus] = '1' or [ed100kp_cur_drex_oppor_plus] = '1' or [ed100kp_cur_drex_injur_plus] = '1' or [ed100kp_cur_drex_modify_plus] = '1'	How many times per month on average over the past 3 months have you engaged in behaviors of driven exercise? (please provide your answer as a whole number) *Report your answer as a number*	text (integer, Min: 0, Max: 500), Required
	252	[ed100k_be_withicb_cur_plus] Show the field ONLY if: [ed100k_be_current_plus] = 1 AND ([ed100k_vom_current_plus] = 1 OR [ed100k_lax_diur_current_plus] = 1 OR [ed100k_wp_current_plus] = 1)	Have you experienced binge-eating episodes AND engaged in the compensatory behavior(s), such as self-induced vomiting, or laxative/diuretic use at least once a week for the past 3 months?	radio, Required 1 Yes 0 No
	253	[ed100k_be_no_purge_cur_plus] Show the field ONLY if: [ed100k_be_current_plus] = 1 AND ([ed100k_fast_current_plus] = 1 or [ed100kp_current_comp_ex_plus] = 1)	Have you experienced binge-eating episodes AND engaged in the non-puring compensatory behavior(s), such as fasting or excessive exercising, at least once a week for the past 3 months?	radio, Required 1 Yes 0 No
	254	[ed100k_hist_be_distress_plus] Show the field ONLY if: [ed100kp_hist_eat_mo_plus] >= 1	Section Header: *Eating Cognitions* When you were experiencing regular binge eating IN THE PAST, how distressed did binge eating usually make you feel?	radio, Required 0 Not at all 1 Slightly 2 Somewhat 3 Very 4 Extremely -9 Don't know/Prefer not to answer
	255	[ed100k_cur_be_distress_plus] Show the field ONLY if:	How distressed does binge eating currently make you feel?	radio, Required 0 Not at all

		[ed100k_be_current_plus] = '1'		1 Slightly 2 Somewhat 3 Very 4 Extremely -9 Don't know/Prefer not to answer
	256	[ed100k_be_depend_past_plus] Show the field ONLY if: [ed100kp_hist_eat_mo_plus] >= 1	When you were experiencing regular binge eating IN THE PAST, how dependent was your self-worth on your body shape or weight?	radio, Required 1 Not at all dependent 2 2 3 3 4 4 5 5 6 6 7 Completely dependent
	257	[ed100k_be_depend_cur_plus] Show the field ONLY if: [ed100k_be_current_plus] = '1'	As you currently engage in binge eating behaviors, how dependent is your self-worth on your body shape or weight?	radio, Required 1 Not at all dependent 2 2 3 3 4 4 5 5 6 6 7 Completely dependent
	258	[ed100kp_restrict_no_low_plus] Show the field ONLY if: [ed100k_sig_weightloss_plus] = '0'	Has there ever been a time when you were deliberately trying to limit the amount of food you were eating to influence your shape or weight on most days in a month, regardless of your weight?	radio 1 Yes 0 No -9 Unsure
	259	[ed100kp_restrict_current_plus] Show the field ONLY if: [ed100kp_restrict_no_low_plus] = 1	When was the LAST time you were deliberately trying to limit the amount of food you were eating to influence your shape or weight on most days in a month, regardless of your weight? (If unsure, please provide your best guess. The day of the month does not matter.)	text (date_mdy), Required
	260	[ed100kp_restrict_days_plus]	How long it has been since the last time the participant was deliberately trying to limit the amount of food they were eating to influence their shape or weight on most days in a month, regardless of their weight (days)	calc Calculation: datediff ([ed100kp_restrict_current_plus], [ed100kp_cur_date_plus], "d", "mdy", true) Field Annotation: @HIDDEN-SURVEY

	261	[ed100k_afraid_gain_no_restrict_plus] Show the field ONLY if: [ed100kp_restrict_no_low_plus] = 1	During the time when you were deliberately trying to limit the amount of food you were eating to influence your shape or weight on most days in a month, how afraid were you that you might gain weight or become fat?	radio, Required 0 Not at all 1 2 slightly 3 4 moderately 5 6 Extremely
	262	[ed100kp_wt_shape_no_restrict_plus] Show the field ONLY if: [ed100kp_restrict_no_low_plus] = 1	During the time when you were deliberately trying to limit the amount of food you were eating to influence your shape or weight on most days in a month, was your weight or shape one of the most important factors in how you felt about yourself?	radio, Required 1 Yes 0 No -9 I choose not to answer
	263	[ed100kp_self_worth_no_restrict_plus] Show the field ONLY if: [ed100kp_restrict_no_low_plus] = 1	During the time when you were deliberately trying to limit the amount of food you were eating to influence your shape or weight on most days in a month, how dependent was your self-worth on your body shape or weight?	radio, Required 1 Not at all dependent 2 2 3 3 4 4 5 5 6 6 7 Completely dependent
	264	[edeq_desire_empty_plus]	Section Header: *For the following questions, please choose the number that best describe how you feel. HAVE YOU EVER...* Had a definite desire to have an empty stomach with the aim of influencing your shape or weight?	radio (Matrix), Required 0 Not at all (0) 1 1 2 Slightly (2) 3 3 4 Moderately (4) 5 5 6 Extremely (6)
	265	[edeq_desire_flat_plus]	Had a definite desire to have a totally flat stomach?	radio (Matrix), Required 0 Not at all (0) 1 1 2 Slightly (2)

				3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	266	[edeq_conc_food_plus]	Had difficulty concentrating on things you are interested in (for example, working, following a conversation, or reading) due to thinking about food, eating or calories?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	267	[edeq_conc_shape_plus]	Had difficulty concentrating on things you are interested in (for example, working, following a conversation, or reading) due to thinking about shape or weight?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	268	[edeq_fear_loss_control_plus]	Had a definite fear of losing control over eating?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	269	[edeq_fear_gain_wt_plus]	Had a definite fear that you might gain weight or become fat?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2)

				3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	270	[edeq_felt_fat_plus]	Felt fat?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	271	[edeq_lose_wt_plus]	Had a strong desire to lose weight?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	272	[edeq_guilt_eat_plus]	Felt guilty (felt that you've done wrong) when eating because of its effect on your shape or weight?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	273	[edeq_concern_see_eat_plus]	Been concerned about other people seeing you eat? (Do not count episodes of binge eating)	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2)

				3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	274	[edeq_dis_shape_plus]	Been dissatisfied with your shape?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	275	[edeq_uncomf_you_see_plus]	Been uncomfortable seeing your body (in a mirror, window, etc.)?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	276	[edeq_uncomf_others_see_plus]	Been uncomfortable about others seeing your shape or figure (communal changing rooms, when swimming, etc.)?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	277	[edeq_cur_empty_plus] Show the field ONLY if: [edeq_desire_empty_plus] >= '1'	Section Header: *For the following questions, please choose the number that best describe how you feel. OVER THE PAST 3 MONTHS....* Have had a definite desire to have an empty stomach with the aim of influencing your shape or weight?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2)

				3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	278	[edeq_cur_flat_plus] Show the field ONLY if: [edeq_desire_flat_plus] >= '1'	Have had a definite desire to have a totally flat stomach?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	279	[edeq_cur_conc_food_plus] Show the field ONLY if: [edeq_conc_food_plus] >= '1'	Have had difficulty concentrating on things you are interested in (for example, working, following a conversation, or reading) due to thinking about food, eating or calories?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	280	[edeq_cur_conc_shape_plus] Show the field ONLY if: [edeq_conc_shape_plus] >= '1'	Have had difficulty concentrating on things you are interested in (for example, working, following a conversation, or reading) due to thinking about shape or weight?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	281	[edeq_cur_fear_loss_con_plus] Show the field ONLY if: [edeq_fear_loss_control_plus] >= '1'	Have had a definite fear of losing control over eating?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2)

				3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	282	[edeq_cur_fear_gn_wt_plus] Show the field ONLY if: [edeq_fear_gain_wt_plus] >= '1'	Have had a definite fear that you might gain weight or become fat?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	283	[edeq_cur_feel_fat_plus] Show the field ONLY if: [edeq_felt_fat_plus] >= '1'	Have felt fat?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	284	[edeq_cur_lose_wt_plus] Show the field ONLY if: [edeq_lose_wt_plus] >= '1'	Have had a strong desire to lose weight?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	285	[edeq_cur_guilt_eat_plus] Show the field ONLY if: [edeq_guilt_eat_plus] >= '1'	Have felt guilty (felt that you've done wrong) when eating because of its effect on your shape or weight?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2)

				3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	286	[edeq_cur_see_eat_plus] Show the field ONLY if: [edeq_concern_see_eat_plus] >= '1'	Have worried about other people seeing you eat? (Do not count episodes of binge eating)	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	287	[edeq_cur_dis_shape_plus] Show the field ONLY if: [edeq_dis_shape_plus] >= '1'	Have felt dissatisfaction with your shape?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	288	[edeq_cur_unc_you_plus] Show the field ONLY if: [edeq_uncomf_you_see_plus] >= '1'	Have felt uncomfortable seeing your body (in a mirror, window, etc.)?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2) 3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	289	[edeq_cur_uncom_others_plus] Show the field ONLY if: [edeq_uncomf_others_see_plus] >= '1'	Have felt uncomfortable about others seeing your shape or figure (communal changing rooms, when swimming, etc.)?	radio (Matrix), Required 0 | Not at all (0) 1 | 1 2 | Slightly (2)

				3 | 3 4 | Moderately (4) 5 | 5 6 | Extremely (6)
	290	[edeq_wt_judge_plus]	Has your weight ever influenced how you think about (judge) yourself as a person?	radio, Required 0 | Not at all 1 | 2 | Slightly 3 | 4 | Moderately 5 | 6 | Extremely
	291	[edeq_wt_judge_cur_plus] Show the field ONLY if: [edeq_wt_judge_plus] >= '1'	Has your weight influenced how you think about (judge) yourself as a person in the past 3 months?	radio, Required 1 | Yes 0 | No -9 | Not sure/Prefer not to answer
	292	[edeq_wt_judge_cur_amt_plus] Show the field ONLY if: [edeq_wt_judge_cur_plus] = '1'	How much does your weight currently influence how you think about (judge) yourself as a person?	radio, Required 0 | Not at all 1 | 2 | Slightly 3 | 4 | Moderately 5 | 6 | Extremely
	293	[edeq_shape_judge_plus]	Has your shape ever influenced how you think about (judge) yourself as a person?	radio, Required 0 | Not at all 1 | 2 | Slightly 3 | 4 | Moderately 5 | 6 | Extremely

	294	[ed100kp_ac_2_plus]	Select "Slightly" if you are paying attention.	radio, Required 0 Not at all 1 2 Slightly 3 4 Moderately 5 6 Extremely
	295	[edeq_shape_judge_cur_plus] Show the field ONLY if: [edeq_shape_judge_plus] >= '1'	Has your shape influenced how you think about (judge) yourself as a person in the past 3 months?	radio, Required 1 Yes 0 No -9 Not sure/Prefer not to answer
	296	[edeq_shp_judge_cur_amt_plus] Show the field ONLY if: [edeq_shape_judge_cur_plus] = '1'	How much does your shape currently influence how you think about (judge) yourself as a person?	radio, Required 0 Not at all 1 2 Slightly 3 4 Moderately 5 6 Extremely
	297	[edds_relationship_plus]	How much does any eating or body image problem impact your relationships with friends and family, work performance, and school performance?	radio, Required -9 I experience no eating or body image problems 0 Not at all 1 Not much 2 A little bit 3 Moderately 4 Quite a bit 5 Very much 6 Markedly
	298	[ed100kp_bmi_calc_plus]	BMIz AND BMI CALCULATIONS FOR AN	descriptive Field Annotation: @HIDDEN-SURVEY
	299	[ed100k_bmiz_fem_hist_plus]	History Low Weight Step 1) HISTORY BMIz -1 when younger than 19 for GIRLS (using WHO data from can.who.int : growth reference from 5-19	calc Calculation: if(([ed100k_wt_lo_age_plus] = 5 OR

			years)	[ed100kp_lowest_age_plus] = 5 OR [edhistory_weightlossage_plus] = 5), 13.9, if(([ed100k_wt_lo_age_plus] = 6 OR [ed100kp_lowest_age_plus] = 6 OR [edhistory_weightlossage_plus] = 6), 13.9, if(([ed100k_wt_lo_age_plus] = 7 OR [ed100kp_lowest_age_plus] = 7 OR [edhistory_weightlossage_plus] = 7), 14.0, if(([ed100k_wt_lo_age_plus] = 8 OR [ed100kp_lowest_age_plus] = 8 OR [edhistory_weightlossage_plus] = 8), 13.3, if(([ed100k_wt_lo_age_plus] = 9 OR [ed100kp_lowest_age_plus] = 9 OR [edhistory_weightlossage_plus] = 9), 14.6, if(([ed100k_wt_lo_age_plus] = 10 OR [ed100kp_lowest_age_plus] = 10 OR [edhistory_weightlossage_plus] = 10), 15.1, if(([ed100k_wt_lo_age_plus] = 11 OR [ed100kp_lowest_age_plus] = 11 OR [edhistory_weightlossage_plus] = 11), 15.6, if(([ed100k_wt_lo_age_plus] = 12 OR [ed100kp_lowest_age_plus] = 12 OR [edhistory_weightlossage_plus] = 12), 16.3, if(([ed100k_wt_lo_age_plus] = 13 OR [ed100kp_lowest_age_plus] = 13 OR [edhistory_weightlossage_plus] = 13), 16.9, if(([ed100k_wt_lo_age_plus] = 14 OR [ed100kp_lowest_age_plus] = 14 OR [edhistory_weightlossage_plus] = 14), 17.5, if(([ed100k_wt_lo_age_plus] = 15 OR [ed100kp_lowest_age_plus] = 15 OR [edhistory_weightlossage_plus] = 15), 18.0, if(([ed100k_wt_lo_age_plus] = 16 OR [ed100kp_lowest_age_plus] = 16 OR [edhistory_weightlossage_plus] = 16), 18.3, if(([ed100k_wt_lo_age_plus] = 17 OR [ed100kp_lowest_age_plus] = 17 OR [edhistory_weightlossage_plus] = 17), 18.5, if(([ed100k_wt_lo_age_plus] = 18 OR [ed100kp_lowest_age_plus] = 18 OR [edhistory_weightlossage_plus] = 18), 18.6, "NaN")))))))))))) Field Annotation: @HIDDEN-SURVEY
	300	[ed100kp_his_bmiz_fem_met_plus]	History Low Weight Step 2a) Does the participant (female younger than 19) meet a history for having less than a BMIz score of -1?	calc Calculation: if([ed100kp_sex_plus] = 1 AND (([ed100k_lowestadultbmi_plus] < [ed100k_bmiz_fem_hist_plus]) OR ([ed100kp_lowest_dev_bmi_plus] < [ed100k_bmiz_fem_hist_plus]) OR ([ed100k_an_bmi_plus] < [ed100k_bmiz_fem_hist_plus])) and [ed100kp_sex_plus] <> "" and [ed100k_lowestadultbmi_plus] <> "" and [ed100k_bmiz_fem_hist_plus] <> "" and [ed100kp_lowest_dev_bmi_plus] <> "" and [ed100k_an_bmi_plus] <> "" and [ed100kp_sex_plus] <> "" , 1, 0) Field Annotation: @HIDDEN-SURVEY
	301	[ed100kp_his_bmi_fem_met_plus]	History Low Weight Step 2b) Does the participant (female 19 and older) meet a history for having a BMI < 18.5?	calc Calculation: if([ed100kp_sex_plus] = 1 AND (([ed100k_wt_lo_age_plus] > 18 AND [ed100k_lowestadultbmi_plus] < 18.5) OR ([ed100kp_lowest_age_plus] > 18 AND [ed100kp_lowest_dev_bmi_plus] < 18.5) OR ([edhistory_weightlossage_plus] > 18 AND

				[ed100k_an_bmi_plus] < 18.5)) and [ed100kp_sex_plus] <> "" and [ed100k_wt_lo_age_plus] <> "" and [ed100k_lowestadultbmi_plus] <> "" and [ed100kp_lowest_age_plus] <> "" and [edhistory_weightlossage_plus] <> "" and [ed100k_an_bmi_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	302	[ed100kp_his_lw_fem_plus]	History Low Weight Step 3)1 = has had a history of low weight, 0 = never had a significant low weight(females)	calc Calculation: if([ed100kp_his_bmiz_fem_met_plus] = 1 OR [ed100kp_his_bmi_fem_met_plus] = 1, 1, 0) Field Annotation: @HIDDEN-SURVEY
	303	[ed100k_bmiz_fem_cur_plus]	Current Low Weight Step 1)CURRENT BMIz -1 when younger than 19 for GIRLS (using WHO data from can.who.int : growth reference from 5-19 years)	calc Calculation: if([ed100k_age_plus] = 5, 13.9, if([ed100k_age_plus] = 6, 13.9, if([ed100k_age_plus] = 7, 14.0, if([ed100k_age_plus] = 8, 13.3, if([ed100k_age_plus] = 9, 14.6, if([ed100k_age_plus] = 10, 15.1, if([ed100k_age_plus] = 11, 15.6, if([ed100k_age_plus] = 12, 16.3, if([ed100k_age_plus] = 13, 16.9, if([ed100k_age_plus] = 14, 17.5, if([ed100k_age_plus] = 15, 18.0, if([ed100k_age_plus] = 16, 18.3, if([ed100k_age_plus] = 17, 18.5, if([ed100k_age_plus] = 18, 18.6, "NaN")))))))))))) Field Annotation: @HIDDEN-SURVEY
	304	[ed100kp_cur_low_wt_fem_plus]	Current Low Weight Step 2a)Does the participant (female younger than 19) meet current low body weight (having less than a BMIz score of -1)?	calc Calculation: if(([ed100kp_sex_plus] = 1) AND ([ed100k_currentbmi_plus] < [ed100k_bmiz_fem_cur_plus]) and [ed100kp_sex_plus] <> "" and [ed100k_currentbmi_plus] <> "" and [ed100k_bmiz_fem_cur_plus] <> "" , 1, 0) Field Annotation: @HIDDEN-SURVEY
	305	[ed100kp_cur_bmi_fem_met_plus]	Current Low Weight Step 2b)Does the participant (female 19 and older) currently have a BMI < 18.5?	calc Calculation: if([ed100kp_sex_plus] = 1 AND ([ed100k_age_plus] > 18 AND [ed100k_currentbmi_plus] < 18.5) and [ed100kp_sex_plus] <> "" and [ed100k_age_plus] <> "" and [ed100k_currentbmi_plus] <> "" , 1, 0) Field Annotation: @HIDDEN-SURVEY
	306	[ed100kp_cur_lw_fem_plus]	Current Low Weight Step 3) 1 = has current low weight, 0 = Does not currently have a significant low weight(females)	calc Calculation: if([ed100kp_cur_low_wt_fem_plus] = 1 OR [ed100kp_cur_bmi_fem_met_plus] = 1, 1, 0) Field Annotation: @HIDDEN-SURVEY
	307	[ed100kp_dx_criteria_plus]	DIAGNOSTIC CRITERIA	descriptive Field Annotation: @HIDDEN-SURVEY
	308	[lowt_wt_sh_hist]	Weight and shape concern at low weight HISTORY met:	calc Calculation: if([ed100kp_lwt_self_worth_plus] >= 4 and [ed100kp_lwt_self_worth_plus] <> "", 1, if([edhistory_weightimportant_plus] = 1, 1, 0)) Field Annotation: @HIDDEN-SURVEY

	309	[lowt_wt_sh_cur]	Weight and shape concern at low weight CURRENT met:	calc Calculation: if([edeq_wt_judge_cur_amt_plus] >= 4 and [edeq_wt_judge_cur_amt_plus] <> "", 1, if([edeq_shp_judge_cur_amt_plus] >= 4 and [edeq_shp_judge_cur_amt_plus] <> "", 1, 0)) Field Annotation: @HIDDEN-SURVEY
	310	[dx_an_history_fem_plus]	History of Anorexia Nervosa diagnosis (females)	calc Calculation: if([ed100kp_his_lw_fem_plus] = 1 AND [ed100k_afraid_gain_plus] >= 4 AND [lowt_wt_sh_hist] = 1 and [ed100kp_his_lw_fem_plus] <> "" and [ed100k_afraid_gain_plus] <> "" and [lowt_wt_sh_hist] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	311	[dx_an_current_fem_plus]	Current Anorexia Nervosa diagnosis (females)	calc Calculation: if([ed100kp_cur_lw_fem_plus] = 1 AND [edeq_cur_fear_gn_wt_plus] >= 4 AND [lowt_wt_sh_cur] = 1 and [ed100kp_cur_lw_fem_plus] <> "" and [edeq_cur_fear_gn_wt_plus] <> "" and [lowt_wt_sh_cur] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	312	[dx_atyp_an_history_plus]	History of Atypical Anorexia Nervosa (all criteria) diagnosis	calc Calculation: if(([ed100k_sig_weightloss_plus] = 1 AND [ed100kp_percent_wt_loss] >= 5) AND [ed100kp_his_lw_fem_plus] = 0 AND [ed100k_afraid_gain_plus] >= 4 AND [lowt_wt_sh_hist] = 1 AND [edhistory_limitfood_plus] = 1 and [ed100k_sig_weightloss_plus] <> "" and [ed100kp_percent_wt_loss] <> "" and [ed100kp_his_lw_fem_plus] <> "" and [ed100k_afraid_gain_plus] <> "" and [lowt_wt_sh_hist] <> "" and [edhistory_limitfood_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	313	[dx_atyp_an_current_plus]	Current Atypical Anorexia Nervosa (all criteria) diagnosis	calc Calculation: if([ed100kp_current_wt_loss_plus] >= 5 AND [ed100kp_cur_lw_fem_plus] = 0 AND [edeq_cur_fear_gn_wt_plus] >= 4 AND [lowt_wt_sh_cur] = 1 AND [edhistory_limitfoodhowlong_plus] = 1 and [ed100kp_current_wt_loss_plus] <> "" and [ed100kp_cur_lw_fem_plus] <> "" and [edeq_cur_fear_gn_wt_plus] <> "" and [lowt_wt_sh_cur] <> "" and [edhistory_limitfoodhowlong_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	314	[dx_atyp_an_nowt_history_plus]	History of Atypical Anorexia Nervosa (no significant weight loss) diagnosis	calc Calculation: if([ed100k_afraid_gain_no_restrict_plus] >= 4 AND ([ed100kp_wt_shape_no_restrict_plus] = 1 OR [ed100kp_self_worth_no_restrict_plus] >= 4) AND [ed100kp_restrict_no_low_plus] = 1 and [ed100k_afraid_gain_no_restrict_plus] <> "" and

				[ed100kp_wt_shape_no_restrict_plus] <> "" and [ed100kp_self_worth_no_restrict_plus] <> "" and [ed100kp_restrict_no_low_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	315	[dx_atyp_an_nowt_current_plus_2]	Current Atypical Anorexia Nervosa (so significant weight loss) diagnosis	calc Calculation: if([edeq_cur_fear_gn_wt_plus] >= 4 AND ([edeq_wt_judge_cur_amt_plus] >= 4 OR [edeq_shp_judge_cur_amt_plus] >= 4) AND [ed100kp_restrict_days_plus] <= 90 and [edeq_cur_fear_gn_wt_plus] <> "" and [edeq_wt_judge_cur_amt_plus] <> "" and [edeq_shp_judge_cur_amt_plus] <> "" and [ed100kp_restrict_days_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	316	[hist_no_low_wt]	Comp behaviors and binge eating not occurring during period of low weight HISTORY criteria (a or b) met a) Participant never has a history of low weight b) Participant meets low weight but engages in compensatory behaviors/binge eating outside of this low weight period	calc Calculation: if([ed100kp_his_lw_fem_plus] = 0, 1, if([ed100k_be_onlylowt_plus] = 1 AND ([ed100k_icb_no_lowt_plus] = 1 OR [ed100k_icb_no_lowt_plus] = 2), 1, 0)) Field Annotation: @HIDDEN-SURVEY
	317	[hist_wt_sh_concern]	Self-evaluation is unduly influenced by body shape and weight during restriction HISTORY criteria met	calc Calculation: if([ed100kp_wt_shape_no_restrict_plus] = 1, 1, if([ed100kp_self_worth_no_restrict_plus] >= 4 and [ed100kp_self_worth_no_restrict_plus] <> "", 1, 0)) Field Annotation: @HIDDEN-SURVEY
	318	[cur_wt_sh_concern]	Self-evaluation is unduly influenced by body shape and weight CURRENT criteria met	calc Calculation: if([edeq_wt_judge_cur_amt_plus] >= 4 and [edeq_wt_judge_cur_amt_plus] <> "", 1, if([edeq_shp_judge_cur_amt_plus] >= 4 and [edeq_shp_judge_cur_amt_plus] <> "", 1, 0)) Field Annotation: @HIDDEN-SURVEY
	319	[bn_purge_hist_c4]	Weekly Purging HISTORY met:	calc Calculation: if([ed100k_vom_dur_plus] >= 3 AND [ed100k_vom_freq_plus] >=2 and [ed100k_vom_dur_plus] <> "" and [ed100k_vom_freq_plus] <> "", 1, if([ed100k_lax_diur_dur_plus] >= 3 AND [ed100k_lax_diur_freq_plus] >=2 and [ed100k_lax_diur_dur_plus] <> "" and [ed100k_lax_diur_freq_plus] <> "", 1, if([ed100k_dp_dur_plus] >= 3 AND [ed100k_dp_freq_plus] >=2 and [ed100k_dp_dur_plus] <> "" and [ed100k_dp_freq_plus] <> "", 1, 0))) Field Annotation: @HIDDEN-SURVEY
	320	[bn_no_purge_hist_c4]	Weekly non-purging HISTORY met:	calc Calculation: if([ed100k_fast_dur_plus] >= 3 AND [ed100k_fast_freq_plus] >=2 and [ed100k_fast_dur_plus] <> "" and [ed100k_fast_freq_plus] <> "", 1,

				if([ed100k_comp_ex_dur_plus] >= 3 AND [ed100k_comp_ex_freq_plus] >=2 and [ed100k_comp_ex_dur_plus] <> "" and [ed100k_comp_ex_freq_plus] <> "" , 1, 0)) Field Annotation: @HIDDEN-SURVEY
	321	[bn_purge_cur_c4]	Weekly Purging CURRENT met:	calc Calculation: if([edds_vomit_plus] >= 4 and [edds_vomit_plus] <> "", 1, if([edds_laxatives_plus] >= 4 and [edds_laxatives_plus] <> "", 1, if([ed100kp_diet_pills_plus] >= 4 and [ed100kp_diet_pills_plus] <> "", 1, 0))) Field Annotation: @HIDDEN-SURVEY
	322	[bn_no_purge_cur_c4]	Weekly non-purging CURRENT met:	calc Calculation: if([edds_fast_plus] >= 4 and [edds_fast_plus] <> "", 1, if([edds_intense_exercise_plus] >= 4 and [edds_intense_exercise_plus] <> "", 1, 0)) Field Annotation: @HIDDEN-SURVEY
	323	[dx_bn_history_plus]	History of Bulimia Nervosa (purging) diagnosis	calc Calculation: if([ed100kp_hist_eat_mo_plus] >= 4 AND [hist_no_low_wt] = 1 AND [bn_purge_hist_c4] = 1 AND [ed100k_be_icbsame_plus] = 1 AND [ed100k_hist_be_distress_plus] >= 3 and [ed100kp_hist_eat_mo_plus] <> "" and [hist_no_low_wt] <> "" and [bn_purge_hist_c4] <> "" and [ed100k_be_icbsame_plus] <> "" and [ed100k_hist_be_distress_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	324	[dx_bn_current_plus]	Current Bulimia Nervosa (purging) diagnosis	calc Calculation: if([ed100kp_cur_binge_freq_plus] >= 4 AND [ed100kp_cur_lw_fem_plus] = 0 AND [bn_purge_cur_c4] = 1 AND [ed100k_be_withicb_cur_plus] = 1 AND [ed100k_be_depend_cur_plus] >= 4 and [ed100kp_cur_binge_freq_plus] <> "" and [ed100kp_cur_lw_fem_plus] <> "" and [bn_purge_cur_c4] <> "" and [ed100k_be_withicb_cur_plus] <> "" and [ed100k_be_depend_cur_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	325	[dx_bn_nopurge_hist_plus]	History of Bulimia Nervosa (no purging) diagnosis	calc Calculation: if([ed100kp_hist_eat_mo_plus] >= 4 AND [hist_no_low_wt] = 1 AND [bn_no_purge_hist_c4] = 1 AND [ed100k_no_purge_time_plus] = 1 AND [ed100k_hist_be_distress_plus] >= 3 and [ed100kp_hist_eat_mo_plus] <> "" and [hist_no_low_wt] <> "" and [bn_no_purge_hist_c4] <> "" and [ed100k_no_purge_time_plus] <> "" and [ed100k_hist_be_distress_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY

	326	[dx_bn_nopurge_cur_plus]	Current Bulimia Nervosa (no purging) diagnosis	calc Calculation: if([ed100kp_cur_binge_freq_plus] >= 4 AND [ed100kp_cur_lw_fem_plus] = 0 AND [bn_no_purge_cur_c4] = 1 AND [ed100k_be_no_purge_cur_plus] = 1 AND [ed100k_be_depend_cur_plus] >= 4 and [ed100kp_cur_binge_freq_plus] <> "" and [ed100kp_cur_lw_fem_plus] <> "" and [bn_no_purge_cur_c4] <> "" and [ed100k_be_no_purge_cur_plus] <> "" and [ed100k_be_depend_cur_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	327	[dx_sub_bn_history_plus]	History of Sub-clinical BN diagnosis	calc Calculation: if(([ed100kp_hist_eat_mo_plus] > 0 AND [ed100kp_hist_eat_mo_plus] < 4) AND [month_hist_purge] = 1 AND [hist_no_low_wt] = 1 AND [ed100k_be_depend_past_plus] >= 4 and [ed100kp_hist_eat_mo_plus] <> "" and [ed100kp_hist_eat_mo_plus] <> "" and [month_hist_purge] <> "" and [hist_no_low_wt] <> "" and [ed100k_be_depend_past_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	328	[dx_sub_bn_nodis_history_plus]	History of Sub-clinical BN NO DISTRESS diagnosis	calc Calculation: if(([ed100kp_hist_eat_mo_plus] > 0 AND [ed100kp_hist_eat_mo_plus] < 4) AND [month_hist_purge] = 1 AND [hist_no_low_wt] = 1 and [ed100kp_hist_eat_mo_plus] <> "" and [month_hist_purge] <> "" and [hist_no_low_wt] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	329	[dx_sub_bn_current_plus]	Current Sub-clinical BN diagnosis	calc Calculation: if(([ed100kp_cur_binge_freq_plus] > 0 AND [ed100kp_cur_binge_freq_plus] < 4) AND [month_cur_purge] = 1 AND [ed100kp_cur_lw_fem_plus] = 0 AND [ed100k_be_depend_cur_plus] >= 4 and [ed100kp_cur_binge_freq_plus] <> "" and [month_cur_purge] <> "" and [ed100kp_cur_lw_fem_plus] <> "" and [ed100k_be_depend_cur_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	330	[month_hist_purge]	Monthly purging HISTORY met:	calc Calculation: if([ed100k_vom_dur_plus] >= 3 AND [ed100k_vom_freq_plus] = 1 and [ed100k_vom_dur_plus] <> "" and [ed100k_vom_freq_plus] <> "", 1, if([ed100k_lax_diur_dur_plus] >= 3 AND [ed100k_lax_diur_freq_plus] = 1 and [ed100k_lax_diur_dur_plus] <> "" and [ed100k_lax_diur_freq_plus] <> "", 1,if([ed100k_dp_dur_plus] >= 3 AND [ed100k_dp_freq_plus] = 1 and [ed100k_dp_dur_plus] <> "" and [ed100k_dp_freq_plus] <> "", 1, 0))) Field Annotation: @HIDDEN-SURVEY

	331	[month_cur_purge]	Monthly purging CURRENT met:	calc Calculation: if(([edds_vomit_plus] > 1 AND [edds_vomit_plus] < 4) and [edds_vomit_plus] <> "", 1, if(([edds_laxatives_plus] > 1 AND [edds_laxatives_plus] < 4) and [edds_laxatives_plus] <> "", 1, if(([ed100kp_diet_pills_plus] > 1 AND [ed100kp_diet_pills_plus] < 4) and [ed100kp_diet_pills_plus] <> "", 1, 0))) Field Annotation: @HIDDEN-SURVEY
	332	[dx_purging_history_plus]	History of Purging Disorder diagnosis	calc Calculation: if(([ed100k_compul_eat_plus] = 0 OR [ed100kp_hist_eat_mo_plus] < 4) AND [bn_purge_hist_c4] = 1 AND [hist_no_low_wt] = 1 and [ed100k_compul_eat_plus] <> "" and [ed100kp_hist_eat_mo_plus] <> "" and [bn_purge_hist_c4] <> "" and [hist_no_low_wt] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	333	[dx_purging_current_plus]	Current Purging Disorder diagnosis	calc Calculation: if(([ed100k_compul_eat_plus] = 0 OR [ed100kp_cur_binge_freq_plus] < 4) AND [bn_purge_cur_c4] = 1 AND [ed100kp_cur_lw_fem_plus] = 0 and [ed100k_compul_eat_plus] <> "" and [ed100kp_cur_binge_freq_plus] <> "" and [bn_purge_cur_c4] <> "" and [ed100kp_cur_lw_fem_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	334	[hist_no_comp_binge]	BED HISTORY Step 1: HISTORY of binge eating but NOT engaging in compensatory behaviors (a or b) met: a) No history of compensatory exercise b) Binge eating did not occur during a time of engagement in compensatory behaviors	calc Calculation: if(([ed100k_vomit_plus] = 0 AND [ed100k_laxatives_diur_plus] = 0 AND [ed100k_dietpills_plus] = 0 AND [ed100k_fast_plus] = 0 AND [ed100k_exercise_plus] = 0), 1, if([ed100kp_no_purge_time_plus] = 1, 1, 0)) Field Annotation: @HIDDEN-SURVEY
	335	[binging_low_weight]	BED HISTORY Step 2: HISTORY of binge eating but NOT during a period of significant weight loss (a or b) met: a) No history of low weight b) Binge eating did not occur during the time of low weight	calc Calculation: if([ed100kp_his_lw_fem_plus] = 0, 1, if([ed100k_be_onlylowt_plus] = 1, 1, 0)) Field Annotation: @HIDDEN-SURVEY
	336	[hist_binge_eat_only]	BED HISTORY Step 1 and Step 2 met:	calc Calculation: if([hist_no_comp_binge] = 1 AND [binging_low_weight] = 1, 1, 0) Field Annotation: @HIDDEN-SURVEY
	337	[cur_binge_eat_only]	BED CURRENT Step 2 (a and b) met: a) Does not currently meet a low weight b) Does not currently engage in compensatory behaviors	calc Calculation: if(([ed100k_vomit_plus] = 0 OR [ed100k_vom_current_plus] = 0 OR [edds_vomit_plus] < 4) AND ([ed100k_laxatives_diur_plus] = 0 OR [ed100k_lax_diur_current_plus] = 0 OR [edds_laxatives_plus] < 4) AND ([ed100k_dietpills_plus] = 0 OR [ed100k_wp_current_plus] = 0 OR [ed100kp_diet_pills_plus] < 4) AND ([ed100k_fast_plus] = 0 OR [ed100k_fast_current_plus] = 0

				OR [edds_fast_plus] < 4) AND ([ed100k_exercise_plus] = 0 OR [ed100kp_current_comp_ex_plus] = 0 OR [edds_intense_exercise_plus] < 4) AND [ed100kp_cur_lw_fem_plus] = 0 and [ed100k_vomit_plus] <> "" and [ed100k_vom_current_plus] <> "" and [ed100k_vomit_plus] <> "" and [ed100k_laxatives_diur_plus] <> "" and [ed100k_lax_diur_current_plus] <> "" and [edds_laxatives_plus] <> "" and [ed100k_dietpills_plus] <> "" and [ed100k_wp_current_plus] <> "" and [ed100kp_diet_pills_plus] <> "" and [ed100k_fast_plus] <> "" and [ed100k_fast_current_plus] <> "" and [edds_fast_plus] <> "" and [ed100k_exercise_plus] <> "" and [ed100kp_current_comp_ex_plus] <> "" and [edds_intense_exercise_plus] <> "" and [ed100kp_cur_lw_fem_plus] <> "" , 1, 0) Field Annotation: @HIDDEN-SURVEY
	338	[dx_bed_history_plus]	History of Binge Eating Disorder diagnosis	calc Calculation: if([ed100kp_hist_eat_mo_plus] >= 4 AND [hist_binge_eat_only] = 1 AND [ed100kp_his_binge_cog_plus] >= 3 AND [ed100k_be_depend_past_plus] >=3 and [ed100kp_hist_eat_mo_plus] <> "" and [hist_binge_eat_only] <> "" and [ed100kp_his_binge_cog_plus] <> "" and [ed100k_be_depend_past_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	339	[dx_bed_current_plus]	Current Binge Eating Disorder diagnosis	calc Calculation: if([ed100kp_cur_binge_freq_plus] >= 4 AND [cur_binge_eat_only] = 1 AND [ed100kp_cur_binge_cog_plus] >= 3 AND [ed100k_cur_be_distress_plus] >=3 and [ed100kp_cur_binge_freq_plus] <> "" and [cur_binge_eat_only] <> "" and [ed100kp_cur_binge_cog_plus] <> "" and [ed100k_cur_be_distress_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	340	[sub_bed_cogs_hist]	HISTORY of 3+ binge eating cognitions or just "not hungry" and "embarrassed" cognitions met:	calc Calculation: if([ed100kp_his_binge_cog_plus] >= 3 and [ed100kp_his_binge_cog_plus] <> "", 1, if([ed100k_be_nohunger_plus] = 1 AND [ed100k_be_alone_plus] = 1, 1, 0)) Field Annotation: @HIDDEN-SURVEY
	341	[sub_bed_cogs_cur]	CURRENT 3+ binge eating cognitions or just "not hungry" and "embarrassed" cognitions met:	calc Calculation: if([ed100kp_cur_binge_cog_plus] >= 3 and [ed100kp_cur_binge_cog_plus] <> "", 1, if([edds_not_hungry_plus] = 1 AND [edds_eat_alone_plus] = 1, 1, 0)) Field Annotation: @HIDDEN-SURVEY
	342	[dx_sub_bed_history_plus]	History of Sub-clinical Binge Eating Disorder diagnosis	calc Calculation: if(([ed100kp_hist_eat_mo_plus] > 0 AND

				[ed100kp_hist_eat_mo_plus] < 4) AND [hist_binge_eat_only] = 1 AND [sub_bed_cogs_hist] = 1 AND [ed100k_hist_be_distress_plus] >=3 and [ed100kp_hist_eat_mo_plus] <> "" and [hist_binge_eat_only] <> "" and [sub_bed_cogs_hist] <> "" and [ed100k_hist_be_distress_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	343	[dx_sub_bed_current_plus]	Current Sub-clinical Binge Eating Disorder diagnosis	calc Calculation: if(([ed100kp_cur_binge_freq_plus] > 0 AND [ed100kp_cur_binge_freq_plus] < 4) AND [cur_binge_eat_only] = 1 AND [sub_bed_cogs_cur] = 1 AND [ed100k_cur_be_distress_plus] >=3 and [ed100kp_cur_binge_freq_plus] <> "" and [cur_binge_eat_only] <> "" and [sub_bed_cogs_cur] <> "" and [ed100k_cur_be_distress_plus] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	344	[ed_100k_plus_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: OCI-12 (oci12) **Enabled as survey**				
	345	[oci_intro]	The following statements refer to experiences that many people have in their everyday lives. Select the statement that best describes HOW MUCH that experience has DISTRESSED or BOTHERED you during the PAST MONTH.	descriptive
	346	[oci_1_check_more]	I check things more often than necessary.	radio, Required 0, Not at all 1, A little 2, Moderately 3, A lot 4, Extremely
	347	[oci_2_arranged_properly]	I get upset if objects are not arranged properly.	radio, Required 0, Not at all 1, A little 2, Moderately 3, A lot 4, Extremely

	348	[oci_3_touch]	I find it difficult to touch an object when I know it has been touched by strangers or certain people.	radio, Required 0 Not at all 1 A little 2 Moderately 3 A lot 4 Extremely
	349	[oci_4_control_thoughts]	I find it difficult to control my own thoughts.	radio, Required 0 Not at all 1 A little 2 Moderately 3 A lot 4 Extremely
	350	[oci_5_check_doors]	I repeatedly check doors, windows, drawers, etc.	radio, Required 0 Not at all 1 A little 2 Moderately 3 A lot 4 Extremely
	351	[oci_6_upset_arranged]	I get upset if others change the way I have arranged things.	radio, Required 0 Not at all 1 A little 2 Moderately 3 A lot 4 Extremely
	352	[oci_7_wash_contaminated]	I sometimes have to wash or clean myself simply because I feel contaminated.	radio, Required 0 Not at all 1 A little 2 Moderately 3 A lot 4 Extremely
	353	[oci_8_unpleasant_will]	I am upset by unpleasant thoughts that come into my mind against my will.	radio, Required 0 Not at all

				1 A little 2 Moderately 3 A lot 4 Extremely
	354	[oci_9_gas]	I repeatedly check gas and water taps and light switches after turning them off.	radio, Required 0 Not at all 1 A little 2 Moderately 3 A lot 4 Extremely
	355	[oci_ac]	If you are paying attention, select "A lot".	radio, Required 0 Not at all 1 A little 2 Moderately 3 A lot 4 Extremely
	356	[oci_10_arranged_particular]	I need things to be arranged in a particular way.	radio, Required 0 Not at all 1 A little 2 Moderately 3 A lot 4 Extremely
	357	[oci_11_wash_hands]	I wash my hands more often and longer than necessary.	radio, Required 0 Not at all 1 A little 2 Moderately 3 A lot 4 Extremely
	358	[oci_12_nasty_thoughts]	I frequently get nasty thoughts and have difficulty in getting rid of them.	radio, Required 0 Not at all 1 A little 2 Moderately

				3 | A lot 4 | Extremely
	359	[oci_sum_score]	OCI Sum score	calc Calculation: sum([oci_1_check_more], [oci_2_arranged_properly], [oci_3_touch], [oci_4_control_thoughts], [oci_5_check_doors], [oci_6_upset_arranged], [oci_7_wash_contaminated], [oci_8_unpleasant_will], [oci_9_gas], [oci_10_arranged_particular], [oci_11_wash_hands], [oci_12_nasty_thoughts]) Field Annotation: @HIDDEN-SURVEY
	360	[oci_clinical_cutoff]	Clinical cut-off Met?	calc Calculation: if ([oci_sum_score] > 10 and [oci_sum_score] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	361	[oci12_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete 1 | Unverified 2 | Complete
Instrument: EPSI (eating_pathology_symptoms_inventory_epsi) **Enabled as survey**				
	362	[epsi_insruction]	Below is a list of experiences and problems that people sometimes have. Read each item to determine how well it describes your recent experiences. Then select the option that best describes how frequently each statement applied to you during the past four weeks, including today.	descriptive
	363	[epsi_1_clothes_fit]	I did not like how clothes fit the shape of my body	radio, Required 0 | Never 1 | Rarely 2 | Sometimes 3 | Often 4 | Very Often
	364	[epsi_2_exclude_unhealthy]	I tried to exclude "unhealthy" foods from my diet	radio, Required 0 | Never 1 | Rarely 2 | Sometimes 3 | Often 4 | Very Often

	365	[epsi_3_ate_not_hungry]	I ate when I was not hungry	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	366	[epsi_4_dont_eat_alot]	People told me that I do not eat very much	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	367	[epsi_5_exercise_alot]	I felt that I needed to exercise nearly every day	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	368	[epsi_6_surprised_little]	People would be surprised if they knew how little I ate	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	369	[epsi_7_muscle_building]	I used muscle building supplements	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	370	[epsi_8_push_myself]	I pushed myself extremely hard when I exercised	radio, Required 0 Never

				1 Rarely 2 Sometimes 3 Often 4 Very Often
	371	[epsi_9_snack]	I snacked throughout the evening without realizing it	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	372	[epsi_10_full_easily]	I got full more easily than most people	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	373	[epsi_11_diuretic]	I considered taking diuretics to lose weight	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	374	[epsi_12_different_outift]	I tried on different outfits, because I did not like how I looked	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	375	[epsi_13_laxatives]	I thought laxatives are a good way to lose weight	radio, Required 0 Never 1 Rarely 2 Sometimes

				3 Often 4 Very Often
	376	[epsi_14_obese_self_control]	I thought that obese people lack self-control	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	377	[epsi_15_steroids]	I thought about taking steroids as a way to get more muscular	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	378	[epsi_16_diet_tea]	I used diet teas or cleansing teas to lose weight	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	379	[epsi_17_diet_pill]	I used diet pills	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	380	[epsi_18_body_looks]	I did not like how my body looked	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often

	381	[epsi_19_uncomfortably_full]	I ate until I was uncomfortably full	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	382	[epsi_20_overweight_lazy]	I felt that overweight people are lazy	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	383	[epsi_21_count_calories]	I counted the calories of foods I ate	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	384	[epsi_22_plan_exercise]	I planned my days around exercising	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	385	[epsi_ac]	If you are paying attention, select "Rarely"	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	386	[epsi_23_butt_too_big]	I thought my butt was too big	radio, Required 0 Never

				1 Rarely 2 Sometimes 3 Often 4 Very Often
	387	[epsi_24_size_thighs]	I did not like the size of my thighs	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	388	[epsi_25_shape_different]	I wished the shape of my body was different	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	389	[epsi_26_overweight_tight]	I was disgusted by the sight of an overweight person wearing tight clothes	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	390	[epsi_27_made_vomit]	I made myself vomit in order to lose weight	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	391	[epsi_28_unnotice_amount_ate]	I did not notice how much I ate until after I had finished eating	radio, Required 0 Never 1 Rarely 2 Sometimes

				3 Often 4 Very Often
	392	[epsi_29_muscle_supplement]	I considered taking a muscle building supplement	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	393	[epsi_30_overweight_unattractive]	I felt that overweight people are unattractive	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	394	[epsi_31_strenuous_exercise]	I engaged in strenuous exercise at least five days per week	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	395	[epsi_32_muscles_small]	I thought my muscles were too small	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	396	[epsi_33_got_full]	I got full after eating what most people would consider a small amount of food	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often

	397	[epsi_34_unsatisfied_hips]	I was not satisfied with the size of my hips	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	398	[epsi_35_protein_supplements]	I used protein supplements	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	399	[epsi_36_encouraged_eat_more]	People encouraged me to eat more	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	400	[epsi_37_not_resist]	If someone offered me food, I felt that I could not resist eating it	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	401	[epsi_38_digusted_obesity]	I was disgusted by the sight of obese people	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	402	[epsi_39_stuffed]	I stuffed myself with food to the point of feeling sick	radio, Required 0 Never

				1 Rarely 2 Sometimes 3 Often 4 Very Often
	403	[epsi_40_avoid_calories]	I tried to avoid foods with high calorie content	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	404	[epsi_41_exercised_exhaustion]	I exercised to the point of exhaustion	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	405	[epsi_42_diuretics]	I used diuretics in order to lose weight	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	406	[epsi_43_skip_2_meals]	I skipped two meals in a row	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	407	[epsi_44_auto_pilot]	I ate as if I was on auto-pilot	radio, Required 0 Never 1 Rarely 2 Sometimes

				3 Often 4 Very Often
	408	[epsi_45_food_short_time]	I ate a very large amount of food in a short period of time (e.g., within 2 hours)	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	409	[epsi_body_dissatisfaction]	Body Dissatisfaction Sum Score	calc Calculation: sum([epsi_1_clothes_fit],[epsi_12_different_outift], [epsi_18_body_looks],[epsi_23_butt_too_big], [epsi_24_size_thighs],[epsi_25_shape_different], [epsi_34_unsatisfied_hips]) Field Annotation: @HIDDEN-SURVEY
	410	[epsi_binge]	Binge Sum Score	calc Calculation: sum([epsi_3_ate_not_hungry],[epsi_9_snack], [epsi_19_uncomfortably_full],[epsi_28_unnotice_amount_ate], [epsi_37_not_resist],[epsi_39_stuffed],[epsi_44_auto_pilot], [epsi_45_food_short_time]) Field Annotation: @HIDDEN-SURVEY
	411	[epsi_restraint]	Cognitive Restraint sum score	calc Calculation: sum([epsi_2_exclude_unhealthy], [epsi_21_count_calories],[epsi_40_avoid_calories]) Field Annotation: @HIDDEN-SURVEY
	412	[epsi_purging]	Purging sum score	calc Calculation: sum([epsi_11_diuretic],[epsi_13_laxatives], [epsi_16_diet_tea],[epsi_17_diet_pill],[epsi_27_made_vomit], [epsi_42_diuretics]) Field Annotation: @HIDDEN-SURVEY
	413	[epsi_restrict]	Restricting sum score	calc Calculation: sum([epsi_4_dont_eat_alot], [epsi_6_surprised_little],[epsi_10_full_easily],[epsi_33_got_full], [epsi_36_encouraged_eat_more],[epsi_43_skip_2_meals]) Field Annotation: @HIDDEN-SURVEY
	414	[epsi_exercise]	Excessive Exercise sum score	calc Calculation: sum([epsi_5_exercise_alot],[epsi_8_push_myself], [epsi_22_plan_exercise],[epsi_31_strenuous_exercise], [epsi_41_exercised_exhaustion]) Field Annotation: @HIDDEN-SURVEY
	415	[epsi_neg_obese]	Negative attitudes toward obesity sum score	calc Calculation: sum([epsi_14_obese_self_control],

				[epsi_20_overweight_lazy],[epsi_26_overweight_tight], [epsi_30_overweight_unattractive],[epsi_38_digusted_obesity]) Field Annotation: @HIDDEN-SURVEY
	416	[epsi_muscle_build]	Muscle building sum score	calc Calculation: sum([epsi_7_muscle_building],[epsi_15_steroids], [epsi_29_muscle_supplement],[epsi_32_muscles_small], [epsi_35_protein_supplements]) Field Annotation: @HIDDEN-SURVEY
	417	[eating_pathology_symptoms_inventory_epsi_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: EFQ (eating_disorder_fear_questionnaire_efq) **Enabled as survey**				
	418	[efq_1_wt_gain]	I fear gaining weight	radio, Required 0, 0 - Not at all 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6 - Very Much so
	419	[efq_2_gain_afraid]	I am afraid of gaining weight.	radio, Required 0, 0 - Not at all 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6 - Very Much so
	420	[efq_3_rejected]	I am afraid that if I become fat, I will be rejected by others.	radio, Required 0, 0 - Not at all 1, 1 2, 2 3, 3

				4 | 4 5 | 5 6 | 6 - Very Much so
	421	[efq_4_disappoint]	I am afraid I will disappoint others if I gain weight.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	422	[efq_ac]	If you are paying attention, select "Very Much so".	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	423	[efq_5_judged]	I am afraid that I will be judged if I gain weight.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	424	[efq_6_look_funny]	I am afraid that others will look at me funny if I gain weight.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3

				4 | 4 5 | 5 6 | 6 - Very Much so
	425	[efq_7_criticize]	I am afraid I will be criticized if I become overweight.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	426	[efq_8_judged_eat]	I am afraid I will be judged on what I eat.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	427	[efq_9_abandon]	I am afraid that if I become fat my friends will abandon me.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	428	[efq_10_perfect]	I am afraid that I will not look perfect.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3

				4 | 4 5 | 5 6 | 6 - Very Much so
	429	[efq_11_overeat_lazy]	I fear that if I overeat I will become lazy.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	430	[efq_12_public]	I am afraid of eating in public.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	431	[efq_13_emotion_weight]	I am afraid I will feel emotionally uncomfortable if I gain weight.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	432	[efq_14_lose_calorie]	I am afraid that I will lose control if I eat high calorie foods	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3

				4 | 4 5 | 5 6 | 6 - Very Much so
	433	[efq_15_afraid_full]	I am afraid that I will gain weight if I feel full	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	434	[efq_16_life_weight]	I fear that I will lose control of my life if I gain weight	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	435	[efq_17_cant_control]	I am afraid that if I can't control my eating, I can't control anything else in my life	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	436	[efq_18_uncomfortable]	I fear that I will feel physically uncomfortable if I gain weight.	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3

				4 | 4 5 | 5 6 | 6 - Very Much so
	437	[efq_19_not_like]	I worry that I will not like how my body feels if I gain weight	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	438	[efq_20_eating_front]	I am afraid of eating in front of others	radio, Required 0 | 0 - Not at all 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Very Much so
	439	[efq_sum]	EFQ Sum Score	calc Calculation: sum([efq_1_wt_gain],[efq_2_gain_afraid], [efq_3_rejected],[efq_4_disappoint],[efq_5_judged], [efq_6_look_funny],[efq_7_criticize],[efq_8_judged_eat], [efq_9_abandon],[efq_10_perfect],[efq_11_overeat_lazy], [efq_12_public],[efq_13_emotion_weight],[efq_14_lose_calorie], [efq_15_afraid_full],[efq_16_life_weight],[efq_17_cant_control], [efq_18_uncomfortable],[efq_19_not_like],[efq_20_eating_front]) Field Annotation: @HIDDEN-SURVEY
	440	[efq_fowg]	average of EFQ Fear of Weight Gain questions	calc Calculation: mean([efq_1_wt_gain], [efq_2_gain_afraid]) Field Annotation: @HIDDEN-SURVEY
	441	[efq_fosc]	average of EFQ Fear of Social Consequences questions	calc Calculation: mean([efq_3_rejected], [efq_4_disappoint], [efq_5_judged], [efq_6_look_funny], [efq_7_criticize], [efq_8_judged_eat], [efq_9_abandon], [efq_10_perfect]) Field Annotation: @HIDDEN-SURVEY

	442	[efq_fopc]	average of EFQ Fear of Personal Consequences questions	calc Calculation: mean([efq_11_overeat_lazy], [efq_14_lose_calorie], [efq_15_afraid_full], [efq_16_life_weight], [efq_17_cant_control]) Field Annotation: @HIDDEN-SURVEY
	443	[efq_fops]	average of EFQ Fear of Physical Sensations questions	calc Calculation: mean([efq_13_emotion_weight], [efq_18_uncomfortable], [efq_19_not_like]) Field Annotation: @HIDDEN-SURVEY
	444	[efq_fose]	average of EFQ Fear of Social Eating questions	calc Calculation: mean([efq_12_public], [efq_20_eating_front]) Field Annotation: @HIDDEN-SURVEY
	445	[eating_disorder_fear_questionnaire_efq_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: STAI (statetrait_anxiety_inventory) **Enabled as survey**				
	446	[stai_1_calm]	Section Header: *A number of statements which people have used to describe themselves are given below. Read each statement and select the choice that indicates how you feel right now, that is, at this moment. There is no right or wrong answers. Do not spend too much time on any one statement but give the answer which seems to describe your present feelings best.* I feel calm.	radio, Required 3, Not at all 2, Somewhat 1, Moderately so 0, Very much so
	447	[stai_2_secure]	I feel secure.	radio, Required 3, Not at all 2, Somewhat 1, Moderately so 0, Very much so
	448	[stai_3_tense]	I am tense.	radio, Required 0, Not at all 1, Somewhat 2, Moderately so 3, Very much so
	449	[stai_4_strained]	I feel strained.	radio, Required 0, Not at all 1, Somewhat 2, Moderately so

				3 Very much so
	450	[stai_5_at_ease]	I feel at ease.	radio, Required 3 Not at all 2 Somewhat 1 Moderately so 0 Very much so
	451	[stai_6_upset]	I feel upset.	radio, Required 0 Not at all 1 Somewhat 2 Moderately so 3 Very much so
	452	[stai_7_worrying]	I am presently worrying over possible misfortunes.	radio, Required 0 Not at all 1 Somewhat 2 Moderately so 3 Very much so
	453	[stai_8_satisfied]	I feel satisfied.	radio, Required 3 Not at all 2 Somewhat 1 Moderately so 0 Very much so
	454	[stai_9_frightened]	I feel frightened.	radio, Required 0 Not at all 1 Somewhat 2 Moderately so 3 Very much so
	455	[stai_10_comfortable]	I feel comfortable.	radio, Required 3 Not at all 2 Somewhat 1 Moderately so 0 Very much so
	456	[stai_11_self_confident]	I feel self confident.	radio, Required

				3 Not at all 2 Somewhat 1 Moderately so 0 Very much so
	457	[stai_12_nervous]	I feel nervous.	radio, Required 0 Not at all 1 Somewhat 2 Moderately so 3 Very much so
	458	[stai_13_jittery]	I am jittery.	radio, Required 0 Not at all 1 Somewhat 2 Moderately so 3 Very much so
	459	[stai_14_indecisive]	I feel indecisive.	radio, Required 0 Not at all 1 Somewhat 2 Moderately so 3 Very much so
	460	[stai_15_relaxed]	I am relaxed.	radio, Required 3 Not at all 2 Somewhat 1 Moderately so 0 Very much so
	461	[stai_16_content]	I feel content.	radio, Required 3 Not at all 2 Somewhat 1 Moderately so 0 Very much so
	462	[stai_17_worried]	I am worried.	radio, Required 0 Not at all 1 Somewhat

				2 Moderately so 3 Very much so
	463	[stai_ac]	Select "Moderately so" if you are paying attention.	radio, Required 0 Not at all 1 Somewhat 2 Moderately so 3 Very much so
	464	[stai_18_confused]	I feel confused.	radio, Required 0 Not at all 1 Somewhat 2 Moderately so 3 Very much so
	465	[stai_19_steady]	I feel steady.	radio, Required 3 Not at all 2 Somewhat 1 Moderately so 0 Very much so
	466	[stai_20_pleasant]	I feel pleasant.	radio, Required 3 Not at all 2 Somewhat 1 Moderately so 0 Very much so
	467	[stai_21_feel_pleasant]	Section Header: *A number of statements which people have used to describe themselves are given below. Read each statement and then select the choice that indicates how you generally feel. There is no right or wrong answers. Do not spend too much time on any one statement but give the answer which seems to describe how you generally feel.* I feel pleasant.	radio, Required 3 Almost Never 2 Sometimes 1 Often 0 Almost Always
	468	[stai_22_nervous_restless]	I feel nervous and restless.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always

	469	[stai_23_satisfied_myself]	I feel satisfied with myself.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always
	470	[stai_24_happy_others]	I wish I could be as happy as others seem to be.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always
	471	[stai_25_failure]	I feel like a failure.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always
	472	[stai_26_rested]	I feel rested.	radio, Required 3 Almost Never 2 Sometimes 1 Often 0 Almost Always
	473	[stai_27_calm_collected]	I am calm, cool, and collected.	radio, Required 3 Almost Never 2 Sometimes 1 Often 0 Almost Always
	474	[stai_28_difficulties]	I feel that difficulties are piling up so that I cannot overcome them.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always
	475	[stai_29_worry]	I worry too much over something that really doesn't matter.	radio, Required 0 Almost Never

				1 Sometimes 2 Often 3 Almost Always
	476	[stai_30_happy]	I am happy.	radio, Required 3 Almost Never 2 Sometimes 1 Often 0 Almost Always
	477	[stai_31_disturbing]	I have disturbing thoughts.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always
	478	[stai_32_lack_confidence]	I lack self confidence.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always
	479	[stai_33_feel_secure]	I feel secure.	radio, Required 3 Almost Never 2 Sometimes 1 Often 0 Almost Always
	480	[stai_34_decisions_easily]	I make decisions easily.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always
	481	[stai_35_inadequate]	I feel inadequate.	radio, Required 0 Almost Never 1 Sometimes 2 Often

				3 Almost Always
	482	[stai_36_am_content]	I am content.	radio, Required 3 Almost Never 2 Sometimes 1 Often 0 Almost Always
	483	[stai_37_unimportant]	Some unimportant thoughts runs through my mind and bothers me.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always
	484	[stai_38_disappointment]	I take disappointments so keenly that I can't put them out of my mind.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always
	485	[stai_39_steady_person]	I am a steady person.	radio, Required 3 Almost Never 2 Sometimes 1 Often 0 Almost Always
	486	[stai_40_tension]	I get in a state of tension or turmoil as I think over my recent concerns and interests.	radio, Required 0 Almost Never 1 Sometimes 2 Often 3 Almost Always
	487	[stai_sum]	STAI sum score.	calc Calculation: sum([stai_1_calm], [stai_2_secure], [stai_3_tense], [stai_4_strained], [stai_5_at_ease], [stai_6_upset], [stai_7_worrying], [stai_8_satisfied], [stai_9_frightened], [stai_10_comfortable], [stai_11_self_confident], [stai_12_nervous], [stai_13_jittery], [stai_14_indecisive], [stai_15_relaxed], [stai_16_content], [stai_17_worried], [stai_18_confused], [stai_19_steady], [stai_20_pleasant], [stai_21_feel_pleasant], [stai_22_nervous_restless],

				[stai_23_satisfied_myself], [stai_24_happy_others], [stai_25_failure], [stai_26_rested], [stai_27_calm_collected], [stai_28_difficulties], [stai_29_worry], [stai_30_happy], [stai_31_disturbing], [stai_32_lack_confidence], [stai_33_feel_secure], [stai_34_decisions_easily], [stai_35_inadequate], [stai_36_am_content], [stai_37_unimportant], [stai_38_disappointment], [stai_39_steady_person], [stai_40_tension]) Field Annotation: @HIDDEN-SURVEY
	488	[stai_clinical_cutoff]	Clinical Anxiety cut-off met?	calc Calculation: if([stai_sum] > 38 and [stai_sum] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	489	[statetrait_anxiety_inventory_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: Exercise Questions Compiled (exercise_questions) **Enabled as survey**				
	490	[cet_15_make_up_merged]	If I miss an exercise session, I will try and make up for it when I next exercise.	radio, Required 0, Never True 1, Rarely True 2, Sometimes True 3, Often True 4, Usually True 5, Always True
	491	[epsi_41_exercised_exhaustion_merged]	I exercised to the point of exhaustion	radio, Required 0, Never 1, Rarely 2, Sometimes 3, Often 4, Very Often
	492	[dfm_8_other_people_merged]	Other people think I work out with weights too often.	radio, Required 5, Always 4, Very Often 3, Often 2, Sometimes 1, Rarely

				0 Never
	493	[epsi_32_muscles_small_merged]	I thought my muscles were too small	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	494	[epsi_22_plan_exercise_merged]	I planned my days around exercising	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	495	[cet_3_onepart_merged]	I like my days to be organized and structured of which exercise is just one part.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	496	[eds_15_tense_merged]	I exercise to avoid feeling tense.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	497	[cet_ac_merged]	Select "Often True" if you are paying attention.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True

				4 Usually True 5 Always True
	498	[cet_18_worrywt_merged]	If I cannot exercise, I worry that I will gain weight.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	499	[eds_16_persistent_problem_merged]	I exercise despite persistent physical problems.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	500	[eds_21_length_merged]	I exercise longer than I plan.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	501	[eds_14_expect_merged]	I exercise longer than I expect.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	502	[cet_1_happy_merged]	I feel happier and/or more positive after I exercise.	radio, Required 0 Never True

				1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	503	[eds_7_intend_merged]	I exercise longer than I intend.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	504	[eds_5_friends_merged]	I would rather exercise than spend time with family/friends.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	505	[eds_18_reduce_intense_merged]	I am unable to reduce how intense I exercise.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	506	[eds_19_avoid_friends_merged]	I choose to exercise so that I can get out of spending time with family/friends.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely

				0 Never
	507	[epsi_29_muscle_supplement_merged]	I considered taking a muscle building supplement	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	508	[epsi_8_push_myself_merged]	I pushed myself extremely hard when I exercised	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	509	[eds_20_time_great_deal_merged]	A great deal of my time is spent exercising.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	510	[epsi_5_exercise_alot_merged]	I felt that I needed to exercise nearly every day	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	511	[cet_24_depressed_merged]	I feel less depressed or low after I exercise	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True

				5 Always True
	512	[cet_14_stressed_merged]	I feel less stressed and/or tense after I exercise.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	513	[cet_9_low_merged]	If I cannot exercise I feel low or depressed.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	514	[eds_6_time_merged]	I spend a lot of time exercising	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	515	[dfm_3_protein_merged]	I use protein or energy supplements.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	516	[dfm_13_arms_merged]	I think that my arms are not muscular enough.	radio, Required 5 Always 4 Very Often

				3 Often 2 Sometimes 1 Rarely 0 Never
	517	[epsi_15_steroids_merged]	I thought about taking steroids as a way to get more muscular	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	518	[cet_11_injury_merged]	I usually continue to exercise despite injury unless I am very ill or too injured.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	519	[cet_5_chore_merged]	I find exercise a chore.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	520	[epsi_7_muscle_building_merged]	I used muscle building supplements	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	521	[eds_17_increase_duration_merged]	I continually increase my exercise duration to achieve the desired effects/benefits.	radio, Required 5 Always

				4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	522	[cet_20_frustrated_merged]	If I cannot exercise I feel angry and/or frustrated.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	523	[cet_10_guilt_merged]	I feel extremely guilty if I miss an exercise session.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	524	[cet_16_agitated_merged]	If I cannot exercise I feel agitated and/or irritable.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	525	[dfm_10_steroids_merged]	I think about taking anabolic steroids.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely

				0 Never
	526	[epsi_35_protein_supplements_merged]	I used protein supplements	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	527	[dfm_11_muscle_mass_merged]	I think that I would feel stronger if I gained a little more muscle mass.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	528	[eds_4_reduce_long_merged]	I am unable to reduce how long I exercise.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	529	[eds_ac_merged]	Select "Always" if you are paying attention.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	530	[cet_12_enjoy_merged]	I enjoy exercising.	radio, Required 5 Never True 4 Rarely True 3 Sometimes True

				2 Often True 1 Usually True 0 Always True
	531	[cet_7_repetitive_merged]	My weekly pattern of exercise is repetitive.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	532	[eds_13_free_time_merged]	I spend most of my free time exercising.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	533	[eds_3_intensity_benefits_merged]	I continually increase my exercise intensity to achieve the desired effects/benefits.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	534	[dfm_5_consume_merged]	I try to consume as many calories as I can in a day.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	535	[cet_4_anxious_merged]	I feel less anxious after I exercise.	radio, Required

				0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	536	[dfm_14_chest_merged]	I think that my chest is not muscular enough.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	537	[cet_17_mood_merged]	Exercise improves my mood.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	538	[eds_11_reduce_often_merged]	I am unable to reduce how often I exercise	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	539	[dfm_2_lift_merged]	I lift weights to build up muscle.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes

				1 Rarely 0 Never
	540	[dfm_6_guilty_merged]	I feel guilty if I miss a weight training session.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	541	[dfm_7_confident_merged]	I think I would feel more confident if I had more muscle mass.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	542	[cet_2_appearance_merged]	I exercise to improve my appearance.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	543	[dfm_9_gain_pounds_merged]	I think that I would look better if I gained 10 pounds in bulk.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	544	[eds_2_recurring_problems_merged]	I exercise despite recurring physical problems.	radio, Required 5 Always

				4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	545	[cet_21_noenjoy_merged]	I do not enjoy exercising.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	546	[dfm_1_wish_merged]	I wish that I were more muscular.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	547	[eds_8_feeling_anxious_merged]	I exercise to avoid feeling anxious.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	548	[eds_12_concentration_merged]	I think about exercise when I should be concentrating on school/work.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely

				0 Never
	549	[eds_9_injured_merged]	I exercise when injured.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	550	[cet_13_burncals_merged]	I exercise to burn calories and lose weight.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	551	[cet_6_eat_ex_merged]	If I feel I have eaten too much, I will do more exercise.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	552	[dfm_12_weight_train_merged]	I think that my weight training schedule interferes with other aspects of my life.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	553	[cet_23_anxious_noex_merged]	If I cannot exercise I feel anxious.	radio, Required 0 Never True 1 Rarely True

				2 Sometimes True 3 Often True 4 Usually True 5 Always True
	554	[cet_22_miss_merged]	I feel like I've let myself down if I miss an exercise session.	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	555	[cet_19_routine_merged]	I follow a set routine for my exercise sessions (e.g. walk or run the same route, particular exercises, same amount of time, and so on)	radio, Required 0 Never True 1 Rarely True 2 Sometimes True 3 Often True 4 Usually True 5 Always True
	556	[epsi_31_strenuous_exercise_merged]	I engaged in strenuous exercise at least five days per week	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Very Often
	557	[dfm_ac_merged]	If you are paying attention, select "Sometimes".	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	558	[dfm_4_drink_merged]	I drink weight gain or protein shakes.	radio, Required

				5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	559	[cet_8_not_slim_merged]	I do not exercise to be slim.	radio, Required 5 Never True 4 Rarely True 3 Sometimes True 2 Often True 1 Usually True 0 Always True
	560	[eds_10_frequency_benefits_merged]	I continually increase my exercise frequency to achieve the desired effects/benefits.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely 1 Very Rarely 0 Never
	561	[dfm_15_legs_merged]	I think that my legs are not muscular enough.	radio, Required 5 Always 4 Very Often 3 Often 2 Sometimes 1 Rarely 0 Never
	562	[eds_1_irritable_merged]	I exercise to avoid feeling irritable.	radio, Required 5 Always 4 Very Frequently 3 Occasionally 2 Rarely

				1 Very Rarely 0 Never
	563	[cet_total_merged]	CET total sum score	calc Calculation: sum([cet_1_happy_merged], [cet_2_appearance_merged], [cet_3_onepart_merged], [cet_4_anxious_merged], [cet_5_chore_merged], [cet_6_eat_ex_merged], [cet_7_repetitive_merged], [cet_8_not_slim_merged], [cet_9_low_merged], [cet_10_guilt_merged], [cet_11_injury_merged], [cet_12_enjoy_merged], [cet_13_burncals_merged], [cet_14_stressed_merged], [cet_15_make_up_merged], [cet_16_agitated_merged], [cet_17_mood_merged], [cet_18_worrywt_merged], [cet_19_routine_merged], [cet_20_frustrated_merged], [cet_21_noenjoy_merged], [cet_22_miss_merged], [cet_23_anxious_noex_merged], [cet_24_depressed_merged]) Field Annotation: @HIDDEN-SURVEY
	564	[cet_clinical_merged]	Compulsive exercise clinical cut off met?	calc Calculation: if([cet_total_merged] >= 15 and [cet_total_merged] <> "", 1, 0) Field Annotation: @HIDDEN-SURVEY
	565	[cet_avoid_subscale_merged]	CET avoidance and rule-driven behavior subscale	calc Calculation: mean([cet_9_low_merged], [cet_10_guilt_merged], [cet_11_injury_merged], [cet_15_make_up_merged], [cet_16_agitated_merged], [cet_20_frustrated_merged], [cet_22_miss_merged], [cet_23_anxious_noex_merged]) Field Annotation: @HIDDEN-SURVEY
	566	[cet_wtcontrol_subscale_merged]	CET weight control exercise subscale	calc Calculation: mean([cet_2_appearance_merged], [cet_6_eat_ex_merged], [cet_8_not_slim_merged], [cet_13_burncals_merged], [cet_18_worrywt_merged]) Field Annotation: @HIDDEN-SURVEY
	567	[cet_mood_subscale_merged]	CET mood improvement subscale	calc Calculation: mean([cet_1_happy_merged], [cet_4_anxious_merged], [cet_14_stressed_merged], [cet_17_mood_merged], [cet_24_depressed_merged]) Field Annotation: @HIDDEN-SURVEY
	568	[cet_enjoy_subscale_merged]	CET lack of exercise enjoyment subscale	calc Calculation: mean([cet_5_chore_merged], [cet_12_enjoy_merged], [cet_21_noenjoy_merged]) Field Annotation: @HIDDEN-SURVEY
	569	[cet_rigid_subscale_merged]	CET exercise rigidity subscale	calc Calculation: mean([cet_3_onepart_merged],

				[cet_7_repetitive_merged], [cet_19_routine_merged]) Field Annotation: @HIDDEN-SURVEY
	570	[eds_mean_merged]	Exercise Dependence Scale Mean Score	calc Calculation: mean([eds_1_irritable_merged], [eds_2_recurring_problems_merged], [eds_3_intensity_benefits_merged], [eds_4_reduce_long_merged], [eds_5_friends_merged], [eds_6_time_merged], [eds_7_intend_merged], [eds_8_feeling_anxious_merged], [eds_9_injured_merged], [eds_10_frequency_benefits_merged], [eds_11_reduce_often_merged], [eds_12_concentration_merged], [eds_13_free_time_merged], [eds_14_expect_merged], [eds_15_tense_merged], [eds_16_persistent_problem_merged], [eds_17_increase_duration_merged], [eds_18_reduce_intense_merged], [eds_19_avoid_friends_merged], [eds_20_time_great_deal_merged], [eds_21_length_merged]) Field Annotation: @HIDDEN-SURVEY
	571	[eds_withdrawal_effects_merged]	Withdrawal effects score	calc Calculation: mean([eds_1_irritable_merged], [eds_8_feeling_anxious_merged],[eds_15_tense_merged]) Field Annotation: @HIDDEN-SURVEY
	572	[eds_continuance_merged]	Continuance score	calc Calculation: mean([eds_2_recurring_problems_merged], [eds_9_injured_merged],[eds_16_persistent_problem_merged]) Field Annotation: @HIDDEN-SURVEY
	573	[eds_tolerance_merged]	Tolerance score	calc Calculation: mean([eds_3_intensity_benefits_merged], [eds_10_frequency_benefits_merged], [eds_17_increase_duration_merged]) Field Annotation: @HIDDEN-SURVEY
	574	[eds_lack_control_merged]	Lack of control score	calc Calculation: mean([eds_4_reduce_long_merged], [eds_11_reduce_often_merged], [eds_18_reduce_intense_merged]) Field Annotation: @HIDDEN-SURVEY
	575	[eds_reduction_activities_merged]	Reduction of other activities score	calc Calculation: mean([eds_5_friends_merged], [eds_12_concentration_merged], [eds_19_avoid_friends_merged]) Field Annotation: @HIDDEN-SURVEY
	576	[eds_time_merged]	Time score	calc Calculation: mean([eds_6_time_merged],

				[eds_13_free_time_merged],[eds_20_time_great_deal_merged]) Field Annotation: @HIDDEN-SURVEY
	577	[eds_intention_merged]	Intention effects score	calc Calculation: mean([eds_7_intend_merged], [eds_14_expect_merged],[eds_21_length_merged]) Field Annotation: @HIDDEN-SURVEY
	578	[dfm_average_merged]	Drive for muscularity Average	calc Calculation: mean([dfm_1_wish_merged],[dfm_2_lift_merged], [dfm_3_protein_merged],[dfm_4_drink_merged], [dfm_5_consume_merged],[dfm_6_guilty_merged], [dfm_7_confident_merged],[dfm_8_other_people_merged], [dfm_9_gain_pounds_merged],[dfm_10_steroids_merged], [dfm_11_muscle_mass_merged],[dfm_12_weight_train_merged], [dfm_13_arms_merged],[dfm_14_chest_merged], [dfm_15_legs_merged]) Field Annotation: @HIDDEN-SURVEY
	579	[exercise_questions_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: AED - Brief (analogue_exercise_decisions_brief) **Enabled as survey**				
	580	[aed_money1]	Section Header: *Imagine you had planned to exercise for 30 minutes. What is the smallest amount of money someone could offer you to skip that workout instead?* Would you rather have:	radio, Required 1 30 mins exercise 2 $1
	581	[aed_money2]	Would you rather have:	radio, Required 1 30 mins exercise 2 $2
	582	[aed_money3]	Would you rather have:	radio, Required 1 30 mins exercise 2 $5
	583	[aed_money4]	Would you rather have:	radio, Required 1 30 mins exercise 2 $8
	584	[aed_money5]	Would you rather have:	radio, Required 1 30 mins exercise 2 $10

	585	[aed_money6]	Would you rather have:	radio, Required 1 | 30 mins exercise 2 | $15
	586	[aed_money7]	Would you rather have:	radio, Required 1 | 30 mins exercise 2 | $20
	587	[aed_ac1]	Select "$20" if you are paying attention.	radio, Required 1 | 30 mins exercise 2 | $20
	588	[aed_money8]	Would you rather have:	radio, Required 1 | 30 mins exercise 2 | $25
	589	[aed_money8_2]	Would you rather have:	radio, Required 1 | 30 mins exercise 2 | $35
	590	[aed_money9]	Would you rather have:	radio, Required 1 | 30 mins exercise 2 | $50
	591	[aed_money9_2]	Would you rather have:	radio, Required 1 | 30 mins exercise 2 | $75
	592	[aed_money10]	Would you rather have:	radio, Required 1 | 30 mins exercise 2 | $100
	593	[aed_1hr1]	Section Header: *Imagine you had planned to exercise for 1 hour. What is the smallest amount of money someone could offer you to skip that workout instead?* Would you rather have:	radio, Required 1 | One hour exercise 2 | $1
	594	[aed_1hr2]	Would you rather have:	radio, Required 1 | One hour exercise 2 | $2
	595	[aed_1hr3]	Would you rather have:	radio, Required 1 | One hour exercise

				2 | $5
	596	[aed_1hr4]	Would you rather have:	radio, Required 1 | One hour exercise 2 | $8
	597	[aed_1hr5]	Would you rather have:	radio, Required 1 | One hour exericse 2 | $10
	598	[aed_1hr6]	Would you rather have:	radio, Required 1 | One hour exercise 2 | $15
	599	[aed_1hr7]	Would you rather have:	radio, Required 1 | One hour exercise 2 | $20
	600	[aed_1hr8]	Would you rather have:	radio, Required 1 | One hour exercise 2 | $25
	601	[aed_1hr8_2]	Would you rather have:	radio, Required 1 | One hour exercise 2 | $35
	602	[aed_1hr9]	Would you rather have:	radio, Required 1 | One hour exercise 2 | $50
	603	[aed_1hr9_2]	Would you rather have:	radio, Required 1 | One hour exercise 2 | $75
	604	[aed_1hr10]	Would you rather have:	radio, Required 1 | One hour exercise 2 | $100
	605	[aed_snack1]	Section Header: *You are offered the opportunity to exercise for 30mins, but you are required to have an additional snack before exercising. Would you choose to do this, given different snack requirements:* 10 kcal	yesno, Required 1 | Yes 0 | No
	606	[aed_snack1_2]	25 kcal	yesno, Required

				1 Yes 0 No
	607	[aed_snack2]	50 kcal	yesno, Required 1 Yes 0 No
	608	[aed_snack2_2]	75 kcal	yesno, Required 1 Yes 0 No
	609	[aed_snack3]	100 kcal	yesno, Required 1 Yes 0 No
	610	[aed_snack3_2]	150 kcal	yesno, Required 1 Yes 0 No
	611	[aed_snack4]	200 kcal	yesno, Required 1 Yes 0 No
	612	[aed_snack4_2]	300 kcal	yesno, Required 1 Yes 0 No
	613	[aed_snack4_3]	400 kcal	yesno, Required 1 Yes 0 No
	614	[aed_snack5]	500 kcal	yesno, Required 1 Yes 0 No
	615	[aed_snack1_1hr]	Section Header: *You are offered the opportunity to exercise for 1 hour, but you are required to have an additional snack before exercising. Would you choose to do this, given different snack requirements:* 10 kcal	yesno, Required 1 Yes 0 No
	616	[aed_snack1_2_1hr]	25 kcal	yesno, Required 1 Yes 0 No

	617	[aed_snack2_1hr]	50 kcal	yesno, Required 1, Yes 0, No
	618	[aed_snack2_2_1hr]	75 kcal	yesno, Required 1, Yes 0, No
	619	[aed_snack3_1hr]	100 kcal	yesno, Required 1, Yes 0, No
	620	[aed_snack3_2_1hr]	150 kcal	yesno, Required 1, Yes 0, No
	621	[aed_snack4_1hr]	200 kcal	yesno, Required 1, Yes 0, No
	622	[aed_snack4_2_1hr]	300 kcal	yesno, Required 1, Yes 0, No
	623	[aed_snack4_3_1hr]	400 kcal	yesno, Required 1, Yes 0, No
	624	[aed_snack5_1hr]	500 kcal	yesno, Required 1, Yes 0, No
	625	[analogue_exercise_decisions_brief_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: ART (athletes_relationships_with_training_scale_art) **Enabled as survey**				
	626	[art_pre_athlete]	I consider myself an athlete.	yesno, Required 1, Yes 0, No

				Stop actions on 0
	627	[art_pre_activity_type]	My participation in activity right now is primarily (check all that apply):	checkbox, Required 1, art_pre_activity_type___1, olympic 2, art_pre_activity_type___2, paralympic 3, art_pre_activity_type___3, professional 4, art_pre_activity_type___4, recreational 5, art_pre_activity_type___5, club level 6, art_pre_activity_type___6, competitive
	628	[art_pre_team]	Are you on a team for your primary sport?	yesno, Required 1, Yes 0, No
	629	[art_pre_coach]	Does your primary sport have a coach?	yesno, Required 1, Yes 0, No
	630	[art_pre_compete]	Do you compete in your primary sport?	yesno, Required 1, Yes 0, No
	631	[art_instruction]	This questionnaire contains items that ask about your attitudes, feelings, and behaviors regarding exercise and training. Read each item and determine how frequently each item applies to you. Remember, there are no right or wrong answers. Please answer all the items. Use this scale when providing your responses.	descriptive
	632	[art_1_more_required] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	I train more than is required by my coach	radio, Required 0, Never 1, Rarely 2, Sometimes 3, Often 4, Always -9, N/A
	633	[art_2_against_medical] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pr	I train/exercise against the advice of the medical/training staff	radio, Required 0, Never 1, Rarely 2, Sometimes

		e_compete] = 1 and [art_pre_compete] <> "")		3 Often 4 Always -9 N/A
	634	[art_3_injured] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	I train despite being injured	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Always
	635	[art_4_guilty] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	I feel guilty when I don't train/exercise	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Always
	636	[art_5_anxious] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	I feel anxious when I don't train/exercise	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Always
	637	[art_ac] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	If you are paying attention, select "Often".	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Always
	638	[art_6_hard_change] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	It is hard for me to change/alter my training routine/schedule	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often

				4 Always
	639	[art_7_day_off] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	It is difficult for me to take a day off from training	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Always
	640	[art_8_overuse] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	I get "overuse" injuries	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Always
	641	[art_9_outside_practice] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	I exercise outside of team practices	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Always -9 N/A
	642	[art_10_not_lean] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	Section Header: *These items ask about your attitudes, feelings, and behaviors regarding exercise and training. Read each item and determine the extent that you agree or disagree with the item. Remember, there are no right or wrong answers. Please answer all items.* No matter how hard I train, I am still not lean enough.	radio, Required 4 Strongly Agree 3 Agree 2 Neither Agree Nor Disagree 1 Disagree 0 Strongly Disagree
	643	[art_11_not_thin] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	No matter how hard I train, I am still not thin enough.	radio, Required 4 Strongly Agree 3 Agree 2 Neither Agree Nor Disagree 1 Disagree 0 Strongly Disagree

	644	[art_12_alone] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	I prefer to train alone.	radio, Required 4, Strongly Agree 3, Agree 2, Neither Agree Nor Disagree 1, Disagree 0, Strongly Disagree
	645	[art_13_not_pleased] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	No matter how hard I train, I am not pleased with my body.	radio, Required 4, Strongly Agree 3, Agree 2, Neither Agree Nor Disagree 1, Disagree 0, Strongly Disagree
	646	[art_14_missed_day] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	I do not feel good if I miss a day of training/exercise.	radio, Required 4, Strongly Agree 3, Agree 2, Neither Agree Nor Disagree 1, Disagree 0, Strongly Disagree
	647	[art_15_muscles] Show the field ONLY if: ([art_pre_team] = 1 and [art_pre_team] <> "") or ([art_pre_coach] = 1 and [art_pre_coach] <> "") or ([art_pre_compete] = 1 and [art_pre_compete] <> "")	I exercise outside of practice to build bigger muscles.	radio, Required 4, Strongly Agree 3, Agree 2, Neither Agree Nor Disagree 1, Disagree 0, Strongly Disagree -9, N/A
	648	[art_sum_score]	ART Sum score	calc Calculation: sum([art_1_more_required], [art_2_against_medical], [art_3_injured], [art_4_guilty], [art_5_anxious], [art_6_hard_change], [art_7_day_off], [art_8_overuse], [art_9_outside_practice], [art_10_not_lean], [art_11_not_thin], [art_12_alone], [art_13_not_pleased], [art_14_missed_day], [art_15_muscles]) Field Annotation: @HIDDEN-SURVEY
	649	[art_affect_driven_score]	Affect-Driven Training Score	calc Calculation: sum([art_4_guilty], [art_5_anxious],

				[art_6_hard_change], [art_7_day_off], [art_14_missed_day]) Field Annotation: @HIDDEN-SURVEY
	650	[art_training_score]	Training Amount Score	calc Calculation: sum([art_1_more_required], [art_9_outside_practice], [art_12_alone], [art_15_muscles]) Field Annotation: @HIDDEN-SURVEY
	651	[art_against_medical_score]	Training Against Medical Advice score	calc Calculation: sum([art_2_against_medical], [art_3_injured], [art_8_overuse]) Field Annotation: @HIDDEN-SURVEY
	652	[art_body_dis_score]	Body Dissatisfaction score	calc Calculation: sum([art_10_not_lean], [art_11_not_thin], [art_13_not_pleased]) Field Annotation: @HIDDEN-SURVEY
	653	[athletes_relationships_with_training_scale_art_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: FADE (functional_assessment_of_driven_exercise_fade) **Enabled as survey**				
	654	[fade_header]	How often have you exercised in a driven manner (i.e., feel that you must move, or feel compelled to engage in some form of physical activity) for the following reasons?	descriptive
	655	[fade_1_reduce_feels]	To reduce feelings of anger, sadness, loneliness, anxiety, etc.	radio, Required 0, Never 1, Rarely 2, Sometimes 3, Often
	656	[fade_2_relieve_anxiety]	To relieve anxiety	radio, Required 0, Never 1, Rarely 2, Sometimes 3, Often
	657	[fade_3_escape_feels]	To escape/avoid/stop bad feelings	radio, Required 0, Never 1, Rarely 2, Sometimes

				3 Often
	658	[fade_4_slow_thoughts]	To slow down racing thoughts	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	659	[fade_5_prevent_feels]	To prevent bad feelings	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	660	[fade_6_cope_stress]	To cope with/relieve stress	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	661	[fade_7_ground_self]	To ground yourself/return from a dissociative state	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	662	[fade_8_relaxed]	To feel relaxed	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	663	[fade_9_feel_something]	To feel something at all, even if it's pain	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	664	[fade_10_proud]	To feel proud of yourself	radio, Required

				0 Never 1 Rarely 2 Sometimes 3 Often
	665	[fade_11_good]	To feel good	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	666	[fade_12_punish]	To punish yourself	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	667	[fade_13_reaction]	To get a reaction from someone even if it's negative	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	668	[fade_14_desparate]	To let others know how desperate you were feeling	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	669	[fade_15_communicate]	To communicate to others how badly you feel inside	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	670	[fade_16_understand_notice]	To get other people to understand or notice you	radio, Required 0 Never 1 Rarely

				2 Sometimes 3 Often
	671	[fade_17_attention]	To get attention	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	672	[fade_18_special]	To feel special	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	673	[fade_19_something_alone]	To give yourself something to do when you are alone	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	674	[fade_20_avoid_unpleasant]	To avoid having to do something unpleasant that you don't want to do	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	675	[fade_21_avoid_school]	To avoid school, work, or other activities	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	676	[fade_22_avoid_people]	To avoid being with other people	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often

	677	[fade_23_bored]	To give yourself something to do when you are bored	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	678	[fade_ac]	If you are paying attention, select "Sometimes".	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	679	[fade_24_avoid_attention]	To avoid attention from other people	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	680	[fade_25_strong]	To feel strong/powerful	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	681	[fade_26_control_life]	To feel as though you are in control of your life	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	682	[fade_27_control_situation]	To get control of a situation	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	683	[fade_28_control_body]	To feel as though you are in control of your body	radio, Required 0 Never

				1 Rarely 2 Sometimes 3 Often
	684	[fade_29_control_feel]	To control how you feel	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often
	685	[fade_apr_score]	Automatic Positive Reinforcement Score	calc Calculation: mean([fade_10_proud], [fade_11_good], [fade_25_strong], [fade_26_control_life], [fade_27_control_situation], [fade_28_control_body], [fade_29_control_feel]) Field Annotation: @HIDDEN-SURVEY
	686	[fade_anr_score]	Automatic Negative Reinforcement Score	calc Calculation: mean([fade_1_reduce_feels], [fade_2_relieve_anxiety], [fade_3_escape_feels], [fade_4_slow_thoughts], [fade_5_prevent_feels], [fade_6_cope_stress], [fade_7_ground_self], [fade_9_feel_something], [fade_12_punish], [fade_8_relaxed]) Field Annotation: @HIDDEN-SURVEY
	687	[fade_spr_score]	Social Positive Reinforcement Score	calc Calculation: mean([fade_13_reaction], [fade_15_communicate], [fade_14_desparate], [fade_16_understand_notice], [fade_17_attention], [fade_18_special]) Field Annotation: @HIDDEN-SURVEY
	688	[fade_snr_score]	Social Negative Reinforcement Score	calc Calculation: mean([fade_20_avoid_unpleasant], [fade_21_avoid_school], [fade_22_avoid_people], [fade_23_bored], [fade_19_something_alone], [fade_24_avoid_attention]) Field Annotation: @HIDDEN-SURVEY
	689	[functional_assessment_of_driven_exercise_fade_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: Data Collection Form - Brief (data_collection_form) **Enabled as survey**				
	690	[screen_age]	What is your current age in years?	text (integer, Min: 1, Max: 25), Required

	691	[dcf_sex]	Sex assigned at birth	radio, Required 1 Male 2 Female 3 Intersex Question number: 2
	692	[dcf_gender_identity]	What is your current gender/gender identity (check all that apply)?	checkbox, Required 1 dcf_gender_identity___1 Woman 2 dcf_gender_identity___2 Man 3 dcf_gender_identity___3 Nonbinary 4 dcf_gender_identity___4 Genderqueer 5 dcf_gender_identity___5 Agender 6 dcf_gender_identity___6 I use different words to describe my Gender. The words I use are: _____
	693	[dcf_gender_identity_other] Show the field ONLY if: [dcf_gender_identity(6)] = '1'	The words I use are:	text, Required
	694	[dcf_transgender]	Would you describe yourself as transgender? (usually refers to people who were given a gender and/or sex label at birth that does not accurately represent them)	radio, Required 1 Yes 2 No 3 Unsure because... (please specify): _____
	695	[dcf_transgender_other] Show the field ONLY if: [dcf_transgender] = '3'	If unsure, please specify:	text, Required
	696	[dcf_trans_identity] Show the field ONLY if: [dcf_transgender] = 1	I consider myself...	radio, Required 1 Transgender Male 2 Transgender non-binary 3 Other
	697	[dcf_trans_other] Show the field ONLY if: [dcf_trans_identity] = 3	If other, please specify:	text
	698	[dcf_pronouns]	What pronouns do you use to describe yourself (check all that apply)?	checkbox, Required 1 dcf_pronouns___1 She/her

				2 dcf_pronouns___2 He/his 3 dcf_pronouns___3 They/them 4 dcf_pronouns___4 I use other pronouns. My pronouns are: _____
	699	[dcf_pronouns_others] Show the field ONLY if: [dcf_pronouns(4)] = '1'	I use other pronouns. My pronouns are:	text, Required
	700	[dcf_sexual_identity]	Recognizing that sexual identity is only one part of your identity, how do you define your sexual identity? Would you say you are (check all that apply):	checkbox, Required 1 dcf_sexual_identity___1 Asexual 2 dcf_sexual_identity___2 Bisexual/Bi+ 3 dcf_sexual_identity___3 Mostly lesbian 4 dcf_sexual_identity___4 Mostly gay 5 dcf_sexual_identity___5 Mostly heterosexual 6 dcf_sexual_identity___6 Only lesbian 7 dcf_sexual_identity___7 Only gay 8 dcf_sexual_identity___8 Only heterosexual 9 dcf_sexual_identity___9 Pansexual 10 dcf_sexual_identity___10 Queer 11 dcf_sexual_identity___11 Questioning 12 dcf_sexual_identity___12 I use different words to describe my sexual identity. The words I use are: _____
	701	[dcf_sexual_identity_other] Show the field ONLY if: [dcf_sexual_identity(12)] = '1'	I use different words to describe my sexual identity. The words I use are:	text, Required
	702	[dcf_research]	One challenge with research is that although we know that sexuality and gender are complex and fluid, we need to put everyone into a smaller number of categories for some statistical analyses. So, rather than us trying to figure out where you 'fit,' in the next two questions, could you tell us if you had to choose one sexual identity and one gender identity, what would you choose?	descriptive
	703	[dcf_research_sexual_identity]	If I had to choose, my sexual identity would be:	radio, Required 1 A lesbian/gay category 2 A bisexual/bi+/pansexual category 3 A heterosexual category

				4 An asexual category 5 Unsure because.... (please specify) _____
	704	[dcf_research_sexual_identity_other] Show the field ONLY if: [dcf_research_sexual_identity] = '5'	If unsure, please specify:	text, Required
	705	[dcf_research_gender]	If I had to choose, my gender identity would be:	radio, Required 1 Woman 2 Man 3 Nonbinary 4 Unsure because.... (please specify) _____
	706	[dcf_research_gender_other] Show the field ONLY if: [dcf_research_gender] = '4'	If unsure, please specify:	text, Required
	707	[dcf_race]	Which of these categories best describes your racial identity (select all that apply):	checkbox, Required 1 dcf_race___1 White 2 dcf_race___2 Black/African American 3 dcf_race___3 Asian 4 dcf_race___4 Indigenous group (American Indian, Alaska Native, Hawaii Native, Aborigine) 6 dcf_race___6 Pacific Islander 8 dcf_race___8 Caribbean 9 dcf_race___9 Middle Eastern/Arab/North African (e.g. Iranian, Moroccan) 10 dcf_race___10 South Asian (e.g. Indian) 11 dcf_race___11 Southeast Asian (e.g. Vietnamese, Cambodian, Thai) 7 dcf_race___7 My identity is not listed (please describe): _____ Question number: 3
	708	[dcf_other_specify] Show the field ONLY if: [dcf_race(7)] = '1'	My identity is not listed (please describe):	text, Required Custom alignment: RH
	709	[dcf_hispanic]	Are you Hispanic or Latina/Latino/Latinx?	yesno, Required

				1 Yes 0 No
	710	[dcf_education]	Highest (or current) level of education achieved?	dropdown, Required 1 ninth grade 2 tenth grade 3 eleventh grade 4 twelfth grade 5 1st year of undergraduate 6 2nd year of undergraduate 7 3rd year of undergraduate 8 4th year of undergraduate 9 5th year of undergraduate 10 1st year of graduate 11 2nd year of graduate 12 3rd year of graduate 13 4th year or higher of graduate Question number: 4
	711	[dcf_medical_ed]	Have you been hospitalized within the previous six months for an eating disorder?	yesno, Required 1 Yes 0 No Custom alignment: RH
	712	[dcf_med_ed_explain] Show the field ONLY if: [dcf_medical_ed] = '1'	If yes, explain.	notes, Required
	713	[dcf_medical_illness]	Have you been hospitalized within the previous six months for a medical illness other than an eating disorder?	yesno, Required 1 Yes 0 No Custom alignment: RH
	714	[dcf_med_illness_explain] Show the field ONLY if: [dcf_medical_illness] = '1'	If yes, explain.	notes, Required

	715	[dcf_current_ed_tx]	Are you currently receiving treatment for an eating disorder?	yesno, Required 1, Yes 0, No
	716	[dcf_ed_tx_specify] Show the field ONLY if: [dcf_current_ed_tx] = '1'	If yes, please explain treatment (level of care, cadence, provider type, etc.):Examples of level of care: outpatient program, inpatient program, intensive outpatient (IOP), residential treatment program (PHP), partial hospitalization program (PHP).	notes, Required
	717	[dcf_psych_treatment]	Are you currently receiving medical or psychiatric/psychological treatment? (Therapy, Dietitian, General Doctor, etc)	yesno, Required 1, Yes 0, No Custom alignment: RH
	718	[dcf_psych_treat_specify] Show the field ONLY if: [dcf_psych_treatment] = '1'	If yes, specify (level of care, cadence, provider type, etc.):	notes, Required
	719	[dcf_mental]	Do you have any mental health diagnoses?	yesno, Required 1, Yes 0, No
	720	[dcf_mental_explain] Show the field ONLY if: [dcf_mental] = '1'	Please specify mental health diagnoses:	text, Required
	721	[dcf_attention]	If you are paying attention, please select "5"	radio, Required 1, 1 2, 2 3, 3 4, 4 5, 5
	722	[dcf_adhd]	Have you ever been diagnosed with ADHD	yesno, Required 1, Yes 0, No
	723	[dcf_adha_when] Show the field ONLY if: [dcf_adhd] = '1'	To the best of your memory, what year were you diagnosed with ADHD?	text, Required
	724	[dcf_asd]	Have you ever been diagnosed with Autism Spectrum Disorder?	yesno, Required 1, Yes

				0 No
	725	[dcf_asd_when] Show the field ONLY if: [dcf_asd] = '1'	To the best of your memory, what year were you diagnosed with Autism?	text, Required
	726	[dcf_allergies]	Do you currently have any allergies and/or food preferences?	text, Required
	727	[dcf_cancer]	Section Header: *Do you currently have any of the following medical conditions:* Cancer	radio (Matrix), Required 1 Yes 0 No
	728	[dcf_hypertension]	Hypertension	radio (Matrix), Required 1 Yes 0 No
	729	[dcf_diabetes]	Diabetes	radio (Matrix), Required 1 Yes 0 No
	730	[dcf_heart]	Heart Disease or Stroke	radio (Matrix), Required 1 Yes 0 No
	731	[dcf_thyroid]	Thyroid Disease	radio (Matrix), Required 1 Yes 0 No
	732	[dcf_neuro_dis]	Neurologic Disorder	radio (Matrix), Required 1 Yes 0 No
	733	[dcf_meningitis]	Meningitis	radio (Matrix), Required 1 Yes 0 No
	734	[dcf_seiz_epilepsy]	Seizures or Epilepsy	radio (Matrix), Required 1 Yes 0 No
	735	[dcf_headtraum]	Head Trauma	radio (Matrix), Required 1 Yes 0 No

	736	[dcf_cardiovas_dis]	Cardiovascular Disease	radio (Matrix), Required 1 Yes 0 No
	737	[dcf_breath_asthma]	Breathing Prob/Asthma	radio (Matrix), Required 1 Yes 0 No
	738	[dcf_asthma_managed] Show the field ONLY if: [dcf_breath_asthma] = '1'	Is your asthma medically managed (e.g., use of inhaler)?	yesno, Required 1 Yes 0 No
	739	[dcf_subhead_mj]	Marijuana Use History	descriptive
	740	[dcf_mj]	Have you ever consumed marijuana?	yesno, Required 1 Yes 0 No Custom alignment: RH
	741	[dcf_mj_what] Show the field ONLY if: [dcf_mj] = '1'	How have you consumed Marijuana?	checkbox 1 dcf_mj_what___1 Smoking 2 dcf_mj_what___2 Vaping 3 dcf_mj_what___3 Edibles 4 dcf_mj_what___4 Other
	742	[dcf_mj_age_start] Show the field ONLY if: [dcf_mj] = '1'	At what age did you start using Marijuana?	text
	743	[dcf_mj_use_12mo] Show the field ONLY if: [dcf_mj] = 1	In the past 12 months, how often have you consumed marijuana?	radio, Required 0 Never 1 Less than monthly 2 Monthly 3 Weekly 4 Daily or almost daily
	744	[dcf_mj_stop] Show the field ONLY if: [dcf_mj_use_12mo] = 0 AND [dcf_mj] = 1	At what age did you stop consuming marijuana?	text (number), Required

	745	[dcf_mj_stop_2mo] Show the field ONLY if: [dcf_mj_use_12mo] = 2 OR [dcf_mj_use_12mo] = 3 OR [dcf_mj_use_12mo] = 4	Have you ever stopped consuming marijuana for a period of two months or longer?	yesno, Required 1 Yes 0 No
	746	[dcf_nmj_quit_table] Show the field ONLY if: [dcf_mj_stop_2mo] = 1	List how old you were in years each time you stopped consuming marijuana for 2 months or longer, and how long (in months) you stopped consuming marijuana each time. (When listing ages, list whole and half years). Age (years) Months abstained {dcf_mj_age_1} {dcf_mj_mo_1} {dcf_mj_age_2} {dcf_mj_mo_2} {dcf_mj_age_3} {dcf_mj_mo_3} {dcf_mj_age_4} {dcf_mj_mo_4} {dcf_mj_age_5} {dcf_mj_mo_5}	descriptive
	747	[dcf_mj_age_1]		text (number_1dp)
	748	[dcf_mj_age_2]		text (number_1dp)
	749	[dcf_mj_age_3]		text (number_1dp)
	750	[dcf_mj_age_4]		text (number_1dp)
	751	[dcf_mj_age_5]		text (number_1dp)
	752	[dcf_mj_mo_1]		text (number) Custom alignment: RH
	753	[dcf_mj_mo_2]		text (number) Custom alignment: RH
	754	[dcf_mj_mo_3]		text (number) Custom alignment: RH
	755	[dcf_mj_mo_4]		text (number) Custom alignment: RH
	756	[dcf_mj_mo_5]		text (number) Custom alignment: RH
	757	[dcf_mj_concern] Show the field ONLY if: [dcf_mj_use_12mo] = 2 OR [dcf_mj_use_12mo] = 3 OR [dcf_mj_use_12mo] = 4	In the past three months, has anyone expressed concern about your consumption of marijuana?	yesno, Required 1 Yes 0 No
	758	[dcf_subhead_alcohol]	Alcohol history	descriptive
	759	[dcf_alcohol]	Have you ever consumed alcohol?	yesno, Required 1 Yes 0 No Custom alignment: RH

	760	[dcf_alcohol_age_start] Show the field ONLY if: [dcf_alcohol] = '1'	At what age did you start consuming alcohol?	text, Required
	761	[dcf_alc_use_12mo] Show the field ONLY if: [dcf_alcohol] = 1	In the past 12 months, how often have you had 4 or more drinks containing alcohol in one day?	radio, Required 0, Never 1, Less than monthly 2, Monthly 3, Weekly 4, Daily or almost daily
	762	[dcf_alcohol_stop] Show the field ONLY if: [dcf_alc_use_12mo] = 0 AND [dcf_alcohol] = 1	At what age did you stop consuming alcohol?	text, Required
	763	[dcf_alcohol_stop_2mo] Show the field ONLY if: [dcf_alc_use_12mo] = 2 OR [dcf_alc_use_12mo] = 3 OR [dcf_alc_use_12mo] = 4	Have you ever stopped consuming alcohol for a period of two months or longer?	yesno, Required 1, Yes 0, No
	764	[dcf_alc_quit_table] Show the field ONLY if: [dcf_mj_stop_2mo] = 1	List how old you were in years each time you stopped consuming alcohol for 2 months or longer, and how long (in months) you stopped consuming alcohol each time. (When listing ages, list whole and half years). Age (years) Months abstained {dcf_alc_age_1} {dcf_alc_mo_1} {dcf_alc_age_2} {dcf_alc_mo_2} {dcf_alc_age_3} {dcf_alc_mo_3} {dcf_alc_age_4} {dcf_alc_mo_4} {dcf_alc_age_5} {dcf_alc_mo_5}	descriptive
	765	[dcf_alc_age_1]		text (number_1dp)
	766	[dcf_alc_age_2]		text (number_1dp)
	767	[dcf_alc_age_3]		text (number_1dp)
	768	[dcf_alc_age_4]		text (number_1dp)
	769	[dcf_alc_age_5]		text (number_1dp)
	770	[dcf_alc_mo_1]		text (number)
	771	[dcf_alc_mo_2]		text (number)
	772	[dcf_alc_mo_3]		text (number)
	773	[dcf_alc_mo_4]		text (number)
	774	[dcf_alc_mo_5]		text (number)
	775	[dcf_alcohol_concern] Show the field ONLY if:	In the past three months, has anyone expressed concern about your alcohol consumption?	yesno, Required 1, Yes

		[dcf_alc_use_12mo] = 2 OR [dcf_alc_use_12mo] = 3 OR [dcf_alc_use_12mo] = 4		0 No
	776	[dcf_steroid_intro]	Steroid Use	descriptive
	777	[dcf_steroids]	Have you ever taken anabolic steroids?	yesno, Required 1 Yes 0 No
	778	[dcf_steroids_age] Show the field ONLY if: [dcf_steroids] = 1	At what age did you start taking anabolic steroids?	text (number), Required
	779	[dcf_steroids_use_12mo] Show the field ONLY if: [dcf_steroids] = 1	In the past 12 months, how often have you taken anabolic steroids?	radio, Required 0 Never 1 Less than monthly 2 Monthly 3 Weekly 4 Daily or almost daily
	780	[dcf_steroids_stop] Show the field ONLY if: [dcf_steroids_use_12mo] = 0 AND [dcf_steroids] = 1	At what age did you stop taking anabolic steroids?	text (number), Required
	781	[dcf_steroids_stop_2mo] Show the field ONLY if: [dcf_steroids_use_12mo] = 2 OR [dcf_steroids_use_12mo] = 3 OR [dcf_steroids_use_12mo] = 4	Have you ever stopped taking anabolic steroids for a period of two months or longer?	yesno, Required 1 Yes 0 No
	782	[dcf_steroids_quit_table] Show the field ONLY if: [dcf_steroids_stop_2mo] = 1	List how old you were in years each time you stopped taking anabolic steroids for 2 months or longer, and how long (in months) you stopped taking the steroids each time. (When listing ages, list whole and half years). Age (years) Months abstained {dcf_steroids_age_1} {dcf_steroids_mo_1} {dcf_steroids_age_2} {dcf_steroids_mo_2} {dcf_steroids_age_3} {dcf_steroids_mo_3} {dcf_steroids_age_4} {dcf_steroids_mo_4} {dcf_steroids_age_5} {dcf_steroids_mo_5}	descriptive
	783	[dcf_steroids_age_1]		text (number_1dp)
	784	[dcf_steroids_age_2]		text (number_1dp)
	785	[dcf_steroids_age_3]		text (number_1dp)
	786	[dcf_steroids_age_4]		text (number_1dp)
	787	[dcf_steroids_age_5]		text (number_1dp)

	788	[dcf_steroids_mo_1]		text (number)
	789	[dcf_steroids_mo_2]		text (number)
	790	[dcf_steroids_mo_3]		text (number)
	791	[dcf_steroids_mo_4]		text (number)
	792	[dcf_steroids_mo_5]		text (number)
	793	[dcf_steroids_concern] Show the field ONLY if: [dcf_steroids_use_12mo] = 2 OR [dcf_steroids_use_12mo] = 3 OR [dcf_steroids_use_12mo] = 4	In the past three months, has anyone expressed concern about your use of anabolic steroids?	yesno, Required 1, Yes 0, No
	794	[dcf_ed_family_history]	Do you have any family members with an eating disorder?	radio, Required 1, Yes 0, No -9, Unsure
	795	[dcf_ed_family_history_rel] Show the field ONLY if: [dcf_ed_family_history] = '1'	Please list relationship (check all that apply):	checkbox, Required 1, dcf_ed_family_history_rel___1, Biological sister 2, dcf_ed_family_history_rel___2, Biological brother 3, dcf_ed_family_history_rel___3, Identical twin sister 4, dcf_ed_family_history_rel___4, Identical twin brother 5, dcf_ed_family_history_rel___5, Fraternal twin sister 6, dcf_ed_family_history_rel___6, Fraternal twin brother 7, dcf_ed_family_history_rel___7, Half sister 8, dcf_ed_family_history_rel___8, Half brother 9, dcf_ed_family_history_rel___9, Stepsister 10, dcf_ed_family_history_rel___10, Stepbrother 11, dcf_ed_family_history_rel___11, Adopted/adoptive sister 12, dcf_ed_family_history_rel___12, Adopted/adoptive brother 13, dcf_ed_family_history_rel___13, Biological mother 14, dcf_ed_family_history_rel___14, Adoptive mother 15, dcf_ed_family_history_rel___15, Stepmother 16, dcf_ed_family_history_rel___16, Biological father 17, dcf_ed_family_history_rel___17, Adoptive father 18, dcf_ed_family_history_rel___18, Stepfather

				19 dcf_ed_family_history_rel___19 Aunt 20 dcf_ed_family_history_rel___20 Uncle 21 dcf_ed_family_history_rel___21 Grandmother 22 dcf_ed_family_history_rel___22 Grandfather 23 dcf_ed_family_history_rel___23 Other (specify): _____
	796	[dcf_ed_family_history_rel_other] Show the field ONLY if: [dcf_ed_family_history_rel(23)] = '1' OR [dcf_ed_family_history] = -9	Other:	text, Required
	797	[dcf_ed_family_history_info] Show the field ONLY if: [dcf_ed_family_history] = '1'	Please list diagnoses (if known), age of family member, and any other relevant information: Family Member Age Diagnoses {dcf_fam_1} {dcf_fam_age_1} {dcf_fam_dx_1} {dcf_fam_2} {dcf_fam_age_2} {dcf_fam_dx_2} {dcf_fam_3} {dcf_fam_age_3} {dcf_fam_dx_3} {dcf_fam_4} {dcf_fam_age_4} {dcf_fam_dx_4} {dcf_fam_5} {dcf_fam_age_5} {dcf_fam_dx_5}	descriptive
	798	[dcf_fam_1]		text
	799	[dcf_fam_2]		text
	800	[dcf_fam_3]		text
	801	[dcf_fam_4]		text
	802	[dcf_fam_5]		text
	803	[dcf_fam_age_1]		text
	804	[dcf_fam_age_2]		text
	805	[dcf_fam_age_3]		text
	806	[dcf_fam_age_4]		text
	807	[dcf_fam_age_5]		text
	808	[dcf_fam_dx_1]		text
	809	[dcf_fam_dx_2]		text
	810	[dcf_fam_dx_3]		text
	811	[dcf_fam_dx_4]		text
	812	[dcf_fam_dx_5]		text
	813	[dcf_fam_hist_diag]	Do you have any family members with any other psychiatric/mental health disorders?	yesno, Required 1 Yes 0 No

				Custom alignment: RH Question number: 76
	814	[dcf_fam_hist_diag_list] Show the field ONLY if: [dcf_fam_hist_diag] = '1'	If yes, please list relationship and diagnosis: Relationship Diagnosis {dcf_relate_1} {dcf_relate_dx_1} {dcf_relate_2} {dcf_relate_dx_2} {dcf_relate_3} {dcf_relate_dx_3} {dcf_relate_4} {dcf_relate_dx_4} {dcf_relate_5} {dcf_relate_dx_5}	descriptive
	815	[dcf_relate_1]		text
	816	[dcf_relate_2]		text
	817	[dcf_relate_3]		text
	818	[dcf_relate_4]		text
	819	[dcf_relate_5]		text
	820	[dcf_relate_dx_1]		text
	821	[dcf_relate_dx_2]		text
	822	[dcf_relate_dx_3]		text
	823	[dcf_relate_dx_4]		text
	824	[dcf_relate_dx_5]		text
	825	[data_collection_form_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: EED (exercise_and_eating_disorders_questionnaire) **Enabled as survey**				
	826	[eed_physicalactive]	I enjoy being physical active.	radio, Required 0, Never 1, Rarely 2, Sometimes 3, Often 4, Usually 5, Always
	827	[eed_people]	I like to exercise with other people	radio, Required 0, Never 1, Rarely 2, Sometimes 3, Often

				4 Usually 5 Always
	828	[eed_attention]	If you're paying attention, please select "Often."	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Usually 5 Always
	829	[eed_healthy]	I am physically active to be healthy.	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Usually 5 Always
	830	[eed_tired]	I notice when I get tired.	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Usually 5 Always
	831	[eed_thirsty]	I notice when I get thirsty.	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Usually 5 Always
	832	[eed_hungry]	I notice when I get hungry.	radio, Required 0 Never

				1 Rarely 2 Sometimes 3 Often 4 Usually 5 Always
	833	[eed_fit]	I notice when I feel fit/in shape.	radio, Required 0 Never 1 Rarely 2 Sometimes 3 Often 4 Usually 5 Always
	834	[exercise_and_eating_disorders_questionnaire_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: TMFS (tmfs) **Enabled as survey**				
	835	[tmfs_self_eval]	I consider myself as...	radio, Required 1 Totally Masculine 2 Masculine 3 Somewhat Masculine 4 Neither Masculine nor Feminine 5 Somewhat Feminine 6 Feminine 7 Totally Feminine
	836	[tmfs_ideal]	Ideally, I would like to be...	radio, Required 1 Totally Masculine 2 Masculine 3 Somewhat Masculine 4 Neither Masculine nor Feminine 5 Somewhat Feminine 6 Feminine

				7 Totally Feminine
	837	[tmfs_interest]	Traditionally, my interests would be considered as...	radio, Required 1 Totally Masculine 2 Masculine 3 Somewhat Masculine 4 Neither Masculine nor Feminine 5 Somewhat Feminine 6 Feminine 7 Totally Feminine
	838	[tmfs_attitude]	Traditionally, my attitudes and beliefs would be considered as...	radio, Required 1 Totally Masculine 2 Masculine 3 Somewhat Masculine 4 Neither Masculine nor Feminine 5 Somewhat Feminine 6 Feminine 7 Totally Feminine
	839	[tmfs_behavior]	Traditionally, my behavior would be considered as...	radio, Required 1 Totally Masculine 2 Masculine 3 Somewhat Masculine 4 Neither Masculine nor Feminine 5 Somewhat Feminine 6 Feminine 7 Totally Feminine
	840	[tmfs_appearance]	Traditionally, my outer appearance would be considered as...	radio, Required 1 Totally Masculine 2 Masculine 3 Somewhat Masculine 4 Neither Masculine nor Feminine 5 Somewhat Feminine 6 Feminine

				7 Totally Feminine
	841	[tmfs_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: Intuitive Exercise Scale (intuitive_exercise_scale) **Enabled as survey**				
	842	[intuitive_when]	I trust my body to tell me when to exercise.	radio, Required 1 Strongly Disagree 2 Disagree 3 Neither Agree nor Disagree 4 Agree 5 Strongly Agree
	843	[intuitive_whattype]	I trust my body to tell me what type of exercise to do.	radio, Required 1 Strongly Disagree 2 Disagree 3 Neither Agree nor Disagree 4 Agree 5 Strongly Agree
	844	[intuitive_howmuch]	I trust my body to tell me how much exercise to do.	radio, Required 1 Strongly Disagree 2 Disagree 3 Neither Agree nor Disagree 4 Agree 5 Strongly Agree
	845	[intuitive_plan]	I incorporate a variety of physical activities into my exercise plan.	radio, Required 1 Strongly Disagree 2 Disagree 3 Neither Agree nor Disagree 4 Agree 5 Strongly Agree
	846	[intuitive_attention]	If you're paying attention, please select "Agree."	radio, Required 1 Strongly Disagree

				2 Disagree 3 Neither Agree nor Disagree 4 Agree 5 Strongly Agree
	847	[intuitive_diff_types]	I enjoy different types of physical activities when I exercise.	radio, Required 1 Strongly Disagree 2 Disagree 3 Neither Agree nor Disagree 4 Agree 5 Strongly Agree
	848	[intuitive_engage]	I engage in a variety of different types of exercise.	radio, Required 1 Strongly Disagree 2 Disagree 3 Neither Agree nor Disagree 4 Agree 5 Strongly Agree
	849	[intuitive_pain]	I stop exercising when I feel pain.	radio, Required 1 Strongly Disagree 2 Disagree 3 Neither Agree nor Disagree 4 Agree 5 Strongly Agree
	850	[intuitive_fatigued]	I stop exercising when I am fatigued.	radio, Required 1 Strongly Disagree 2 Disagree 3 Neither Agree nor Disagree 4 Agree 5 Strongly Agree
	851	[intuitive_tired]	When my body feels tired, I stop exercising.	radio, Required 1 Strongly Disagree 2 Disagree 3 Neither Agree nor Disagree

				4 Agree 5 Strongly Agree
	852	[intuitive_exercise_scale_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: Hypothetical Questions (hypothetical_questions) **Enabled as survey**				
	853	[hypothetical_directions]	Please read each scenario carefully and imagine that it is happening to you. For each scenario, you will be asked two questions: Whether you believe you would still find a way to engage in exercise in that situation. If yes: What is your intention in still finding a way to exercise? (select all that apply) Mental Health Routine Physical Fitness Weight Control Shape Control Other If the scenario prevented you from exercising, how bothered you would feel, rated on a scale from 0 to 10(0 = not at all bothered, 10 = extremely bothered). There are no right or wrong answers. Please respond based on what you believe you would realistically do or feel in each situation.	descriptive
	854	[hypo_1_sick]	Section Header: *Sickness / Feeling Unwell* You had a bad stomachache that persisted throughout the day, making it uncomfortable to exercise.	descriptive
	855	[hypo_1_sick_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 Yes 0 No
	856	[hypo_1_sick_intent] Show the field ONLY if: [hypo_1_sick_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 hypo_1_sick_intent___1 Mental Health 2 hypo_1_sick_intent___2 Routine 3 hypo_1_sick_intent___3 Physical Fitness 4 hypo_1_sick_intent___4 Weight Control 5 hypo_1_sick_intent___5 Shape Control 6 hypo_1_sick_intent___6 Other (please specify)
	857	[hypo_1_sick_intent_other] Show the field ONLY if: [hypo_1_sick_intent(6)] = '1'	Other (please specify):	text, Required
	858	[hypo_1_sick_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 0 - Not at all bothered 1 1

				2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 - Extremely bothered
	859	[hypo_2_sick]	You had a bad fever that lasted for 3 days, and during this time you were advised by your doctor not to exercise.	descriptive
	860	[hypo_2_sick_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 | Yes 0 | No
	861	[hypo_2_sick_intent] Show the field ONLY if: [hypo_2_sick_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 | hypo_2_sick_intent___1 | Mental Health 2 | hypo_2_sick_intent___2 | Routine 3 | hypo_2_sick_intent___3 | Physical Fitness 4 | hypo_2_sick_intent___4 | Weight Control 5 | hypo_2_sick_intent___5 | Shape Control 6 | hypo_2_sick_intent___6 | Other (please specify)
	862	[hypo_2_sick_intent_other] Show the field ONLY if: [hypo_2_sick_intent(6)] = '1'	Other (please specify):	text, Required
	863	[hypo_2_sick_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 | 0 - Not at all bothered 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7

				8 | 8 9 | 9 10 | 10 - Extremely bothered
	864	[hypo_3_sick]	You had bronchitis for one week, during which you could not engage in physical activity.	descriptive
	865	[hypo_3_sick_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 | Yes 0 | No
	866	[hypo_3_sick_intent] Show the field ONLY if: [hypo_3_sick_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 | hypo_3_sick_intent___1 | Mental Health 2 | hypo_3_sick_intent___2 | Routine 3 | hypo_3_sick_intent___3 | Physical Fitness 4 | hypo_3_sick_intent___4 | Weight Control 5 | hypo_3_sick_intent___5 | Shape Control 6 | hypo_3_sick_intent___6 | Other (please specify)
	867	[hypo_3_sick_intent_other] Show the field ONLY if: [hypo_3_sick_intent(6)] = '1'	Other (please specify):	text, Required
	868	[hypo_3_sick_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 | 0 - Not at all bothered 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 - Extremely bothered
	869	[hypo_4_sick]	You experienced fatigue from the flu for a month, and your healthcare provider recommended avoiding structured exercise for that entire month.	descriptive

	870	[hypo_4_sick_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 Yes 0 No
	871	[hypo_4_sick_intent] Show the field ONLY if: [hypo_4_sick_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 hypo_4_sick_intent___1 Mental Health 2 hypo_4_sick_intent___2 Routine 3 hypo_4_sick_intent___3 Physical Fitness 4 hypo_4_sick_intent___4 Weight Control 5 hypo_4_sick_intent___5 Shape Control 6 hypo_4_sick_intent___6 Other (please specify)
	872	[hypo_4_sick_intent_other] Show the field ONLY if: [hypo_4_sick_intent(6)] = '1'	Other (please specify):	text, Required
	873	[hypo_4_sick_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 0 - Not at all bothered 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 10 10 - Extremely bothered
	874	[hypo_1_injury]	Section Header: *Injury* You twisted your ankle at the beginning of a workout, which caused pain making it so you could not exercise for the rest of the day.	descriptive
	875	[hypo_1_injury_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 Yes 0 No
	876	[hypo_attention]	If you're paying attention, please select "Yes."	yesno, Required 1 Yes

				0 No
	877	[hypo_1_injury_intent] Show the field ONLY if: [hypo_1_injury_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 hypo_1_injury_intent___1 Mental Health 2 hypo_1_injury_intent___2 Routine 3 hypo_1_injury_intent___3 Physical Fitness 4 hypo_1_injury_intent___4 Weight Control 5 hypo_1_injury_intent___5 Shape Control 6 hypo_1_injury_intent___6 Other (please specify)
	878	[hypo_1_injury_intent_other] Show the field ONLY if: [hypo_1_injury_intent(6)] = '1'	Other (please specify):	text, Required
	879	[hypo_1_injury_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 0 - Not at all bothered 1 1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 9 10 10 - Extremely bothered
	880	[hypo_2_injury]	You suffered a mild muscle strain that required you to rest and avoid exercise for 3 days.	descriptive
	881	[hypo_2_injury_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 Yes 0 No
	882	[hypo_2_injury_intent] Show the field ONLY if: [hypo_2_injury_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 hypo_2_injury_intent___1 Mental Health 2 hypo_2_injury_intent___2 Routine 3 hypo_2_injury_intent___3 Physical Fitness 4 hypo_2_injury_intent___4 Weight Control

				5 | hypo_2_injury_intent___5 | Shape Control 6 | hypo_2_injury_intent___6 | Other (please specify)
	883	[hypo_2_injury_intent_other] Show the field ONLY if: [hypo_2_injury_intent(6)] = '1'	Other (please specify):	text, Required
	884	[hypo_2_injury_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 | 0 - Not at all bothered 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 - Extremely bothered
	885	[hypo_3_injury]	You have a minor ankle sprain that requires you to wear a brace and refrain from exercise for a week.	descriptive
	886	[hypo_3_injury_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 | Yes 0 | No
	887	[hypo_3_injury_intent] Show the field ONLY if: [hypo_3_injury_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 | hypo_3_injury_intent___1 | Mental Health 2 | hypo_3_injury_intent___2 | Routine 3 | hypo_3_injury_intent___3 | Physical Fitness 4 | hypo_3_injury_intent___4 | Weight Control 5 | hypo_3_injury_intent___5 | Shape Control 6 | hypo_3_injury_intent___6 | Other (please specify)
	888	[hypo_3_injury_intent_other] Show the field ONLY if: [hypo_3_injury_intent(6)] = '1'	Other (please specify):	text, Required

	889	[hypo_3_injury_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 - 0 - Not at all bothered 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 6 - 6 7 - 7 8 - 8 9 - 9 10 - 10 - Extremely bothered
	890	[hypo_4_injury]	You underwent surgery on your knee and have been advised to avoid exercise for one month while recovering.	descriptive
	891	[hypo_4_injury_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 - Yes 0 - No
	892	[hypo_4_injury_intent] Show the field ONLY if: [hypo_4_injury_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 - hypo_4_injury_intent___1 - Mental Health 2 - hypo_4_injury_intent___2 - Routine 3 - hypo_4_injury_intent___3 - Physical Fitness 4 - hypo_4_injury_intent___4 - Weight Control 5 - hypo_4_injury_intent___5 - Shape Control 6 - hypo_4_injury_intent___6 - Other (please specify)
	893	[hypo_4_injury_intent_other] Show the field ONLY if: [hypo_4_injury_intent(6)] = '1'	Other (please specify):	text, Required
	894	[hypo_4_injury_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 - 0 - Not at all bothered 1 - 1 2 - 2 3 - 3 4 - 4

				5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 - Extremely bothered
	895	[hypo_1_interfere]	Section Header: *Life Interference* You were planning to exercise right after school or work one day, but a class, meeting, or activity ran late and left you with no time.	descriptive
	896	[hypo_1_interfere_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 | Yes 0 | No
	897	[hypo_1_interfere_intent] Show the field ONLY if: [hypo_1_interfere_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 | hypo_1_interfere_intent___1 | Mental Health 2 | hypo_1_interfere_intent___2 | Routine 3 | hypo_1_interfere_intent___3 | Physical Fitness 4 | hypo_1_interfere_intent___4 | Weight Control 5 | hypo_1_interfere_intent___5 | Shape Control 6 | hypo_1_interfere_intent___6 | Other (please specify)
	898	[hypo_1_interfere_intent_other] Show the field ONLY if: [hypo_1_interfere_intent(6)] = '1'	Other (please specify):	text, Required
	899	[hypo_1_interfere_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 | 0 - Not at all bothered 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8

				9 | 9 10 | 10 - Extremely bothered
	900	[hypo_2_interfere]	You had a major group project due for school or work, and working with your group or team took up the time you would use to exercise for 3 days.	descriptive
	901	[hypo_2_interfere_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 | Yes 0 | No
	902	[hypo_2_interfere_intent] Show the field ONLY if: [hypo_2_interfere_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 | hypo_2_interfere_intent___1 | Mental Health 2 | hypo_2_interfere_intent___2 | Routine 3 | hypo_2_interfere_intent___3 | Physical Fitness 4 | hypo_2_interfere_intent___4 | Weight Control 5 | hypo_2_interfere_intent___5 | Shape Control 6 | hypo_2_interfere_intent___6 | Other (please specify)
	903	[hypo_2_interfere_intent_other] Show the field ONLY if: [hypo_2_interfere_intent(6)] = '1'	Other (please specify):	text, Required
	904	[hypo_2_interfere_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 | 0 - Not at all bothered 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 - Extremely bothered
	905	[hypo_3_interfere]	You had a week of heavy academic or work demands (e.g., exams, finals, major projects) and were unable to exercise at all during that time.	descriptive

	906	[hypo_3_interfere_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1, Yes 0, No
	907	[hypo_3_interfere_intent] Show the field ONLY if: [hypo_3_interfere_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1, hypo_3_interfere_intent___1, Mental Health 2, hypo_3_interfere_intent___2, Routine 3, hypo_3_interfere_intent___3, Physical Fitness 4, hypo_3_interfere_intent___4, Weight Control 5, hypo_3_interfere_intent___5, Shape Control 6, hypo_3_interfere_intent___6, Other (please specify)
	908	[hypo_3_interfere_intent_other] Show the field ONLY if: [hypo_3_interfere_intent(6)] = '1'	Other (please specify):	text, Required
	909	[hypo_3_interfere_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0, 0 - Not at all bothered 1, 1 2, 2 3, 3 4, 4 5, 5 6, 6 7, 7 8, 8 9, 9 10, 10 - Extremely bothered
	910	[hypo_4_interfere]	You started a new job or activity with a demanding schedule that leaves you with no time for workouts for a month.	descriptive
	911	[hypo_4_interfere_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1, Yes 0, No
	912	[hypo_4_interfere_intent] Show the field ONLY if:	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1, hypo_4_interfere_intent___1, Mental Health

		[hypo_4_interfere_1] = '1'		2 | hypo_4_interfere_intent___2 | Routine 3 | hypo_4_interfere_intent___3 | Physical Fitness 4 | hypo_4_interfere_intent___4 | Weight Control 5 | hypo_4_interfere_intent___5 | Shape Control 6 | hypo_4_interfere_intent___6 | Other (please specify)
	913	[hypo_4_interfere_intent_other] Show the field ONLY if: [hypo_4_interfere_intent(6)] = '1'	Other (please specify):	text, Required
	914	[hypo_4_interfere_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 | 0 - Not at all bothered 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 - Extremely bothered
	915	[hypo_1_social]	Section Header: *Social* You had plans to exercise, but your friend invited you to a spontaneous outing that day.	descriptive
	916	[hypo_1_social_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 | Yes 0 | No
	917	[hypo_1_social_intent] Show the field ONLY if: [hypo_1_social_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 | hypo_1_social_intent___1 | Mental Health 2 | hypo_1_social_intent___2 | Routine 3 | hypo_1_social_intent___3 | Physical Fitness 4 | hypo_1_social_intent___4 | Weight Control 5 | hypo_1_social_intent___5 | Shape Control

				6 | hypo_1_social_intent___6 | Other (please specify)
	918	[hypo_1_social_intent_other] Show the field ONLY if: [hypo_1_social_intent(6)] = '1'	Other (please specify):	text, Required
	919	[hypo_1_social_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 | 0 - Not at all bothered 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 - Extremely bothered
	920	[hypo_2_social]	You went on a weekend trip with friends and didn't have time to exercise during those 3 days.	descriptive
	921	[hypo_2_social_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 | Yes 0 | No
	922	[hypo_2_social_intent] Show the field ONLY if: [hypo_2_social_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 | hypo_2_social_intent___1 | Mental Health 2 | hypo_2_social_intent___2 | Routine 3 | hypo_2_social_intent___3 | Physical Fitness 4 | hypo_2_social_intent___4 | Weight Control 5 | hypo_2_social_intent___5 | Shape Control 6 | hypo_2_social_intent___6 | Other (please specify)
	923	[hypo_2_social_intent_other] Show the field ONLY if: [hypo_2_social_intent(6)] = '1'	Other (please specify):	text, Required
	924	[hypo_2_social_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 | 0 - Not at all bothered

				1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 - Extremely bothered
	925	[hypo_3_social]	You were on a week-long family trip where there was no time or location to exercise.	descriptive
	926	[hypo_3_social_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 | Yes 0 | No
	927	[hypo_3_social_intent] Show the field ONLY if: [hypo_3_social_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 | hypo_3_social_intent___1 | Mental Health 2 | hypo_3_social_intent___2 | Routine 3 | hypo_3_social_intent___3 | Physical Fitness 4 | hypo_3_social_intent___4 | Weight Control 5 | hypo_3_social_intent___5 | Shape Control 6 | hypo_3_social_intent___6 | Other (please specify)
	928	[hypo_3_social_intent_other] Show the field ONLY if: [hypo_3_social_intent(6)] = '1'	Other (please specify):	text, Required
	929	[hypo_3_social_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 | 0 - Not at all bothered 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6

				7 | 7 8 | 8 9 | 9 10 | 10 - Extremely bothered
	930	[hypo_4_social]	You took a month-long vacation with friends, and the schedule was packed with events and gatherings, leaving little time for exercise.	descriptive
	931	[hypo_4_social_1]	In this scenario, do you believe you would still find a way to engage in exercise?	yesno, Required 1 | Yes 0 | No
	932	[hypo_4_social_intent] Show the field ONLY if: [hypo_4_social_1] = '1'	What is your intention in still finding a way to exercise? (select all that apply)	checkbox, Required 1 | hypo_4_social_intent___1 | Mental Health 2 | hypo_4_social_intent___2 | Routine 3 | hypo_4_social_intent___3 | Physical Fitness 4 | hypo_4_social_intent___4 | Weight Control 5 | hypo_4_social_intent___5 | Shape Control 6 | hypo_4_social_intent___6 | Other (please specify)
	933	[hypo_4_social_intent_other] Show the field ONLY if: [hypo_4_social_intent(6)] = '1'	Other (please specify):	text, Required
	934	[hypo_4_social_2]	If this scenario made it so that you could not exercise, rate to what degree this scenario would bother you?	radio, Required 0 | 0 - Not at all bothered 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 7 | 7 8 | 8 9 | 9 10 | 10 - Extremely bothered
	935	[hypothetical_questions_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete

				1 Unverified 2 Complete
Instrument: Exercise Motivations Inventory (EMI-2) (exercise_motivations_inventory_emi2) **Enabled as survey**				
	936	[emi_intro]	Here are a number of statements concerning the reasons people often give when asked why they exercise. Whether you currently exercise regularly or not, please read each statement carefully and indicate, by selecting the appropriate number, whether or not each statement is true for you personally, or would be true for you personally if you did exercise. If you do not consider a statement to be true for you at all, select the '0'. If you think that a statement is very true for you indeed, select the '5'. If you think that a statement is partly true for you, then select the '1', '2', '3' or '4', according to how strongly you feel that it reflects why you exercise or might exercise.Remember, we want to know why you personally choose to exercise or might choose to exercise, not whether you think the statements are good reasons for anybody to exercise.	descriptive
	937	[emi_1]	Section Header: *Personally, I exercise (or might exercise) ...* To stay slim	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	938	[emi_2]	To avoid ill-health	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	939	[emi_3]	Because it makes me feel good	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4

				5 - Very true for me
	940	[emi_4]	To help me look younger	radio (Matrix), Required 0 - Not at all true for me 1 2 3 4 5 - Very true for me
	941	[emi_5]	To show my worth to others	radio (Matrix), Required 0 - Not at all true for me 1 2 3 4 5 - Very true for me
	942	[emi_6]	To give me space to think	radio (Matrix), Required 0 - Not at all true for me 1 2 3 4 5 - Very true for me
	943	[emi_7]	To have a healthy body	radio (Matrix), Required 0 - Not at all true for me 1 2 3 4 5 - Very true for me
	944	[emi_8]	To build up my strength	radio (Matrix), Required 0 - Not at all true for me 1

				2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	945	[emi_9]	Because I enjoy the feeling of exerting myself	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	946	[emi_10]	To spend time with friends	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	947	[emi_11]	Because my doctor advised me to exercise	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	948	[emi_12]	Because I like trying to win in physical activities	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me

	949	[emi_13]	To stay/become more agile	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	950	[emi_14]	To give me goals to work towards	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	951	[emi_15]	To lose weight	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	952	[emi_16]	To prevent health problems	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	953	[emi_17]	Because I find exercise invigorating	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2

				3 | 3 4 | 4 5 | 5 - Very true for me
	954	[emi_18]	To have a good body	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	955	[emi_19]	To compare my abilities with other peoples'	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	956	[emi_20]	Because it helps to reduce tension	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	957	[emi_21]	Because I want to maintain good health	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	958	[emi_22]	To increase my endurance	radio (Matrix), Required

				0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	959	[emi_23]	Because I find exercising satisfying in and of itself	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	960	[emi_24]	To enjoy the social aspects of exercising	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	961	[emi_25]	To help prevent an illness that runs in my family	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	962	[emi_26]	Because I enjoy competing	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3

				4 | 4 5 | 5 - Very true for me
	963	[emi_27]	To maintain flexibility	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	964	[emi_28]	To give me personal challenges to face	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	965	[emi_29]	To help control my weight	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	966	[emi_30]	To avoid heart disease	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	967	[emi_31]	To recharge my batteries	radio (Matrix), Required 0 | 0 - Not at all true for me

				1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	968	[emi_32]	To improve my appearance	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	969	[emi_33]	To gain recognition for my accomplishments	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	970	[emi_34]	To help manage stress	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	971	[emi_35]	To feel more healthy	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4

				5 - 5 - Very true for me
	972	[emi_attention]	Select "2."	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	973	[emi_36]	To get stronger	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	974	[emi_37]	For enjoyment of the experience of exercising	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	975	[emi_38]	To have fun being active with other people	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	976	[emi_39]	To help recover from an illness/injury	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1

				2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	977	[emi_40]	Because I enjoy physical competition	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	978	[emi_41]	To stay/become flexible	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	979	[emi_42]	To develop personal skills	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	980	[emi_43]	Because exercise helps me to burn calories	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me

	981	[emi_44]	To look more attractive	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	982	[emi_45]	To accomplish things that others are incapable of	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	983	[emi_46]	To release tension	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	984	[emi_47]	To develop my muscles	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2 3 - 3 4 - 4 5 - 5 - Very true for me
	985	[emi_48]	Because I feel at my best when exercising	radio (Matrix), Required 0 - 0 - Not at all true for me 1 - 1 2 - 2

				3 | 3 4 | 4 5 | 5 - Very true for me
	986	[emi_49]	To make new friends	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	987	[emi_50]	Because I find physical activities fun, especially when competition is involved	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	988	[emi_51]	To measure myself against personal standards	radio (Matrix), Required 0 | 0 - Not at all true for me 1 | 1 2 | 2 3 | 3 4 | 4 5 | 5 - Very true for me
	989	[exercise_motivations_inventory_emi2_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete 1 | Unverified 2 | Complete
Instrument: Godin Leisure-Time Exercise Questionnaire (godin_leisuretime_exercise_questionnaire)				**Enabled as survey**
	990	[gold_instructions]	During a typical 7-day period (a week), how many times on average do you do the following kinds of exercise for more than 15 minutes during your free time?	descriptive

	991	[gold_strenous]	How many times per week do you do strenuous exercise? Heartbeats rapidly (e.g., running, jogging, hockey, football, soccer, squash, basketball, cross-country skiing, judo, roller skating, vigorous swimming, vigorous long-distance bicycling)	text (number), Required
	992	[gold_moderate]	How many times per week do you do moderate exercise? Not exhausting (e.g., fast walking, baseball, tennis, easy bicycling, volleyball, badminton, easy swimming, alpine skiing, popular and folk dancing)	text (number), Required
	993	[gold_mild]	How many times per week do you do mild/light exercise? Minimal effort (e.g., yoga, archery, fishing from the river bank, bowling, horseshoes, golf, snowmobiling, easy walking)	text (number), Required
	994	[godin_leisuretime_exercise_questionnaire_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: Eating Habits Questionnaire (EHQ) (ehq_orthorexia) **Enabled as survey**				
	995	[ehq_1]	I must follow a strict method of food preparation	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	996	[ehq_2]	I feel anxious if I eat impure foods	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	997	[ehq_3]	I feel like I must make my body look healthier	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	998	[ehq_4]	My healthy eating is a significant source of stress in my relationships	radio, Required 1 False, not at all true

				2 Slightly True 3 Mainly True 4 Very true
	999	[ehq_5]	I would feel guilty if I consumed unhealthy foods	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1000	[ehq_6]	I follow my dietary rules to avoid feeling stressed about consuming unhealthy	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1001	[ehq_7]	I follow a health-food diet rigidly	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1002	[ehq_8]	I punish myself if I don't follow my health-food diet	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1003	[ehq_9]	I feel ashamed of myself if I consume unhealthy foods	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1004	[ehq_10]	I spend more than three hours a day thinking about healthy food	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True

				4 Very true
	1005	[ehq_11]	I loathe myself if I eat unhealthy foods not in my diet	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1006	[ehq_12]	I removed entire food groups from my diet because I needed to eat healthier	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1007	[ehq_13]	I am concerned about how healthy my body looks	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1008	[ehq_14]	I believe following my dietary rules will make my body look healthy	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1009	[ehq_15]	Fasting after violating my dietary rules makes me feel healthier	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1010	[ehq_16]	I must thoroughly check the contents of food	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1011	[ehq_17]	If I violate my dietary rules, I must exercise to feel healthy	radio, Required

				1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1012	[ehq_18]	I feel safer when I prepare my own meals rather than eating out at a restaurant	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1013	[ehq_attention]	If you're paying attention, select "Mainly True"	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1014	[ehq_19]	It is important to me that my body looks healthy	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1015	[ehq_20]	I follow a diet with many rules.	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1016	[ehq_21]	I spend over two hours a day checking my body for a healthful appearance	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1017	[ehq_22]	If I violate my dietary rules, I worry that I won't look healthy	radio, Required 1 False, not at all true 2 Slightly True

				3 Mainly True 4 Very true
	1018	[ehq_23]	If I violate my dietary rules, I must increase the number of rules I have	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1019	[ehq_24]	I have spent more time than anyone else researching healthy foods	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1020	[ehq_25]	When I follow my dietary rules, I feel good about my body looking healthy	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1021	[ehq_26]	I feel in control of my health when I follow my dietary rules	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1022	[ehq_27]	I only eat what my diet allows	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1023	[ehq_28]	I am scared that violating my dietary rules will make my body look unhealthy	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true

	1024	[ehq_29]	If I violate my dietary rules, I must commence a cleanse to remain healthy	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1025	[ehq_30]	I constantly think about eating healthily	radio, Required 1 False, not at all true 2 Slightly True 3 Mainly True 4 Very true
	1026	[ehq_orthorexia_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: AED Continuous (aed_continuous) **Enabled as survey**				
	1027	[aed_30min_money_cont]	Imagine you had planned to exercise for 30 minutes. What is the smallest amount of money someone could offer you to skip that workout instead (0 to 100)?	slider (number, Min: 0, Max: 100), Required Slider labels: 0, , 100 Custom alignment: RH
	1028	[aed_1hr_money_cont]	Imagine you had planned to exercise for 1 hour. What is the smallest amount of money someone could offer you to skip that workout instead (0 to 100)(0 to 100)?	slider (number, Min: 0, Max: 100), Required Slider labels: 0, , 100 Custom alignment: RH
	1029	[aed_30min_cal_cont]	You are offered the opportunity to exercise for 30 minutes, but you must consume a snack beforehand. What is the maximum number of calories you would be willing to consume in order to exercise (0 to 500)?	slider (number, Min: 0, Max: 500), Required Slider labels: 0, , 500 Custom alignment: RH
	1030	[aed_1hr_cal_cont]	You are offered the opportunity to exercise for 1 hour, but you must consume a snack beforehand. What is the maximum number of calories you would be willing to consume in order to exercise (0 to 500)?	slider (number, Min: 0, Max: 500), Required Slider labels: 0, , 500 Custom alignment: RH
	1031	[aed_continuous_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: Exercise Beliefs Questionnaire (EBQ) (ebq) **Enabled as survey**				
	1032	[ebq_instructions]	Please read each statement and indicate how much you generally believe each item, by rating each belief on a scale ranging from 0-100	descriptive

			0 = "I do not believe this thought at all" 100 = "I am completely convinced this thought is true"	
	1033	[ebq_brain]	If I do not exercise my brain will become unhealthy.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1034	[ebq_inferior]	If I do not exercise I will be inferior compared to others.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1035	[edeq_confident]	If I do not exercise I will have nothing to feel confident about.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1036	[ebq_uninteresting]	If I do not exercise I will be an uninteresting person.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1037	[ebq_old]	If I do not exercise I will grow old early.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1038	[ebq_disease]	If I do not exercise I will be vulnerable to disease.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1039	[ebq_social_inadequate]	If I do not exercise I will be socially inadequate.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1040	[ebq_lose_motivation]	If I do not exercise I will lose all my motivation.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1041	[ebq_overweight]	If I do not exercise I will become overweight.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1042	[ebq_bad]	If I do not exercise people will think bad of me.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1043	[ebq_productive]	If I do not exercise I will not be productive.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1044	[ebq_not_have]	If I do not exercise I will not be able to have what other people have.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1045	[ebq_unable_think]	If I do not exercise I will be unable to think properly.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH

	1046	[ebq_critical]	If I do not exercise I will be critical of others.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1047	[ebq_sex_unattract]	If I do not exercise I will be sexually unattractive.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1048	[ebq_cope]	If I do not exercise I will not be able to cope with my feelings.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1049	[ebq_function]	If I do not exercise I will not be able to function efficiently.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1050	[ebq_aggression]	If I do not exercise I will not be able to control my aggression.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1051	[ebq_look_bad]	If I do not exercise I will look bad.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1052	[ebq_body_bad]	If I do not exercise my body will turn bad.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1053	[ebq_work_effective]	If I do not exercise I will not be able to work efficiently.	slider (number, Min: 0, Max: 100), Required Slider labels: 0, 50, 100 Custom alignment: RH
	1054	[ebq_complete]	Section Header: *Form Status* Complete?	dropdown 0, Incomplete 1, Unverified 2, Complete
Instrument: EDI Drive For Thinness (edi_drive_for_thinness) **Enabled as survey**				
	1055	[edi_description]	For each item, decide if the item is true about you always, usually, often, sometimes, rarely, or never.	descriptive
	1056	[edi_sweets]	I eat sweets and carbohydrates without feeling nervous	radio, Required 0, Always 1, Usually 2, Often 3, Sometimes 4, Never or Rarely
	1057	[edi_dieting]	I think about dieting	radio, Required

				4 Always 3 Usually 2 Often 1 Sometimes 0 Never or Rarely
	1058	[edi_guilty]	I feel extremely guilty after overeating	radio, Required 4 Always 3 Usually 2 Often 1 Sometimes 0 Never or Rarely
	1059	[edi_terrified]	I am terrified of gaining weight	radio, Required 4 Always 3 Usually 2 Often 1 Sometimes 0 Never or Rarely
	1060	[edi_exaggerate]	I exaggerate or magnify the importance of weight	radio, Required 4 Always 3 Usually 2 Often 1 Sometimes 0 Never or Rarely
	1061	[edi_attention]	Select 'Usually' if you are paying attention	radio, Required 4 Always 3 Usually 2 Often 1 Sometimes 0 Never or Rarely
	1062	[edi_preoccupied]	I am preoccupied with the desire to be thinner	radio, Required 4 Always 3 Usually

				2 Often 1 Sometimes 0 Never or Rarely
	1063	[edi_pound]	If I gain a pound, I worry that I will keep gaining	radio, Required 4 Always 3 Usually 2 Often 1 Sometimes 0 Never or Rarely
	1064	[edi_total]	EDI Total	calc Calculation: sum([edi_sweets],[edi_dieting],[edi_guilty], [edi_terrified],[edi_exaggerate],[edi_attention], [edi_preoccupied],[edi_pound]) Field Annotation: @HIDDEN-SURVEY
	1065	[edi_drive_for_thinness_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instrument: EAI (exercise_addiction_inventory) **Enabled as survey**				
	1066	[eai_importance]	Exercise is the most important thing in my life.	radio, Required 1 1 - Strongly disagree 2 2 3 3 4 4 5 5 6 6 - Strongly agree
	1067	[eai_concerns]	Concerns have arisen between me and my family and/or my partner about the amount of exercise I do.	radio, Required 1 1 - Strongly disagree 2 2 3 3 4 4 5 5 6 6 - Strongly agree

	1068	[eai_mood]	I use exercise as a way of changing my mood (e.g., to get a buzz, to escape, etc.).	radio, Required 1 - 1 - Strongly disagree 2 - 2 3 - 3 4 - 4 5 - 5 6 - 6 - Strongly agree
	1069	[eai_increased]	Over time I have increased the amount of exercise I do in a day.	radio, Required 1 - 1 - Strongly disagree 2 - 2 3 - 3 4 - 4 5 - 5 6 - 6 - Strongly agree
	1070	[eai_moody]	If I have to miss an exercise session, I feel moody and irritable.	radio, Required 1 - 1 - Strongly disagree 2 - 2 3 - 3 4 - 4 5 - 5 6 - 6 - Strongly agree
	1071	[eai_exercise_more]	If I cut down the amount of exercise I do and then start again, I always end up exercising as often as I did before.	radio, Required 1 - 1 - Strongly disagree 2 - 2 3 - 3 4 - 4 5 - 5 6 - 6 - Strongly agree
	1072	[eai_training]	I feel guilty if I miss planned training or if my training does not go as well as planned.	radio, Required 1 - 1 - Strongly disagree 2 - 2 3 - 3

				4 | 4 5 | 5 6 | 6 - Strongly agree
	1073	[eai_injury]	I am inclined to train when (or before completely recovered from) illness or injury.	radio, Required 1 | 1 - Strongly disagree 2 | 2 3 | 3 4 | 4 5 | 5 6 | 6 - Strongly agree
	1074	[exercise_addiction_inventory_complete]	Section Header: *Form Status* Complete?	dropdown 0 | Incomplete 1 | Unverified 2 | Complete
Instrument: EDE-Q6 (edeq) **Enabled as survey**				
	1075	[edeq_instructions]	Instructions: The following questions are concerned with the past four weeks (28 days) only. Please read each question carefully. Please answer all the questions. Thank you. Questions 1 to 12: Please click the appropriate number on the right. Remember that the questions only refer to the past four weeks (28 days) only.	descriptive
	1076	[edeq_limit]	Section Header: *On how many of the past 28 days...* 1. Have you been deliberately trying to limit the amount of food you eat to influence your shape or weight (whether or not you have succeeded)?	radio (Matrix), Required 0 | No Days 1 | 1-5 Days 2 | 6-12 Days 3 | 13-15 Days 4 | 16-22 Days 5 | 23-27 Days 6 | Every Day
	1077	[edeq_fast]	2. Have you gone for long periods of time (8 waking hours or more) without eating anything at all in order to influence your shape or weight?	radio (Matrix), Required 0 | No Days 1 | 1-5 Days

				2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1078	[edeq_exclude]	3. Have you tried to exclude from your diet any foods that you like in order to influence your shape or weight (whether or not you have succeeded)?	radio (Matrix), Required 0 No Days 1 1-5 Days 2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1079	[edeq_rules]	4. Have you tried to follow definite rules regarding your eating (for example, a calorie limit) in order to influence your shape or weight (whether or not you have succeeded)?	radio (Matrix), Required 0 No Days 1 1-5 Days 2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1080	[edeq_empty]	5. Have you had a definite desire to have an empty stomach with the aim of influencing your shape or weight?	radio (Matrix), Required 0 No Days 1 1-5 Days 2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1081	[edeq_flat]	6. Have you had a definite desire to have a totally flat stomach?	radio (Matrix), Required 0 No Days 1 1-5 Days

				2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1082	[edeq_think_food]	7. Has thinking about food, eating or calories made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?	radio (Matrix), Required 0 No Days 1 1-5 Days 2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1083	[edeq_think_shapeweight]	8. Has thinking about shape or weight made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?	radio (Matrix), Required 0 No Days 1 1-5 Days 2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1084	[edeq_lose_control]	9. Have you had a definite fear of losing control over eating?	radio (Matrix), Required 0 No Days 1 1-5 Days 2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1085	[edeq_attention]	Select "No Days" if you're paying attention.	radio (Matrix), Required 0 No Days 1 1-5 Days

				2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1086	[edeq_gain_weight]	10. Have you had a definite fear that you might gain weight?	radio (Matrix), Required 0 No Days 1 1-5 Days 2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1087	[edeq_fat]	11. Have you felt fat?	radio (Matrix), Required 0 No Days 1 1-5 Days 2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1088	[edeq_lose_weight]	12. Have you had a strong desire to lose weight?	radio (Matrix), Required 0 No Days 1 1-5 Days 2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1089	[edeq_instructions_13_18]	Questions 13-18: Please fill in the appropriate number in the boxes on the right. Remember that the questions only refer to the past four weeks (28 days).	descriptive

			Over the past four weeks (28 days)….	
	1090	[edeq_large_food]	13. Over the past 28 days, how many times have you eaten what other people would regards as an unusually large amount of food (given the circumstances)?	text (number, Min: 0, Max: 28), Required
	1091	[edeq_lost_control_eat]	14. … On how many of these times did you have a sense of having lost control over your eating (at the time you were eating)?	text (number, Min: 0, Max: 28), Required
	1092	[edeq_overeating]	15. Over the past 28 days, on how many DAYS have such episodes of overeating occurred (i.e. you have eaten an unusually large amount of food and have had a sense of loss of control at the time)?	text (number, Min: 0, Max: 28), Required
	1093	[edeq_vomit]	16. Over the past 28 days, how many times have you made yourself sick (vomit) as a means of controlling your shape or weight?	text (number, Min: 0, Max: 28), Required
	1094	[edeq_laxatives]	17. Over the past 28 days, how many times have you taken laxatives as a means of controlling your shape or weight?	text (number, Min: 0, Max: 28), Required
	1095	[edeq_driven]	18. Over the past 28 days, how many times have you exercised in a "driven" or "compulsive" way as a means of controlling your weight, shape or amount of fat, or to burn off calories?	text (number, Min: 0, Max: 28), Required
	1096	[edeq_instructions_19_21]	Questions 19 to 21: Please click the appropriate number. Please note that for these questions the term "binge eating" means eating what others would regard as an unusually large amount of food for the circumstances, accompanied by a sense of having lost control over eating.	descriptive
	1097	[edeq_secret]	19. Over the past 28 days, on how many days have you eaten in secret (ie, furtively)? … Do not count episodes of binge eating.	radio, Required 0 No Days 1 1-5 Days 2 6-12 Days 3 13-15 Days 4 16-22 Days 5 23-27 Days 6 Every Day
	1098	[edeq_guilty]	20. On what proportion of the times that you have eaten have you felt guilty (felt that you've done wrong) because of its effect on your shape or weight? Do not count episodes of binge eating.	radio, Required 0 None of the time 1 A few of the times

				2 Less than half 3 Half of the times 4 More than half 5 Most of the time 6 Every time
	1099	[edeq_eat_public]	21. Over the past 28 days, how concerned have you been about other people seeing you eat? Do not count episodes of binge eating.	radio, Required 0 Not at all 1 1 2 Slightly 3 3 4 Moderately 5 5 6 Markedly
	1100	[edeq_instructions_22_28]	Questions 22 to 28: Please select the appropriate number on the right. Remember that the questions only refer to the past four weeks (28 days).	descriptive
	1101	[edeq_weight_judge]	Section Header: *ON HOW MANY OVER THE PAST 28 DAYS ...* 22. Has your weight influenced how you think about (judge) yourself as a person?	radio (Matrix), Required 0 0 - Not at all 1 1 2 2 - Slightly 3 3 4 4 - Moderately 5 5 6 6 - Markedly
	1102	[edeq_shape_judge]	23. Has your shape influenced how you think about (judge) yourself as a person?	radio (Matrix), Required 0 0 - Not at all 1 1 2 2 - Slightly 3 3 4 4 - Moderately 5 5 6 6 - Markedly

	1103	[edeq_weigh]	24. How much would it have upset you if you had been asked to weigh yourself once a week (no more, or less, often) for the next four weeks?	radio (Matrix), Required 0 - 0 - Not at all 1 - 1 2 - 2 - Slightly 3 - 3 4 - 4 - Moderately 5 - 5 6 - 6 - Markedly
	1104	[edeq_weight]	25. How dissatisfied have you been with your weight?	radio (Matrix), Required 0 - 0 - Not at all 1 - 1 2 - 2 - Slightly 3 - 3 4 - 4 - Moderately 5 - 5 6 - 6 - Markedly
	1105	[edeq_shape]	26. How dissatisfied have you been with your shape?	radio (Matrix), Required 0 - 0 - Not at all 1 - 1 2 - 2 - Slightly 3 - 3 4 - 4 - Moderately 5 - 5 6 - 6 - Markedly
	1106	[edeq_your_body]	27. How uncomfortable have you felt seeing your body (for example, seeing your shape in the mirror, in a shop window reflection, while undressing or taking a bath or shower)?	radio (Matrix), Required 0 - 0 - Not at all 1 - 1 2 - 2 - Slightly 3 - 3 4 - 4 - Moderately 5 - 5 6 - 6 - Markedly

	1107	[edeq_others_body]	28. How uncomfortable have you felt about others seeing your shape or figure (for example, in communal changing rooms, when swimming, or wearing tight clothes)?	radio (Matrix), Required 0 - 0 - Not at all 1 - 1 2 - 2 - Slightly 3 - 3 4 - 4 - Moderately 5 - 5 6 - 6 - Markedly
	1108	[edeq_complete]	Section Header: *Form Status* Complete?	dropdown 0 - Incomplete 1 - Unverified 2 - Complete
Instrument: Study Recruitment & Resources (study_recruitment_resources) **Enabled as survey**				
	1109	[end_thanks]	Thank you for your participation! You will receive 2 SONA credits for your time, but this may take a few days so please be patient. Please contact Edily Infante Santos if you have further questions regarding your SONA credits at edily.infantesantos@austin.utexas.edu Do not repeat this study's survey if you have already completed it, as it should only be taken once per person. Please see below for mental health resources and additional studies in the EMBARK Lab.	descriptive
	1110	[ut_resources]	Are you interested in mental health resources?	descriptive (Attachment: Mental Health Resources UT .png, Display format: Inline image/PDF)
	1111	[resource_pdf]	Download mental health resources here:	descriptive (Attachment: Mental Health Resources UT .pdf, Display format: Link)
	1112	[other_studies]	Are you interested in participating in other studies with the EMBARK Lab? See below or contact us at embarklab@austin.utexas.edu MAXED Study: Maxed is a compensated study investigating exercise responses within young women with eating disorders through take-home surveys, exercise, and food activities. Are you Eligible? Female ages 16-25? Do you restrict the amount or types of food that you eat? Are you able to exercise? Able to attend in-person visits at UT Austin? Want up to $150 compensation and to learn more? Fill out THIS FORM! POWERED Study: Powered is a fully virtual compensated study	descriptive

			investigating an interview-based tool to determine individualized weights. Are you Eligible? Females ages 14-22? No major medical conditions? Speak and understand English? If you have a prior or current eating disorder OR have symptoms of disordered eating Want up to $100 compensation and to learn more? Fill out THIS FORM!	
	1113	[study_recruitment_resources_complete]	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete