mcu-core



File: mcu-core.kicad_sch

power



File: power.kicad_sch

can-transceiver



File: can-transceiver.kicad_sch

io-connectors




File: io-connectors.kicad_sch


Root / block diagram

Sheet: /
File: som.kicad_sch


Title: BeagleConnect Torque – Root / block diagram

Size: USLetter	Date: 2026-08-06	**Rev: A**
KiCad E.D.A. 10.0.6		Id: 1/5






U1B
XAM13E23019GTPZ



U1C
XAM13E23019GTPZ




U1D
XAM13E23019GTPZ

XAM13E SoM core: MCU, crystal, decoupling

Sheet: /mcu-core/
File: mcu-core.kicad_sch

Title: BeagleConnect Torque – MCU core

Size: USLetter	Date: 2026-08-06	**Rev: A**
KiCad E.D.A. 10.0.6		Id: 2/5




CAN transceiver, split termination and ESD protection

Sheet: /can-transceiver/
File: can-transceiver.kicad_sch

Title: BeagleConnect Torque – CAN transceiver

Size: USLetter	Date: 2026-08-06	**Rev: A**
KiCad E.D.A. 10.0.6		Id: 5/5





SoM IO connectors: SWD debug, CAN bus, module IO


Sheet: /io-connectors/
File: io-connectors.kicad_sch

Title: BeagleConnect Torque – IO connectors

Size: USLetter	Date: 2026-08-06	**Rev: A**
KiCad E.D.A. 10.0.6		Id: 6/5







SoM power: VBAT buck to 5V, low-noise LDOs for analog/digital 3V3

Sheet: /power/
File: power.kicad_sch

Title: BeagleConnect Torque – Power

Size: USLetter	Date: 2026-08-06	**Rev: A**
KiCad E.D.A. 10.0.6		Id: 7/5