KAIZEN MATHS


Lesson starter

Pythagoras' Theorem

Missing Sides

Name _____

SA1



Find a.

GEO-CAEC-L1 · SA

Show your working

KAIZEN MATHS


Lesson starter

Pythagoras' Theorem

Missing Sides

Name _____

SB1



Find x.

GEO-CAEC-L1 · SB

Show your working

KAIZEN MATHS


Lesson starter

Pythagoras' Theorem

Missing Sides

Name _____

SC1



Find a.

GEO-CAEC-L1 · SC

Show your working

KAIZEN MATHS


Lesson starter

Pythagoras' Theorem

Missing Sides

Name _____

SD1



Find a.

GEO-CAEC-L1 · SD

Show your working

KAIZEN MATHS


Exit ticket

Pythagoras' Theorem

Missing Sides

Name _____

EA1



Find a.

Show your working

KAIZEN MATHS


Exit ticket

Pythagoras' Theorem

Missing Sides

Name _____

EB1



Find h.

Show your working

KAIZEN MATHS


Exit ticket

Pythagoras' Theorem

Missing Sides

Name _____

EC1



Find a.

Show your working

KAIZEN MATHS


Exit ticket

Pythagoras' Theorem

Missing Sides

Name _____

EA1



Find a.


Show your working

Teacher answers & working

Pythagoras' Theorem · Missing Sides

GEO-CAEC-L1 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

SA1



Find a.

Answer:

$a = 25$ cm

Working:

Use $a^2 + b^2 = c^2$.

$a^2 = 7^2 + 24^2$

$a^2 = 49 + 576 = 625$

$a = \sqrt{625} = 25$


$a = 25$ cm.

Teacher answers & working

Pythagoras' Theorem · Missing Sides

GEO-CAEC-L1 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

SB1



Find x.

Answer:

$x = 5$ mm

Working:

Use $a^2 + b^2 = c^2$.

x^2 = hypotenuse^2 - known side^2

$x^2 = 13^2 - 12^2$

$x^2 = 169 - 144 = 25$

$x = \sqrt{25} = 5$


$x = 5$ mm.

Teacher answers & working

Pythagoras' Theorem · Missing Sides

GEO-CAEC-L1 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

SC1



Find a.

Answer:

$a = 15$ mm

Working:

Use $a^2 + b^2 = c^2$.

$a^2 = 9^2 + 12^2$

$a^2 = 81 + 144 = 225$

$a = \sqrt{225} = 15$


$a = 15$ mm.

Teacher answers & working

Pythagoras' Theorem · Missing Sides

GEO-CAEC-L1 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

SD1



Find a.

Answer:

$a = 12$ m

Working:

Use $a^2 + b^2 = c^2$.

a^2 = hypotenuse^2 - known side^2

$a^2 = 15^2 - 9^2$

$a^2 = 225 - 81 = 144$

$a = \sqrt{144} = 12$


$a = 12$ m.

Teacher answers & working

Pythagoras' Theorem · Missing Sides

GEO-CAEC-L1 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

EA1



Find a.

Answer:

$a = 25$ m

Working:

Use $a^2 + b^2 = c^2$.

$a^2 = 7^2 + 24^2$

$a^2 = 49 + 576 = 625$

$a = \sqrt{625} = 25$


$a = 25$ m.

Teacher answers & working

Pythagoras' Theorem · Missing Sides

GEO-CAEC-L1 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

EB1



Find h.

Answer:

$h = 3$ mm

Working:

Use $a^2 + b^2 = c^2$.

h^2 = hypotenuse^2 - known side^2

$h^2 = 5^2 - 4^2$

$h^2 = 25 - 16 = 9$

$h = \sqrt{9} = 3$


$h = 3$ mm.

Teacher answers & working

Pythagoras' Theorem · Missing Sides

GEO-CAEC-L1 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

EC1



Find a.

Answer:

$a = 20$ mm

Working:

Use $a^2 + b^2 = c^2$.

$a^2 = 12^2 + 16^2$

$a^2 = 144 + 256 = 400$

$a = \sqrt{400} = 20$

$a = 20$ mm.