KAIZEN MATHS


Lesson starter

Right-Angled Trigonometry

Missing Angles

Name _____

SA1



Find θ

GEO-68E5-L3 · SA

Show your working

KAIZEN MATHS


Lesson starter

Right-Angled Trigonometry

Missing Angles

Name _____

SB1



Find θ

GEO-68E5-L3 · SB

Show your working

KAIZEN MATHS


Lesson starter

Right-Angled Trigonometry

Missing Angles

Name _____

SC1



Find θ

GEO-68E5-L3 · SC

Show your working

KAIZEN MATHS


Lesson starter

Right-Angled Trigonometry

Missing Angles

Name _____

SD1



Find θ

GEO-68E5-L3 · SD

Show your working

KAIZEN MATHS


Exit ticket

Right-Angled Trigonometry

Missing Angles

Name _____

EA1



Find θ

Show your working

KAIZEN MATHS


Exit ticket

Right-Angled Trigonometry

Missing Angles

Name _____

EB1



Find θ

Show your working

KAIZEN MATHS


Exit ticket

Right-Angled Trigonometry

Missing Angles

Name _____

EC1



Find θ

Show your working

KAIZEN MATHS


Exit ticket

Right-Angled Trigonometry

Missing Angles

Name _____

EA1



Find θ


Show your working

Teacher answers & working

Right-Angled Trigonometry · Missing Angles

GEO-68E5-L3 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

SA1



Find θ

Answer:

30.00°

Working:

sin θ = opposite / hypotenuse

$\sin\theta = 11.00 / 22$

$\theta = \sin^{-1}(11.00 / 22)$


$\theta \approx 30.00°$

Teacher answers & working

Right-Angled Trigonometry · Missing Angles

GEO-68E5-L3 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

SB1



Find θ

Answer:

25.00°

Working:

tan θ = opposite / adjacent

$\tan \theta = 4.66 / 10$

$\theta = \tan^{-1}(4.66 / 10)$


$\theta \approx 25.00°$

Teacher answers & working

Right-Angled Trigonometry · Missing Angles

GEO-68E5-L3 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

SC1



Find θ

Answer:

30.00°

Working:

sin θ = opposite / hypotenuse

$\sin \theta = 8.50 / 17$

$\theta = \sin^{-1}(8.50 / 17)$


$\theta \approx 30.00°$

Teacher answers & working

Right-Angled Trigonometry · Missing Angles

GEO-68E5-L3 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

SD1



Find θ

Answer:

30.00°

Working:

tan θ = opposite / adjacent

$\tan \theta = 9.24 / 16$

$\theta = \tan^{-1}(9.24 / 16)$


$\theta \approx 30.00°$

Teacher answers & working

Right-Angled Trigonometry · Missing Angles

GEO-68E5-L3 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

EA1



Find θ

Answer:

40.00°

Working:

sin θ = opposite / hypotenuse

$\sin \theta = 7.07 / 11$

$\theta = \sin^{-1}(7.07 / 11)$


$\theta \approx 40.00°$

Teacher answers & working

Right-Angled Trigonometry · Missing Angles

GEO-68E5-L3 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

EB1



Find θ

Answer:

65.00°

Working:

tan θ = opposite / adjacent

$\tan \theta = 17.16 / 8$

$\theta = \tan^{-1}(17.16 / 8)$


$\theta \approx 65.00°$

Teacher answers & working

Right-Angled Trigonometry · Missing Angles

GEO-68E5-L3 · Student pages 1-3. Print at 100%, single-sided. Cut on dashed lines.

EC1



Find θ

Answer:

60.00°

Working:

sin θ = opposite / hypotenuse

$\sin\theta = 19.05 / 22$

$\theta = \sin^{-1}(19.05 / 22)$

$\theta \approx 60.00°$