

# Industrial

## High Volume Data Destruction

Dahle's PowerTEC 900 Series Industrial Shredders are high capacity machines capable of destroying large volumes of sensitive information quickly. They feature a powerful chain driven motor, automatic jam protection, and simple push button operation. These shredders are rated for Security Level P-3 destruction and can hold up to 120 gallons of waste. For added convenience, output conveyor belts are available for the PowerTEC 919 IS and 929 IS to deliver shredded waste to a large recycling bin or baler.

### Media Types



Paper



Optical Media



2.5" - 3.5" Hard Drives



SSD Drives



Mini Tablets / Phones



USB Drives



Cards, Clips Staples

### Special Features



NSA Approved



Chain Driven



EvenFlow Lubricator





Jam Protection



Self Cleaning



Precision Engineered




**DAHLE**

(800) 995.1379 / [www.dahle.com](http://www.dahle.com)

## PowerTEC 909 HS Industrial Shredder

*Shreds High Volume Paper | Optical Media*


- Security Level P-3 for the destruction of sensitive information
- Mighty 5 Hp continuous duty motor with chain driven operation
- Automatic EvenFlow Lubricator provides continuous oil
- Automatic jam protection eliminates frustration
- LED keypad with easy-to-use controls for simple operation
- Self-cleaning mode ensures optimal performance
- Center folding table can be lifted and used for high volume shredding



## PowerTEC 919 IS Industrial Shredder

*Shreds High Volume Paper | Binders | Optical Media*


- Security Level P-3 for the destruction of sensitive information
- Mighty 5 Hp continuous duty motor with chain driven operation
- Automatic EvenFlow Lubricator provides continuous oil
- Automatic jam protection eliminates frustration
- LED keypad with easy-to-use controls for simple operation
- Rubber shock mounts suspend the cutting head and reduce vibration
- Optional output conveyor (919 CB) available for high volume waste disposal



## PowerTEC 929 IS Industrial Shredder

*Shreds High Volume Paper | Binders | Optical Media*

- Security Level P-3 for the destruction of sensitive information
- Mighty 11.5 Hp continuous duty motor with chain driven operation
- Automatic EvenFlow Lubricator provides continuous oil
- Automatic jam protection eliminates frustration
- LED keypad with easy-to-use controls for simple operation
- Rubber shock mounts suspend the cutting head and reduce vibration
- Optional output conveyor (929 CB) available for high volume waste disposal



### SPECIFICATIONS

| Model  | Security Level | Capacity<br>#20 / #16 | Shred Size | Waste Volume<br>paper   media | Feed Width<br>paper   media | Speed<br>f/m | Motor   | Decibel<br>Level | Warranty | Dimensions<br>length x width x height | Weight    | Power<br>Supply |
|--------|----------------|-----------------------|------------|-------------------------------|-----------------------------|--------------|---------|------------------|----------|---------------------------------------|-----------|-----------------|
| 909 HS | P-3            | 85 / 90               | 4mm X 50mm | 68 gal.                       | 17.5"                       | 39           | 5 Hp    | 60               | 1 year   | 30" x 30" x 64.25"                    | 992 lbs   | 220v 3 Phase    |
| 919 IS | P-3            | 85 / 90               | 5mm X 40mm | 45 gal.                       | 16"                         | 39           | 5 Hp    | 65               | 1 year   | 52" x 47.25" x 48.5"                  | 1,080 lbs | 220v 3 Phase    |
| 929 IS | P-3            | 500                   | 8mm X 40mm | 120 gal.                      | 21.5"                       | 33           | 11.5 Hp | 70               | 1 year   | 78.75" x 48" x 64.5"                  | 3,175 lbs | 220v 3 Phase    |

# PowerTEC 919<sub>CB</sub> Conveyor Belt

Output Conveyor Belt for PowerTEC 919 IS


- 16 Inch wide rubber conveyor belt rapidly removes shredded waste
- Provides unlimited waste volume to PowerTEC 919 IS
- 50" delivery height for easy placement above a recycling bin or baler
- Adjustable output speed with the turn of a dial
- Plugs directly into PowerTEC 919 IS- no additional power needed
- Steel construction with rolling casters for easy placement



# PowerTEC 929<sub>CB</sub> Conveyor Belt

Output Conveyor Belt for PowerTEC 929 IS

- Extra large 21.5 inch wide rubber conveyor belt rapidly removes waste
- Provides unlimited waste volume to PowerTEC 919 IS
- 46" delivery height for easy placement above a recycling bin or baler
- Adjustable output speed with the turn of a dial
- Plugs directly into PowerTEC 929 IS- no additional power needed
- Steel construction with rolling casters for easy placement



| SPECIFICATIONS |            |              |               |          |                                       |         |                          |
|----------------|------------|--------------|---------------|----------|---------------------------------------|---------|--------------------------|
| Model          | Belt Width | Speed<br>f/m | Decibel Level | Warranty | Dimensions<br>length x width x height | Weight  | Power<br>Supply          |
| 919 IS         | 16"        | 49           | 65            | 1 year   | 92.25" x 25.75" x 50.5"               | 276 lbs | 220v (plugs into 919 IS) |
| 929 IS         | 21.5"      | 49           | 65            | 1 year   | 83.25" x 30" x 46"                    | 276 lbs | 220v (plugs into 929 IS) |