Codebook for the FHB data matrix Version 2.1.0

Autogenerated data summary from dataMaid

2026-10-06 09:07:30.097548

Data report overview

The dataset examined has the following dimensions:

Feature	Result
Number of observations	999
Number of variables	337

Codebook summary table

Label	Variable	Class	# unique values	Missing	Description
	id	integer	999	0.00 %	Unique ID for each row of data
	year	integer	32	0.00 %	Year in which plot was assessed for FHB
	state	factor	17	0.00 %	US state in which the plot was located
	fdate	POSIXct	426	0.00 %	Anthesis date as a date-time variable in UTC
	type	factor	2	0.00 %	Spring wheat or winter wheat
	resist	factor	4	0.00 %	Ordinal variable categorizing resistance of the cultivar to FHB; VS = very susceptible, S = susceptible, MS = moderately susceptible, MR = moderately resistant
	corn	integer	3	0.40 %	Presence of some level of corn residue in the plot (1), or absence of any corn residue (0)
	S	numeric	733	0.00 %	FHB index, or severity of FHB symptoms on the spike (as a percentage)
	T.A.1	numeric	545	0.00 %	Mean daily air temperature (T; °C), 25 d to 15 d pre-anthesis
	T.A.2	numeric	545	0.00 %	Mean daily T (°C), 20 d to 10 d pre-anthesis

Label	Variable	Class	# unique values	Missing	Description
	T.A.3	numeric	545	0.00 %	Mean daily T (°C), 40 d to 30 d pre-anthesis
	T.A.4	numeric	545	0.00 %	Mean daily T (°C), anthesis to 10 d post-anthesis
	T.A.5	numeric	545	0.00 %	Mean daily T (°C), anthesis to 20 d post-anthesis
	D.A.1	numeric	545	0.00 %	Mean daily dewpoint (D; °C), 20 d pre-anthesis to anthesis
	D.A.2	numeric	545	0.00 %	Mean daily D (°C), 20 d to 10 d pre-anthesis
	D.A.3	numeric	545	0.00 %	Mean daily D (°C), 40 d to 25d pre-anthesis
	P.A.1	numeric	544	0.00 %	Mean daily barometric pressure (P; hPa), 40 d to 20 d pre-anthesis
	P.A.2	numeric	542	0.00 %	Mean daily P (hPa), 45 d to 35 d pre-anthesis
	P.A.3	numeric	544	0.00 %	Mean daily P (hPa), 60 d to 50 d pre-anthesis
	P.A.4	numeric	544	0.00 %	Mean daily P (hPa), 80d to 70 d pre-anthesis
	P.A.5	numeric	544	0.00 %	Mean daily P (hPa), 100d to 60 d pre-anthesis
	RH.A.1	numeric	545	0.00 %	Mean daily relative humidity (RH; %), 20 d pre-anthesis to anthesis
	RH.A.2	numeric	545	0.00 %	Mean daily RH (%), anthesis to 10 d post-anthesis; same as RH10
	RH.A.3	numeric	545	0.00 %	Mean daily RH (%), 10 d pre-anthesis to 10 d post-anthesis
	VPD.A.1	numeric	545	0.00 %	Mean daily vapor pressure deficit (VPD; kPa), 10 d pre-anthesis to anthesis
	VPD.A.2	numeric	545	0.00 %	Mean daily VPD (kPa), 20 d pre-anthesis to anthesis
	VPD.A.3	numeric	545	0.00 %	Mean daily VPD (kPa), anthesis to 15 d post-anthesis
	VPD.A.4	numeric	545	0.00 %	Mean daily VPD (kPa), anthesis to 20 d post-anthesis
	VPD.A.5	numeric	545	0.00 %	Mean daily VPD (kPa), 10 d pre-anthesis to 10 d post-anthesis
	TDD.A.1	numeric	545	0.00 %	Mean daily temperature-dewpoint depression (TDD; °C), 20 d pre-anthesis to anthesis
	TDD.A.2	numeric	545	0.00 %	Mean daily TDD (°C), 30 d pre-anthesis to anthesis

Label	Variable	Class	# unique values	Missing	Description
	TDD.A.3	numeric	545	0.00 %	Mean daily TDD (°C), anthesis to 10 d post-anthesis
	TDD.A.4	numeric	545	0.00 %	Mean daily TDD (°C), anthesis to 20 d post-anthesis
	TDD.A.5	numeric	545	0.00 %	Mean daily TDD (°C), 10 d pre-anthesis to 5 d post-anthesis
	TDD.A.6	numeric	545	0.00 %	Mean daily TDD (°C), 10 d pre-anthesis to 10 d post-anthesis
	RH.G80.CHD.1	integer	221	0.00 %	No. hr (RH $\geq$ 80%), 20 d pre-anthesis to anthesis
	RH.G80.CHD.2	integer	145	0.00 %	No. hr (RH $\geq$ 80%), anthesis to 10 d post-anthesis
	RH.G80.CHD.3	integer	253	0.00 %	No. hr (RH $\geq$ 80%), 20 d pre-anthesis to 10 d post-anthesis
	RH.G90.CHD.1	integer	187	0.00 %	No. hr (RH $\geq$ 90%), 20 d pre-anthesis to anthesis
	RH.G90.CHD.2	integer	117	0.00 %	No. hr (RH $\geq$ 90%), anthesis to 10 d post-anthesis
	RH.G90.CHD.3	integer	293	0.00 %	No. hr (RH $\geq$ 90%), 50 d pre-anthesis to 10 d post-anthesis
	T.G30.CHD.1	integer	41	0.00 %	No. hr (T > 30°C), 20 d pre-anthesis to anthesis
	T.G30.CHD.2	integer	15	0.00 %	No. hr (T > 30°C), 60 d to 40 d pre-anthesis
	T.G30.CHD.3	integer	52	0.00 %	No. hr (T > 30°C), 10 d to 20 d post-anthesis
	TRH.15T30nRHG80.CHD.1	integer	209	0.00 %	No. hr (15°C $\leq$ T $\leq$ 30°C & RH $\geq$ 80%), 30 d pre-anthesis to anthesis
	TRH.15T30nRHG80.CHD.2	integer	68	0.00 %	No. hr (15°C $\leq$ T $\leq$ 30°C & RH $\geq$ 80%), 60 d to 40 d pre-anthesis
	TRH.15T30nRHG80.CHD.3	integer	145	0.00 %	No. hr (15°C $\leq$ T $\leq$ 30°C & RH $\geq$ 80%), anthesis to 10 d post-anthesis
	TRH.15T30nRHG90.CHD.1	integer	131	0.00 %	No. hr (15°C $\leq$ T $\leq$ 30°C & RH $\geq$ 90%), 30 d pre-anthesis to anthesis
	TRH.15T30nRHG90.CHD.2	integer	33	0.00 %	No. hr (15°C $\leq$ T $\leq$ 30°C & RH $\geq$ 90%), 60 d to 40 d pre-anthesis
	TRH.15T30nRHG90.CHD.3	integer	96	0.00 %	No. hr (15°C $\leq$ T $\leq$ 30°C & RH $\geq$ 90%), anthesis to 10 d post-anthesis
	TRH.20T25nRHG85.CHD.1	integer	65	0.00 %	No. hr (20°C $\leq$ T $\leq$ 25°C & RH $\geq$ 85%), anthesis to 10 d post-anthesis

Label	Variable	Class	# unique values	Missing	Description
	TRH.5T30nRHG75.CHD.1	integer	222	0.00 %	No. hr (5°C ≤ T ≤ 30°C & RH ≥ 75%), 20 d pre-anthesis to anthesis
	TRH.5T30nRHG75.CHD.2	integer	302	0.00 %	No. hr (5°C ≤ T ≤ 30°C & RH ≥ 75%), 40 d pre-anthesis to anthesis
	TRH.5T30nRHG75.CHD.3	integer	157	0.00 %	No. hr (5°C ≤ T ≤ 30°C & RH ≥ 75%), anthesis to 10 d post-anthesis
	TRH.9T30nRHG90.CHD.1	integer	194	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), 30 d pre-anthesis to anthesis
	TRH.9T30nRHG90.CHD.2	integer	227	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), 50 d pre-anthesis to anthesis
	VPD.L11.CHD.1	integer	132	0.00 %	No. hr (VPD ≤ 1.1 kPa), 15 d to 5 d pre-anthesis
	VPD.L11.CHD.2	integer	238	0.00 %	No. hr (VPD ≤ 1.1 kPa), 40 d pre-anthesis to anthesis
	VPD.L635.CHD.1	integer	158	0.00 %	No. hr (VPD ≤ 0.635 kPa), 15 d to 5 d pre-anthesis
	VPD.L635.CHD.2	integer	281	0.00 %	No. hr (VPD ≤ 0.635 kPa), 40 d pre-anthesis to 10 d post-anthesis
	RH.G70.CD.1	integer	28	0.00 %	No. d (mean RH > 70%), 40 d to 10 d pre-anthesis
	RH.G70.CD.2	integer	12	0.00 %	No. d (mean RH > 70%), anthesis to 10 d post-anthesis
	RH.G70.CD.3	integer	27	0.00 %	No. d (mean RH > 70%), 15 d pre-anthesis to 10 d post-anthesis
	T.14T22.CD.1	integer	39	0.00 %	No. d (14°C < mean T < 22°C), 70 d pre-anthesis to anthesis
	T.14T22.CD.2	integer	17	0.00 %	No. d (14°C < mean T < 22°C), 60 d to 40 d pre-anthesis
	VPD.L6.CD.1	integer	21	0.00 %	No. d (mean VPD < 0.6 kPa), 20 d pre-anthesis to anthesis
	VPD.L6.CD.2	integer	32	0.00 %	No. d (mean VPD < 0.6 kPa), 40 d pre-anthesis to anthesis
	VPD.L6.CD.3	integer	20	0.00 %	No. d (mean VPD < 0.6 kPa), anthesis to 20 d post-anthesis
	T.MINMAXDIFF.1	numeric	536	0.00 %	Mean daily T range (°C), 20 d pre-anthesis to anthesis
	T.MINMAXDIFF.2	numeric	533	0.00 %	Mean daily T range (°C), 20 d pre-anthesis to 10 d post-anthesis
	RH.MINMAXDIFF.1	numeric	545	0.00 %	Mean daily RH range (%), 20 d to 10 d pre-anthesis
	RH.MINMAXDIFF.2	numeric	545	0.00 %	Mean daily RH range (%), 30 d pre-anthesis to anthesis

Label	Variable	Class	# unique values	Missing	Description
	RH.MINMAXDIFF.3	numeric	545	0.00 %	Mean daily RH range (%), 30 d pre-anthesis to 10 d post-anthesis
	P.MINMAXDIFF.1	numeric	536	0.00 %	Mean daily P range (hPa), 60 d to 50 d pre-anthesis
	D.MINMAXDIFF.1	numeric	530	0.00 %	Mean daily D range (°C), 30 d pre-anthesis to anthesis
	D.MINMAXDIFF.2	numeric	536	0.00 %	Mean daily D range (°C), 40 d to 5 d pre-anthesis
	D.MINMAXDIFF.3	numeric	531	0.00 %	Mean daily D range (°C), 20 d pre-anthesis to 10 d post-anthesis
	VPD.MINMAXDIFF.1	numeric	545	0.00 %	Mean daily VPD range (kPa), 10 d pre-anthesis to anthesis
	VPD.MINMAXDIFF.2	numeric	545	0.00 %	Mean daily VPD range (kPa), 40 d pre-anthesis to anthesis
	VPD.MINMAXDIFF.3	numeric	545	0.00 %	Mean daily VPD range (kPa), 10 d pre-anthesis to 10 d post-anthesis
	TDD.MINMAXDIFF.1	numeric	538	0.00 %	Mean daily TDD range (°C), 30 d pre-anthesis to anthesis
	TDD.MINMAXDIFF.2	numeric	538	0.00 %	Mean daily TDD range (°C), 40 d pre-anthesis to anthesis
	TDD.MINMAXDIFF.3	numeric	542	0.00 %	Mean daily TDD range (°C), 30 d pre-anthesis to 10 d post-anthesis
	T.SD.1	numeric	545	0.00 %	Mean(per day sd(hourly T)), 20 d pre-anthesis to anthesis
	T.SD.2	numeric	545	0.00 %	Mean(per day sd(hourly T)), anthesis to 10 d post-anthesis
	T.SD.3	numeric	545	0.00 %	Mean(per day sd(hourly T)), 20 d pre-anthesis to 10 d post-anthesis
	D.SD.1	numeric	545	0.00 %	Mean(per day sd(hourly D)), 30 d pre-anthesis to anthesis
	D.SD.2	numeric	545	0.00 %	Mean(per day sd(hourly D)), 40 d to 10 d pre-anthesis
	D.SD.3	numeric	545	0.00 %	Mean(per day sd(hourly D)), 40 d pre-anthesis to 10 d post-anthesis
	P.SD.1	numeric	544	0.00 %	Mean(per day sd(hourly P)), 60 d to 50 d pre-anthesis
	VPD.SD.1	numeric	545	0.00 %	Mean(per day sd(hourly VPD)), 10 d pre-anthesis to anthesis
	VPD.SD.2	numeric	545	0.00 %	Mean(per day sd(hourly VPD)), 40 d pre-anthesis to anthesis
	VPD.SD.3	numeric	545	0.00 %	Mean(per day sd(hourly VPD)), anthesis to 10 d post-anthesis

Label	Variable	Class	# unique values	Missing	Description
	VPD.SD.4	numeric	545	0.00 %	Mean(per day sd(hourly VPD)), 10 d pre-anthesis to 10 d post-anthesis
	RH.SD.1	numeric	545	0.00 %	Mean(per day sd(hourly RH)), 20 d pre-anthesis to anthesis
	RH.SD.2	numeric	545	0.00 %	Mean(per day sd(hourly RH)), 20 d to 10 d pre-anthesis
	TDD.SD.1	numeric	545	0.00 %	Mean(per day sd(hourly TDD)), 30 d pre-anthesis to anthesis
	TDD.SD.2	numeric	545	0.00 %	Mean(per day sd(hourly TDD)), 40 d pre-anthesis to anthesis
	TDD.SD.3	numeric	545	0.00 %	Mean(per day sd(hourly TDD)), anthesis to 10 d post-anthesis
	TDD.SD.4	numeric	545	0.00 %	Mean(per day sd(hourly TDD)), 20 d pre-anthesis to 10 d post-anthesis
	MT7	numeric	496	0.00 %	Mean daily minimum T (°C), 7 d pre-anthesis to anthesis
	T157	integer	135	0.00 %	No. hr ($T \geq 15$°C), 7 d pre-anthesis to anthesis
	T15307	integer	134	0.00 %	No. hr (15°C $\leq T \leq 30$°C), 7 d pre-anthesis to anthesis
	RH7	numeric	545	0.00 %	Mean daily RH (%), 7 d pre-anthesis to anthesis
	RH907	integer	102	0.00 %	No. hr ($RH \geq 90\%$), 7 d pre-anthesis to anthesis
	TRH907	integer	72	0.00 %	No. hr (15°C $\leq T \leq 30$°C & $RH \geq 90\%$), 7 d pre-anthesis to anthesis
	TRH807	integer	103	0.00 %	No. hr (15°C $\leq T \leq 30$°C & $RH \geq 80\%$), 7 d pre-anthesis to anthesis
	MT10	numeric	506	0.00 %	Daily minimum T (°C), anthesis to 10 d post-anthesis
	T1510	integer	133	0.00 %	No. hr ($T \geq 15$°C), anthesis to 10 d post-anthesis
	T153010	integer	134	0.00 %	No. hr (15°C $\leq T \leq 30$°C), anthesis to 10 d post-anthesis
	RH10	numeric	545	0.00 %	Mean daily RH (%), anthesis to 10 d post-anthesis; same as RH.A.2
	RH9010	integer	117	0.00 %	No. hr ($RH \geq 90\%$), anthesis to 10 d post-anthesis
	RH8010	integer	145	0.00 %	No. hr ($RH \geq 80\%$), anthesis to 10 d post-anthesis
	TRH9010	integer	96	0.00 %	No. hr (15°C $\leq T \leq 30$°C & $RH \geq 90\%$), anthesis to 10 d post-anthesis

Label	Variable	Class	# unique values	Missing	Description
	TRH8010	integer	145	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 10 d post-anthesis
	INT3	integer	459	0.00 %	The product T15307 × TRH9010
	VPD.A.PRE5.12H	numeric	545	0.00 %	Mean overnight VPD, 5 d pre-anthesis to anthesis
	VPD.L20.PRE5.12H	integer	52	0.00 %	No. hr (overnight VPD ≤ 0.20 kPa), 5 d pre-anthesis to anthesis
	VPD.L45.PRE5.12H	integer	66	0.00 %	No. hr (overnight VPD ≤ 0.45 kPa), 5 d pre-anthesis to anthesis
	VPD.A.PRE7.12H	numeric	545	0.00 %	Mean overnight VPD, 7 d pre-anthesis to anthesis
	VPD.L20.PRE7.12H	integer	65	0.00 %	No. hr (overnight VPD ≤ 0.20 kPa), 7 d pre-anthesis to anthesis
	VPD.L45.PRE7.12H	integer	83	0.00 %	No. hr (overnight VPD ≤ 0.45 kPa), 7 d pre-anthesis to anthesis
	VPD.A.PRE10.12H	numeric	545	0.00 %	Mean overnight VPD, 10 d pre-anthesis to anthesis
	VPD.L20.PRE10.12H	integer	77	0.00 %	No. hr (overnight VPD ≤ 0.20 kPa), 10 d pre-anthesis to anthesis
	VPD.L45.PRE10.12H	integer	99	0.00 %	No. hr (overnight VPD ≤ 0.45 kPa), 10 d pre-anthesis to anthesis
	VPD.A.PRE14.12H	numeric	545	0.00 %	Mean overnight VPD, 14 d pre-anthesis to anthesis
	VPD.L20.PRE14.12H	integer	96	0.00 %	No. hr (overnight VPD ≤ 0.20 kPa), 14 d pre-anthesis to anthesis
	VPD.L45.PRE14.12H	integer	116	0.00 %	No. hr (overnight VPD ≤ 0.45 kPa), 14 d pre-anthesis to anthesis
	VPD.A.PRE15.12H	numeric	545	0.00 %	Mean overnight VPD, 15 d pre-anthesis to anthesis
	VPD.L20.PRE15.12H	integer	103	0.00 %	No. hr (overnight VPD ≤ 0.20 kPa), 15 d pre-anthesis to anthesis
	VPD.L45.PRE15.12H	integer	124	0.00 %	No. hr (overnight VPD ≤ 0.45 kPa), 15 d pre-anthesis to anthesis
	VPD.A.POST5.12H	numeric	545	0.00 %	Mean overnight VPD, anthesis to 5 d post-anthesis
	VPD.L20.POST5.12H	integer	44	0.00 %	No. hr (overnight VPD ≤ 0.20 kPa), anthesis to 5 d post-anthesis

Label	Variable	Class	# unique values	Missing	Description
	VPD.L45.POST5.12H	integer	58	0.00 %	No. hr (overnight VPD $\leq$ 0.45 kPa), anthesis to 5 d post-anthesis
	VPD.A.POST7.12H	numeric	545	0.00 %	Mean overnight VPD, anthesis to 7 d post-anthesis
	VPD.L20.POST7.12H	integer	54	0.00 %	No. hr (overnight VPD $\leq$ 0.20 kPa), anthesis to 7 d post-anthesis
	VPD.L45.POST7.12H	integer	73	0.00 %	No. hr (overnight VPD $\leq$ 0.45 kPa), anthesis to 7 d post-anthesis
	VPD.A.POST10.12H	numeric	545	0.00 %	Mean overnight VPD, anthesis to 10 d post-anthesis
	VPD.L20.POST10.12H	integer	70	0.00 %	No. hr (overnight VPD $\leq$ 0.20 kPa), anthesis to 10 d post-anthesis
	VPD.L45.POST10.12H	integer	89	0.00 %	No. hr (overnight VPD $\leq$ 0.45 kPa), anthesis to 10 d post-anthesis
	VPD.A.POST14.12H	numeric	545	0.00 %	Mean overnight VPD, anthesis to 14 d post-anthesis
	VPD.L20.POST14.12H	integer	82	0.00 %	No. hr (overnight VPD $\leq$ 0.20 kPa), anthesis to 14 d post-anthesis
	VPD.L45.POST14.12H	integer	109	0.00 %	No. hr (overnight VPD $\leq$ 0.45 kPa), anthesis to 14 d post-anthesis
	VPD.A.POST15.12H	numeric	545	0.00 %	Mean overnight VPD, anthesis to 15 d post-anthesis
	VPD.L20.POST15.12H	integer	89	0.00 %	No. hr (overnight VPD $\leq$ 0.20 kPa), anthesis to 15 d post-anthesis
	VPD.L45.POST15.12H	integer	114	0.00 %	No. hr (overnight VPD $\leq$ 0.45 kPa), anthesis to 15 d post-anthesis
	DD.A.PRE5.12H	numeric	545	0.00 %	Mean overnight TDD, 5 d pre-anthesis to anthesis
	DD.L1.PRE5.12H	integer	40	0.00 %	No. hr (overnight TDD $<$ 1.0°C), 5 d pre-anthesis to anthesis
	DD.A.PRE7.12H	numeric	545	0.00 %	Mean overnight TDD, 7 d pre-anthesis to anthesis
	DD.L1.PRE7.12H	integer	47	0.00 %	No. hr (overnight TDD $<$ 1.0°C), 7 d pre-anthesis to anthesis
	DD.A.PRE10.12H	numeric	543	0.00 %	Mean overnight TDD, 10 d pre-anthesis to anthesis
	DD.L1.PRE10.12H	integer	55	0.00 %	No. hr (overnight TDD $<$ 1.0°C), 10 d pre-anthesis to anthesis

Label	Variable	Class	# unique values	Missing	Description
	DD.A.PRE14.12H	numeric	544	0.00 %	Mean overnight TDD, 14 d pre-anthesis to anthesis
	DD.L1.PRE14.12H	integer	64	0.00 %	No. hr (overnight TDD < 1.0°C), 14 d pre-anthesis to anthesis
	DD.A.PRE15.12H	numeric	544	0.00 %	Mean overnight TDD, 15 d pre-anthesis to anthesis
	DD.L1.PRE15.12H	integer	66	0.00 %	No. hr (overnight TDD < 1.0°C), 15 d pre-anthesis to anthesis
	DD.A.POST5.12H	numeric	543	0.00 %	Mean overnight TDD, anthesis to 5 d post-anthesis
	DD.L1.POST5.12H	integer	32	0.00 %	No. hr (overnight TDD < 1.0°C), anthesis to 5 d post-anthesis
	DD.A.POST7.12H	numeric	545	0.00 %	Mean overnight TDD, anthesis to 7 d post-anthesis
	DD.L1.POST7.12H	integer	38	0.00 %	No. hr (overnight TDD < 1.0°C), anthesis to 7 d post-anthesis
	DD.A.POST10.12H	numeric	543	0.00 %	Mean overnight TDD, anthesis to 10 d post-anthesis
	DD.L1.POST10.12H	integer	47	0.00 %	No. hr (overnight TDD < 1.0°C), anthesis to 10 d post-anthesis
	DD.A.POST14.12H	numeric	544	0.00 %	Mean overnight TDD, anthesis to 14 d post-anthesis
	DD.L1.POST14.12H	integer	58	0.00 %	No. hr (overnight TDD < 1.0°C), anthesis to 14 d post-anthesis
	DD.A.POST15.12H	numeric	544	0.00 %	Mean overnight TDD, anthesis to 15 d post-anthesis
	DD.L1.POST15.12H	integer	59	0.00 %	No. hr (overnight TDD < 1.0°C), anthesis to 15 d post-anthesis
	RH.A.PRE5.12H	numeric	545	0.00 %	Mean overnight RH, 5 d pre-anthesis to anthesis
	RH.A.PRE5.24H	numeric	545	0.00 %	Mean daily RH (%), 5 d pre-anthesis to anthesis
	RH.G80.PRE5.12H	integer	66	0.00 %	No. hr (overnight RH $\geq$ 80%), 5 d pre-anthesis to anthesis
	RH.G90.PRE5.12H	integer	52	0.00 %	No. hr (overnight RH $\geq$ 90%), 5 d pre-anthesis to anthesis
	RH.A.PRE7.12H	numeric	545	0.00 %	Mean overnight RH, 7 d pre-anthesis to anthesis
	RH.G80.PRE7.12H	integer	81	0.00 %	No. hr (overnight RH $\geq$ 80%), 7 d pre-anthesis to anthesis
	RH.G90.PRE7.12H	integer	61	0.00 %	No. hr (overnight RH $\geq$ 90%), 7 d pre-anthesis to anthesis
	RH.A.PRE10.12H	numeric	545	0.00 %	Mean overnight RH, 10 d pre-anthesis to anthesis

Label	Variable	Class	# unique values	Missing	Description
	RH.A.PRE10.24H	numeric	545	0.00 %	Mean daily RH (%), 10 d pre-anthesis to anthesis
	RH.G80.PRE10.12H	integer	94	0.00 %	No. hr (overnight RH $\geq$ 80%), 10 d pre-anthesis to anthesis
	RH.G90.PRE10.12H	integer	71	0.00 %	No. hr (overnight RH $\geq$ 90%), 10 d pre-anthesis to anthesis
	RH.A.PRE14.12H	numeric	545	0.00 %	Mean overnight RH, 14 d pre-anthesis to anthesis
	RH.A.PRE14.24H	numeric	545	0.00 %	Mean daily RH (%), 14 d pre-anthesis to anthesis
	RH.G80.PRE14.12H	integer	114	0.00 %	No. hr (overnight RH $\geq$ 80%), 14 d pre-anthesis to anthesis
	RH.G90.PRE14.12H	integer	86	0.00 %	No. hr (overnight RH $\geq$ 90%), 14 d pre-anthesis to anthesis
	RH.A.PRE15.12H	numeric	545	0.00 %	Mean overnight RH, 15 d pre-anthesis to anthesis
	RH.A.PRE15.24H	numeric	545	0.00 %	Mean daily RH (%), 15 d pre-anthesis to anthesis
	RH.G80.PRE15.12H	integer	122	0.00 %	No. hr (overnight RH $\geq$ 80%), 15 d pre-anthesis to anthesis
	RH.G90.PRE15.12H	integer	83	0.00 %	No. hr (overnight RH $\geq$ 90%), 15 d pre-anthesis to anthesis
	RH.A.POST5.12H	numeric	545	0.00 %	Mean overnight RH, anthesis to 5 d post-anthesis
	RH.A.POST5.24H	numeric	545	0.00 %	Mean daily RH (%), anthesis to 5 d post-anthesis
	RH.G80.POST5.12H	integer	56	0.00 %	No. hr (overnight RH $\geq$ 80%), anthesis to 5 d post-anthesis
	RH.G90.POST5.12H	integer	40	0.00 %	No. hr (overnight RH $\geq$ 90%), anthesis to 5 d post-anthesis
	RH.A.POST7.12H	numeric	545	0.00 %	Mean overnight RH, anthesis to 7 d post-anthesis
	RH.A.POST7.24H	numeric	545	0.00 %	Mean daily RH (%), anthesis to 7 d post-anthesis
	RH.G80.POST7.12H	integer	72	0.00 %	No. hr (overnight RH $\geq$ 80%), anthesis to 7 d post-anthesis
	RH.G90.POST7.12H	integer	49	0.00 %	No. hr (overnight RH $\geq$ 90%), anthesis to 7 d post-anthesis
	RH.A.POST10.12H	numeric	545	0.00 %	Mean overnight RH, anthesis to 10 d post-anthesis
	RH.G80.POST10.12H	integer	86	0.00 %	No. hr (overnight RH $\geq$ 80%), anthesis to 10 d post-anthesis
	RH.G90.POST10.12H	integer	63	0.00 %	No. hr (overnight RH $\geq$ 90%), anthesis to 10 d post-anthesis
	RH.A.POST14.12H	numeric	545	0.00 %	Mean overnight RH, anthesis to 14 d post-anthesis
	RH.A.POST14.24H	numeric	545	0.00 %	Mean daily RH (%), anthesis to 14 d post-anthesis
	RH.G80.POST14.12H	integer	113	0.00 %	No. hr (overnight RH $\geq$ 80%), anthesis to 14 d post-anthesis

Label	Variable	Class	# unique values	Missing	Description
	RH.G90.POST14.12H	integer	79	0.00 %	No. hr (overnight RH ≥ 90%), anthesis to 14 d post-anthesis
	RH.A.POST15.12H	numeric	545	0.00 %	Mean overnight RH, anthesis to 15 d post-anthesis
	RH.A.POST15.24H	numeric	545	0.00 %	Mean daily RH (%), anthesis to 15 d post-anthesis
	RH.G80.POST15.12H	integer	120	0.00 %	No. hr (overnight RH ≥ 80%), anthesis to 15 d post-anthesis
	RH.G90.POST15.12H	integer	83	0.00 %	No. hr (overnight RH ≥ 90%), anthesis to 15 d post-anthesis
	T.A.PRE5.24H	numeric	544	0.00 %	Mean daily T (°C), 5 d pre-anthesis to anthesis
	T.9T30.PRE5.24H	integer	47	0.00 %	No. hr (9°C ≤ T ≤ 30°C), 5 d pre-anthesis to anthesis
	T.15T30.PRE5.24H	integer	109	0.00 %	No. hr (15°C ≤ T ≤ 30°C), 5 d pre-anthesis to anthesis
	T.L9.PRE5.24H	integer	43	0.00 %	No. hr (T < 9°C), 5 d pre-anthesis to anthesis
	T.L15.PRE5.24H	integer	109	0.00 %	No. hr (T < 15°C), 5 d pre-anthesis to anthesis
	T.G30.PRE5.24H	integer	28	0.00 %	No. hr (T > 30°C), 5 d pre-anthesis to anthesis
	T.A.PRE7.24H	numeric	545	0.00 %	Mean daily T (°C), 7 d pre-anthesis to anthesis
	T.9T30.PRE7.24H	integer	55	0.00 %	No. hr (9°C ≤ T ≤ 30°C), 7 d pre-anthesis to anthesis
	T.L9.PRE7.24H	integer	50	0.00 %	No. hr (T < 9°C), 7 d pre-anthesis to anthesis
	T.L15.PRE7.24H	integer	135	0.00 %	No. hr (T < 15°C), 7 d pre-anthesis to anthesis
	T.G30.PRE7.24H	integer	30	0.00 %	No. hr (T > 30°C), 7 d pre-anthesis to anthesis
	T.A.PRE10.24H	numeric	545	0.00 %	Mean daily T (°C), 10 d pre-anthesis to anthesis
	T.9T30.PRE10.24H	integer	76	0.00 %	No. hr (9°C ≤ T ≤ 30°C), 10 d pre-anthesis to anthesis
	T.15T30.PRE10.24H	integer	170	0.00 %	No. hr (15°C ≤ T ≤ 30°C), 10 d pre-anthesis to anthesis
	T.L9.PRE10.24H	integer	73	0.00 %	No. hr (T < 9°C), 10 d pre-anthesis to anthesis
	T.L15.PRE10.24H	integer	174	0.00 %	No. hr (T < 15°C), 10 d pre-anthesis to anthesis
	T.G30.PRE10.24H	integer	35	0.00 %	No. hr (T > 30°C), 10 d pre-anthesis to anthesis
	T.A.PRE14.24H	numeric	545	0.00 %	Mean daily T (°C), 14 d pre-anthesis to anthesis
	T.9T30.PRE14.24H	integer	97	0.00 %	No. hr (9°C ≤ T ≤ 30°C), 14 d pre-anthesis to anthesis
	T.15T30.PRE14.24H	integer	203	0.00 %	No. hr (15°C ≤ T ≤ 30°C), 14 d pre-anthesis to anthesis

Label	Variable	Class	# unique values	Missing	Description
	T.L9.PRE14.24H	integer	92	0.00 %	No. hr (T < 9°C), 14 d pre-anthesis to anthesis
	T.L15.PRE14.24H	integer	203	0.00 %	No. hr (T < 15°C), 14 d pre-anthesis to anthesis
	T.G30.PRE14.24H	integer	35	0.00 %	No. hr (T > 30°C), 14 d pre-anthesis to anthesis
	T.A.PRE15.24H	numeric	545	0.00 %	Mean daily T (°C), 15 d pre-anthesis to anthesis
	T.9T30.PRE15.24H	integer	100	0.00 %	No. hr (9°C ≤ T ≤ 30°C), 15 d pre-anthesis to anthesis
	T.15T30.PRE15.24H	integer	216	0.00 %	No. hr (15°C ≤ T ≤ 30°C), 15 d pre-anthesis to anthesis
	T.L9.PRE15.24H	integer	94	0.00 %	No. hr (T < 9°C), 15 d pre-anthesis to anthesis
	T.L15.PRE15.24H	integer	224	0.00 %	No. hr (T < 15°C), 15 d pre-anthesis to anthesis
	T.G30.PRE15.24H	integer	36	0.00 %	No. hr (T > 30°C), 15 d pre-anthesis to anthesis
	T.A.POST5.24H	numeric	544	0.00 %	Mean daily T (°C), anthesis to 5 d post-anthesis
	T.9T30.POST5.24H	integer	44	0.00 %	No. hr (9°C ≤ T ≤ 30°C), anthesis to 5 d post-anthesis
	T.15T30.POST5.24H	integer	102	0.00 %	No. hr (15°C ≤ T ≤ 30°C), anthesis to 5 d post-anthesis
	T.L9.POST5.24H	integer	41	0.00 %	No. hr (T < 9°C), anthesis to 5 d post-anthesis
	T.L15.POST5.24H	integer	100	0.00 %	No. hr (T < 15°C), anthesis to 5 d post-anthesis
	T.G30.POST5.24H	integer	28	0.00 %	No. hr (T > 30°C), anthesis to 5 d post-anthesis
	T.A.POST7.24H	numeric	544	0.00 %	Mean daily T (°C), anthesis to 7 d post-anthesis
	T.9T30.POST7.24H	integer	46	0.00 %	No. hr (9°C ≤ T ≤ 30°C), anthesis to 7 d post-anthesis
	T.15T30.POST7.24H	integer	119	0.00 %	No. hr (15°C ≤ T ≤ 30°C), anthesis to 7 d post-anthesis
	T.L9.POST7.24H	integer	43	0.00 %	No. hr (T < 9°C), anthesis to 7 d post-anthesis
	T.L15.POST7.24H	integer	120	0.00 %	No. hr (T < 15°C), anthesis to 7 d post-anthesis
	T.G30.POST7.24H	integer	32	0.00 %	No. hr (T > 30°C), anthesis to 7 d post-anthesis
	T.9T30.POST10.24H	integer	53	0.00 %	No. hr (9°C ≤ T ≤ 30°C), anthesis to 10 d post-anthesis
	T.L9.POST10.24H	integer	45	0.00 %	No. hr (T < 9°C), anthesis to 10 d post-anthesis
	T.L15.POST10.24H	integer	133	0.00 %	No. hr (T < 15°C), anthesis to 10 d post-anthesis
	T.G30.POST10.24H	integer	40	0.00 %	No. hr (T > 30°C), anthesis to 10 d post-anthesis

Label	Variable	Class	# unique values	Missing	Description
	T.A.POST14.24H	numeric	545	0.00 %	Mean daily T (°C), anthesis to 14 d post-anthesis
	T.9T30.POST14.24H	integer	67	0.00 %	No. hr (9°C ≤ T ≤ 30°C), anthesis to 14 d post-anthesis
	T.15T30.POST14.24H	integer	160	0.00 %	No. hr (15°C ≤ T ≤ 30°C), anthesis to 14 d post-anthesis
	T.L9.POST14.24H	integer	51	0.00 %	No. hr (T < 9°C), anthesis to 14 d post-anthesis
	T.L15.POST14.24H	integer	158	0.00 %	No. hr (T < 15°C), anthesis to 14 d post-anthesis
	T.G30.POST14.24H	integer	50	0.00 %	No. hr (T > 30°C), anthesis to 14 d post-anthesis
	T.A.POST15.24H	numeric	545	0.00 %	Mean daily T (°C), anthesis to 15 d post-anthesis
	T.9T30.POST15.24H	integer	70	0.00 %	No. hr (9°C ≤ T ≤ 30°C), anthesis to 15 d post-anthesis
	T.15T30.POST15.24H	integer	155	0.00 %	No. hr (15°C ≤ T ≤ 30°C), anthesis to 15 d post-anthesis
	T.L9.POST15.24H	integer	50	0.00 %	No. hr (T < 9°C), anthesis to 15 d post-anthesis
	T.L15.POST15.24H	integer	163	0.00 %	No. hr (T < 15°C), anthesis to 15 d post-anthesis
	T.G30.POST15.24H	integer	53	0.00 %	No. hr (T > 30°C), anthesis to 15 d post-anthesis
	TRH.9T30nRHG80.PRE5.12H	integer	64	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 80%), 5 d pre-anthesis to anthesis
	TRH.9T30nRHG90.PRE5.12H	integer	53	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 90%), 5 d pre-anthesis to anthesis
	TRH.15T30nRHG80.PRE5.12H	integer	50	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 80%), 5 d pre-anthesis to anthesis
	TRH.15T30nRHG90.PRE5.12H	integer	39	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 90%), 5 d pre-anthesis to anthesis
	TRH.9T30nRHG80.PRE7.12H	integer	79	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 80%), 7 d pre-anthesis to anthesis
	TRH.9T30nRHG90.PRE7.12H	integer	61	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 90%), 7 d pre-anthesis to anthesis
	TRH.15T30nRHG80.PRE7.12H	integer	60	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 80%), 7 d pre-anthesis to anthesis
	TRH.15T30nRHG90.PRE7.12H	integer	44	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 90%), 7 d pre-anthesis to anthesis
	TRH.9T30nRHG80.PRE10.12H	integer	95	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 80%), 10 d pre-anthesis to anthesis

Label	Variable	Class	# unique values	Missing	Description
	TRH.9T30nRHG90.PRE10.i12H	integer	71	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 90%), 10 d pre-anthesis to anthesis
	TRH.15T30nRHG80.PRE10.i12H	integer	73	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 80%), 10 d pre-anthesis to anthesis
	TRH.15T30nRHG90.PRE10.i12H	integer	52	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 90%), 10 d pre-anthesis to anthesis
	TRH.9T30nRHG80.PRE14.i12H	integer	109	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 80%), 14 d pre-anthesis to anthesis
	TRH.9T30nRHG90.PRE14.i12H	integer	81	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 90%), 14 d pre-anthesis to anthesis
	TRH.15T30nRHG80.PRE14.i12H	integer	85	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 80%), 14 d pre-anthesis to anthesis
	TRH.15T30nRHG90.PRE14.i12H	integer	55	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 90%), 14 d pre-anthesis to anthesis
	TRH.9T30nRHG80.PRE15.i12H	integer	114	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 80%), 15 d pre-anthesis to anthesis
	TRH.9T30nRHG90.PRE15.i12H	integer	83	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 90%), 15 d pre-anthesis to anthesis
	TRH.15T30nRHG80.PRE15.i12H	integer	88	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 80%), 15 d pre-anthesis to anthesis
	TRH.15T30nRHG90.PRE15.i12H	integer	55	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 90%), 15 d pre-anthesis to anthesis
	TRH.9T30nRHG80.POST5.i12H	integer	56	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 5 d post-anthesis
	TRH.9T30nRHG90.POST5.i12H	integer	40	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 5 d post-anthesis
	TRH.15T30nRHG80.POST5.i12H	integer	49	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 5 d post-anthesis
	TRH.15T30nRHG90.POST5.i12H	integer	38	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 5 d post-anthesis
	TRH.9T30nRHG80.POST7.i12H	integer	71	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 7 d post-anthesis
	TRH.9T30nRHG90.POST7.i12H	integer	49	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 7 d post-anthesis

Label	Variable	Class	# unique values	Missing	Description
	TRH.15T30nRHG80.POST7.12H	integer	62	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 7 d post-anthesis
	TRH.15T30nRHG90.POST7.12H	integer	43	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 7 d post-anthesis
	TRH.9T30nRHG80.POST10.12H	integer	87	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 10 d post-anthesis
	TRH.9T30nRHG90.POST10.12H	integer	62	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 10 d post-anthesis
	TRH.15T30nRHG80.POST10.12H	integer	80	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 10 d post-anthesis
	TRH.15T30nRHG90.POST10.12H	integer	53	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 10 d post-anthesis
	TRH.9T30nRHG80.POST14.12H	integer	111	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 14 d post-anthesis
	TRH.9T30nRHG90.POST14.12H	integer	78	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 14 d post-anthesis
	TRH.15T30nRHG80.POST14.12H	integer	96	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 14 d post-anthesis
	TRH.15T30nRHG90.POST14.12H	integer	60	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 14 d post-anthesis
	TRH.9T30nRHG80.POST15.12H	integer	115	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 15 d post-anthesis
	TRH.9T30nRHG90.POST15.12H	integer	82	0.00 %	No. hr (overnight 9°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 15 d post-anthesis
	TRH.15T30nRHG80.POST15.12H	integer	99	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 15 d post-anthesis
	TRH.15T30nRHG90.POST15.12H	integer	63	0.00 %	No. hr (overnight 15°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 15 d post-anthesis
	TRH.9T30nRHG80.PRE5.24H	integer	115	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 80%), 5 d pre-anthesis to anthesis
	TRH.9T30nRHG90.PRE5.24H	integer	86	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), 5 d pre-anthesis to anthesis
	TRH.15T30nRHG80.PRE5.24H	integer	87	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 80%), 5 d pre-anthesis to anthesis


Label	Variable	Class	# unique values	Missing	Description
	TRH.15T30nRHG90.PRE5.24H	integer	63	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 90%), 5 d pre-anthesis to anthesis
	TRH.9T30nRHG80.PRE7.24H	integer	137	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 80%), 7 d pre-anthesis to anthesis
	TRH.9T30nRHG90.PRE7.24H	integer	99	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), 7 d pre-anthesis to anthesis
	TRH.9T30nRHG80.PRE10.24H	integer	166	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 80%), 10 d pre-anthesis to anthesis
	TRH.9T30nRHG90.PRE10.24H	integer	123	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), 10 d pre-anthesis to anthesis
	TRH.15T30nRHG80.PRE10.24H	integer	127	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 80%), 10 d pre-anthesis to anthesis
	TRH.15T30nRHG90.PRE10.24H	integer	86	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 90%), 10 d pre-anthesis to anthesis
	TRH.9T30nRHG80.PRE14.24H	integer	190	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 80%), 14 d pre-anthesis to anthesis
	TRH.9T30nRHG90.PRE14.24H	integer	146	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), 14 d pre-anthesis to anthesis
	TRH.15T30nRHG80.PRE14.24H	integer	154	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 80%), 14 d pre-anthesis to anthesis
	TRH.15T30nRHG90.PRE14.24H	integer	97	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 90%), 14 d pre-anthesis to anthesis
	TRH.9T30nRHG80.PRE15.24H	integer	191	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 80%), 15 d pre-anthesis to anthesis
	TRH.9T30nRHG90.PRE15.24H	integer	145	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), 15 d pre-anthesis to anthesis
	TRH.15T30nRHG80.PRE15.24H	integer	159	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 80%), 15 d pre-anthesis to anthesis
	TRH.15T30nRHG90.PRE15.24H	integer	98	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 90%), 15 d pre-anthesis to anthesis
	TRH.9T30nRHG80.POST5.24H	integer	108	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 5 d post-anthesis
	TRH.9T30nRHG90.POST5.24H	integer	74	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 5 d post-anthesis

Label	Variable	Class	# unique values	Missing	Description
	TRH.15T30nRHG80.POST5.24H	integer	96	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 5 d post-anthesis
	TRH.15T30nRHG90.POST5.24H	integer	65	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 5 d post-anthesis
	TRH.9T30nRHG80.POST7.24H	integer	126	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 7 d post-anthesis
	TRH.9T30nRHG90.POST7.24H	integer	93	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 7 d post-anthesis
	TRH.15T30nRHG80.POST7.24H	integer	117	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 7 d post-anthesis
	TRH.15T30nRHG90.POST7.24H	integer	78	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 7 d post-anthesis
	TRH.9T30nRHG80.POST10.24H	integer	155	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 10 d post-anthesis
	TRH.9T30nRHG90.POST10.24H	integer	115	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 10 d post-anthesis
	TRH.9T30nRHG80.POST14.24H	integer	176	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 14 d post-anthesis
	TRH.9T30nRHG90.POST14.24H	integer	139	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 14 d post-anthesis
	TRH.15T30nRHG80.POST14.24H	integer	170	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 14 d post-anthesis
	TRH.15T30nRHG90.POST14.24H	integer	117	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 14 d post-anthesis
	TRH.9T30nRHG80.POST15.24H	integer	179	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 15 d post-anthesis
	TRH.9T30nRHG90.POST15.24H	integer	150	0.00 %	No. hr (9°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 15 d post-anthesis
	TRH.15T30nRHG80.POST15.24H	integer	177	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 80%), anthesis to 15 d post-anthesis
	TRH.15T30nRHG90.POST15.24H	integer	122	0.00 %	No. hr (15°C ≤ T ≤ 30°C & RH ≥ 90%), anthesis to 15 d post-anthesis

Variable list


id

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	999
Median	500
1st and 3rd quartiles	250.5; 749.5
Min. and max.	1; 999



year


Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	32
Median	2009
1st and 3rd quartiles	2004; 2012
Min. and max.	1982; 2015



---

state

Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	17
Mode	“ND”
Reference category	AR




- Observed factor levels: "AR", "DE", "IL", "IN", "KS", "KY", "MD", "MI", "MN", "MO", "ND", "NE", "NY", "OH", "PA", "SD", "WI".

fdate

- The variable has class POSIXct which is not supported by dataMaid.

type

Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	2
Mode	“winter”
Reference category	spring




- Observed factor levels: "spring", "winter".

resist

Feature	Result
Variable type	factor
Number of missing obs.	0 (0 %)
Number of unique values	4
Mode	“S”

Feature	Result
Reference category	VS




- Observed factor levels: "MR", "MS", "S", "VS".

---


corn

Feature	Result
Variable type	integer
Number of missing obs.	4 (0.4 %)
Number of unique values	2
Median	0
1st and 3rd quartiles	0; 1
Min. and max.	0; 1




S

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	733
Median	2.87
1st and 3rd quartiles	0.2; 11.31
Min. and max.	0; 86.18




T.A.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	15.41
1st and 3rd quartiles	13.69; 17.26
Min. and max.	8.86; 23.87




T.A.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	16.33
1st and 3rd quartiles	14.57; 18.24
Min. and max.	9.76; 24.49




T.A.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	12.81
1st and 3rd quartiles	10.39; 15.25
Min. and max.	4.89; 21.08




T.A.4

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	19.55
1st and 3rd quartiles	18.26; 21.1
Min. and max.	12.66; 26.44




T.A.5

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	20.32
1st and 3rd quartiles	19.19; 21.38
Min. and max.	13.19; 24.93




D.A.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	10.65
1st and 3rd quartiles	8.85; 12.53
Min. and max.	3.72; 18.41




D.A.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	9.81
1st and 3rd quartiles	7.39; 12.07
Min. and max.	1.6; 17.47




D.A.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	5.73
1st and 3rd quartiles	3.91; 8.33
Min. and max.	-1.3; 13.38




P.A.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	1014
1st and 3rd quartiles	1012.15; 1015.91
Min. and max.	1007.43; 1022.57




P.A.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	542
Median	1013.39
1st and 3rd quartiles	1011.01; 1016.01
Min. and max.	1000.73; 1025.6




P.A.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	1015.14
1st and 3rd quartiles	1012.81; 1018.68
Min. and max.	1000.73; 1025.9




P.A.4

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	1016.82
1st and 3rd quartiles	1013.62; 1019.3
Min. and max.	1005.2; 1027.68




P.A.5

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	1016.87
1st and 3rd quartiles	1015.31; 1018.81
Min. and max.	1010.09; 1023.75




RH.A.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	69.58
1st and 3rd quartiles	65.15; 72.81
Min. and max.	47.01; 84.6




RH.A.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	72
1st and 3rd quartiles	67.19; 75.85
Min. and max.	50.55; 89.34




RH.A.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	70.69
1st and 3rd quartiles	67.27; 74.63
Min. and max.	49.29; 85.4




VPD.A.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.74
1st and 3rd quartiles	0.58; 0.88
Min. and max.	0.26; 1.63




VPD.A.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.73
1st and 3rd quartiles	0.61; 0.83
Min. and max.	0.32; 1.4




VPD.A.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.77
1st and 3rd quartiles	0.65; 0.9
Min. and max.	0.27; 1.5




VPD.A.4

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.8
1st and 3rd quartiles	0.67; 0.91
Min. and max.	0.34; 1.48




VPD.A.5

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.75
1st and 3rd quartiles	0.63; 0.87
Min. and max.	0.34; 1.33




TDD.A.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	6.32
1st and 3rd quartiles	5.53; 7.4
Min. and max.	2.82; 13.34




TDD.A.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	6.55
1st and 3rd quartiles	5.7; 7.63
Min. and max.	3.56; 12.93




TDD.A.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	5.75
1st and 3rd quartiles	4.76; 6.84
Min. and max.	1.97; 11.82




TDD.A.4

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	5.83
1st and 3rd quartiles	5; 6.74
Min. and max.	2.44; 11.4




TDD.A.5

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	6.13
1st and 3rd quartiles	5.1; 7.08
Min. and max.	2.51; 13.18




TDD.A.6

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	6.03
1st and 3rd quartiles	5.07; 6.94
Min. and max.	2.76; 12.46




RH.G80.CHD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	221
Median	183
1st and 3rd quartiles	139; 216
Min. and max.	0; 363




RH.G80.CHD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	145
Median	103
1st and 3rd quartiles	79; 127
Min. and max.	0; 207




RH.G80.CHD.3

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	253
Median	279
1st and 3rd quartiles	221; 323.5
Min. and max.	1; 531




RH.G90.CHD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	187
Median	84
1st and 3rd quartiles	48; 116
Min. and max.	0; 262




RH.G90.CHD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	117
Median	43
1st and 3rd quartiles	27; 68
Min. and max.	0; 162




RH.G90.CHD.3

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	293
Median	225
1st and 3rd quartiles	148.5; 306.5
Min. and max.	0; 544




T.G30.CHD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	41
Median	2
1st and 3rd quartiles	0; 10
Min. and max.	0; 89




T.G30.CHD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	15
Median	0
1st and 3rd quartiles	0; 0
Min. and max.	0; 19




T.G30.CHD.3

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	52
Median	5
1st and 3rd quartiles	0; 16
Min. and max.	0; 69




TRH.15T30nRHG80.CHD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	209
Median	100
1st and 3rd quartiles	61; 136.5
Min. and max.	0; 286




TRH.15T30nRHG80.CHD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	68
Median	5
1st and 3rd quartiles	0; 17
Min. and max.	0; 97




TRH.15T30nRHG80.CHD.3

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	145
Median	69
1st and 3rd quartiles	44; 92
Min. and max.	0; 177




TRH.15T30nRHG90.CHD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	131
Median	41
1st and 3rd quartiles	18; 68
Min. and max.	0; 223




TRH.15T30nRHG90.CHD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	33
Median	0
1st and 3rd quartiles	0; 4
Min. and max.	0; 51




TRH.15T30nRHG90.CHD.3

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	96
Median	27
1st and 3rd quartiles	12; 42
Min. and max.	0; 135




TRH.20T25nRHG85.CHD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	65
Median	7
1st and 3rd quartiles	3; 20
Min. and max.	0; 107




TRH.5T30nRHG75.CHD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	222
Median	217
1st and 3rd quartiles	175; 258
Min. and max.	26; 411




TRH.5T30nRHG75.CHD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	302
Median	370
1st and 3rd quartiles	316; 432
Min. and max.	106; 634




TRH.5T30nRHG75.CHD.3

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	157
Median	127
1st and 3rd quartiles	101.5; 151
Min. and max.	20; 223




TRH.9T30nRHG90.CHD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	194
Median	91
1st and 3rd quartiles	55; 134
Min. and max.	0; 342




TRH.9T30nRHG90.CHD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	227
Median	120
1st and 3rd quartiles	80; 171.5
Min. and max.	0; 450




VPD.L11.CHD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	132
Median	203
1st and 3rd quartiles	182; 221
Min. and max.	98; 262




VPD.L11.CHD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	238
Median	772
1st and 3rd quartiles	721; 813
Min. and max.	568; 930




VPD.L635.CHD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	158
Median	152
1st and 3rd quartiles	127; 173
Min. and max.	46; 238




VPD.L635.CHD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	281
Median	704
1st and 3rd quartiles	645; 760
Min. and max.	423; 962




RH.G70.CD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	28
Median	12
1st and 3rd quartiles	9; 16
Min. and max.	1; 28




RH.G70.CD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	12
Median	6
1st and 3rd quartiles	4; 8
Min. and max.	0; 11




RH.G70.CD.3

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	27
Median	14
1st and 3rd quartiles	10; 17
Min. and max.	0; 26




T.14T22.CD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	39
Median	25
1st and 3rd quartiles	21; 31
Min. and max.	8; 49




T.14T22.CD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	17
Median	4
1st and 3rd quartiles	2; 7
Min. and max.	0; 17




VPD.L6.CD.1

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	21
Median	8
1st and 3rd quartiles	6; 12
Min. and max.	0; 20




VPD.L6.CD.2

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	32
Median	19
1st and 3rd quartiles	14; 23
Min. and max.	3; 34




VPD.L6.CD.3

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	20
Median	6
1st and 3rd quartiles	3; 9
Min. and max.	0; 20




T.MINMAXDIFF.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	536
Median	11.07
1st and 3rd quartiles	10.12; 11.98
Min. and max.	7.48; 16.68




T.MINMAXDIFF.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	533
Median	10.96
1st and 3rd quartiles	10.21; 11.73
Min. and max.	7.59; 15.75




RH.MINMAXDIFF.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	42.97
1st and 3rd quartiles	39.01; 46.83
Min. and max.	23.71; 59.19




RH.MINMAXDIFF.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	42.86
1st and 3rd quartiles	40.12; 45.74
Min. and max.	30.45; 56.58




RH.MINMAXDIFF.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	42.83
1st and 3rd quartiles	39.79; 45.27
Min. and max.	30.82; 54.02




P.MINMAXDIFF.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	536
Median	7.07
1st and 3rd quartiles	5.98; 8.1
Min. and max.	3.55; 14.23




D.MINMAXDIFF.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	530
Median	6.14
1st and 3rd quartiles	5.53; 6.88
Min. and max.	3.94; 9.52




D.MINMAXDIFF.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	536
Median	6.33
1st and 3rd quartiles	5.8; 7.03
Min. and max.	4.12; 9.61




D.MINMAXDIFF.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	531
Median	5.83
1st and 3rd quartiles	5.35; 6.42
Min. and max.	3.94; 8.91




VPD.MINMAXDIFF.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	1.44
1st and 3rd quartiles	1.19; 1.68
Min. and max.	0.5; 3.26




VPD.MINMAXDIFF.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	1.3
1st and 3rd quartiles	1.16; 1.5
Min. and max.	0.72; 2.16




VPD.MINMAXDIFF.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	1.49
1st and 3rd quartiles	1.27; 1.65
Min. and max.	0.67; 2.65




TDD.MINMAXDIFF.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	538
Median	11.04
1st and 3rd quartiles	9.69; 12.68
Min. and max.	7.08; 18.35




TDD.MINMAXDIFF.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	538
Median	11.28
1st and 3rd quartiles	10; 12.69
Min. and max.	6.71; 17.73




TDD.MINMAXDIFF.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	542
Median	11.02
1st and 3rd quartiles	9.7; 12.24
Min. and max.	7.04; 17.69




T.SD.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	3.77
1st and 3rd quartiles	3.41; 4.09
Min. and max.	2.53; 5.74




T.SD.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	3.63
1st and 3rd quartiles	3.2; 4.06
Min. and max.	2.28; 5.74




T.SD.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	3.74
1st and 3rd quartiles	3.46; 4.02
Min. and max.	2.56; 5.38




D.SD.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	1.87
1st and 3rd quartiles	1.68; 2.1
Min. and max.	1.12; 2.97




D.SD.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	1.95
1st and 3rd quartiles	1.78; 2.18
Min. and max.	1.09; 3.02




D.SD.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	1.89
1st and 3rd quartiles	1.71; 2.03
Min. and max.	1.32; 2.72




P.SD.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	2.2
1st and 3rd quartiles	1.87; 2.59
Min. and max.	0.94; 4.74




VPD.SD.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.48
1st and 3rd quartiles	0.4; 0.58
Min. and max.	0.17; 1.09




VPD.SD.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.44
1st and 3rd quartiles	0.39; 0.51
Min. and max.	0.24; 0.72




VPD.SD.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.51
1st and 3rd quartiles	0.41; 0.59
Min. and max.	0.24; 0.85




VPD.SD.4

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.5
1st and 3rd quartiles	0.43; 0.57
Min. and max.	0.23; 0.9




RH.SD.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	14.12
1st and 3rd quartiles	12.99; 15.35
Min. and max.	8.8; 21.39




RH.SD.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	14.24
1st and 3rd quartiles	12.77; 15.83
Min. and max.	7.46; 22.36




TDD.SD.1

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	3.68
1st and 3rd quartiles	3.21; 4.26
Min. and max.	2.33; 6.11




TDD.SD.2

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	3.75
1st and 3rd quartiles	3.29; 4.24
Min. and max.	2.19; 5.88




TDD.SD.3

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	3.37
1st and 3rd quartiles	2.88; 4.01
Min. and max.	1.61; 6.31




TDD.SD.4

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	3.55
1st and 3rd quartiles	3.1; 4
Min. and max.	2.14; 6.15




MT7

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	496
Median	13.48
1st and 3rd quartiles	11.32; 15.17
Min. and max.	4.71; 20.77




T157

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	135
Median	147
1st and 3rd quartiles	116; 166
Min. and max.	30; 192




T15307

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	134
Median	144
1st and 3rd quartiles	115; 164
Min. and max.	30; 192




RH7

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	69.84
1st and 3rd quartiles	64.73; 75.12
Min. and max.	40.17; 91.69




RH907

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	102
Median	26
1st and 3rd quartiles	13; 51
Min. and max.	0; 142




TRH907

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	72
Median	13
1st and 3rd quartiles	6; 25
Min. and max.	0; 114




TRH807

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	103
Median	39
1st and 3rd quartiles	20; 58
Min. and max.	0; 139




MT10

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	506
Median	14.58
1st and 3rd quartiles	13.24; 16.12
Min. and max.	7.33; 21.25




T1510

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	133
Median	216
1st and 3rd quartiles	195.5; 240
Min. and max.	75; 264




T153010

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	134
Median	210
1st and 3rd quartiles	194; 230
Min. and max.	75; 263




RH10

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	72
1st and 3rd quartiles	67.19; 75.85
Min. and max.	50.55; 89.34




RH9010

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	117
Median	43
1st and 3rd quartiles	27; 68
Min. and max.	0; 162




RH8010

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	145
Median	103
1st and 3rd quartiles	79; 127
Min. and max.	0; 207




TRH9010

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	96
Median	27
1st and 3rd quartiles	12; 42
Min. and max.	0; 135




TRH8010

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	145
Median	69
1st and 3rd quartiles	44; 92
Min. and max.	0; 177




INT3

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	459
Median	3660
1st and 3rd quartiles	1411; 6011
Min. and max.	0; 18250




VPD.A.PRE5.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.79
1st and 3rd quartiles	0.61; 0.99
Min. and max.	0.12; 2.56




VPD.L20.PRE5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	52
Median	11
1st and 3rd quartiles	4; 20
Min. and max.	0; 66




VPD.L45.PRE5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	66
Median	28
1st and 3rd quartiles	19; 36
Min. and max.	0; 71




VPD.A.PRE7.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.77
1st and 3rd quartiles	0.62; 1
Min. and max.	0.17; 2.27




VPD.L20.PRE7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	65
Median	15
1st and 3rd quartiles	6; 26
Min. and max.	0; 76




VPD.L45.PRE7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	83
Median	37
1st and 3rd quartiles	27; 48
Min. and max.	0; 91




VPD.A.PRE10.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.8
1st and 3rd quartiles	0.6; 0.96
Min. and max.	0.25; 1.87




VPD.L20.PRE10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	77
Median	22
1st and 3rd quartiles	11; 37
Min. and max.	0; 88




VPD.L45.PRE10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	99
Median	53
1st and 3rd quartiles	39; 68
Min. and max.	6; 111




VPD.A.PRE14.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.77
1st and 3rd quartiles	0.6; 0.94
Min. and max.	0.27; 1.74




VPD.L20.PRE14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	96
Median	32
1st and 3rd quartiles	18; 51
Min. and max.	0; 111




VPD.L45.PRE14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	116
Median	72
1st and 3rd quartiles	58; 95
Min. and max.	9; 148




VPD.A.PRE15.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.78
1st and 3rd quartiles	0.62; 0.93
Min. and max.	0.27; 1.73




VPD.L20.PRE15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	103
Median	35
1st and 3rd quartiles	20; 53
Min. and max.	0; 114




VPD.L45.PRE15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	124
Median	77
1st and 3rd quartiles	62; 99
Min. and max.	9; 156




VPD.A.POST5.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.75
1st and 3rd quartiles	0.59; 0.94
Min. and max.	0.22; 1.8




VPD.L20.POST5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	44
Median	11
1st and 3rd quartiles	5; 20
Min. and max.	0; 47




VPD.L45.POST5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	58
Median	28
1st and 3rd quartiles	21; 37
Min. and max.	0; 62




VPD.A.POST7.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.78
1st and 3rd quartiles	0.62; 0.96
Min. and max.	0.23; 1.72




VPD.L20.POST7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	54
Median	15
1st and 3rd quartiles	7; 25
Min. and max.	0; 58




VPD.L45.POST7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	73
Median	38
1st and 3rd quartiles	27; 49
Min. and max.	0; 81




VPD.A.POST10.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.82
1st and 3rd quartiles	0.65; 0.96
Min. and max.	0.3; 1.66




VPD.L20.POST10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	70
Median	20
1st and 3rd quartiles	10; 32
Min. and max.	0; 72




VPD.L45.POST10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	89
Median	50
1st and 3rd quartiles	38; 64
Min. and max.	3; 106




VPD.A.POST14.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.82
1st and 3rd quartiles	0.67; 0.97
Min. and max.	0.3; 1.67




VPD.L20.POST14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	82
Median	27
1st and 3rd quartiles	15; 42
Min. and max.	0; 106




VPD.L45.POST14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	109
Median	68
1st and 3rd quartiles	52; 85
Min. and max.	3; 142




VPD.A.POST15.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	0.82
1st and 3rd quartiles	0.68; 0.97
Min. and max.	0.31; 1.73




VPD.L20.POST15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	89
Median	29
1st and 3rd quartiles	16; 43
Min. and max.	0; 108




VPD.L45.POST15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	114
Median	72
1st and 3rd quartiles	55; 90
Min. and max.	3; 150




DD.A.PRE5.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	6.71
1st and 3rd quartiles	5.22; 8.02
Min. and max.	0.95; 20.96




DD.L1.PRE5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	40
Median	2
1st and 3rd quartiles	0; 8
Min. and max.	0; 56




DD.A.PRE7.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	6.69
1st and 3rd quartiles	5.37; 8.08
Min. and max.	1.4; 19




DD.L1.PRE7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	47
Median	3
1st and 3rd quartiles	0; 12
Min. and max.	0; 63




DD.A.PRE10.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	543
Median	6.62
1st and 3rd quartiles	5.37; 8.09
Min. and max.	1.97; 16.96




DD.L1.PRE10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	55
Median	6
1st and 3rd quartiles	0; 14
Min. and max.	0; 68




DD.A.PRE14.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	6.52
1st and 3rd quartiles	5.42; 7.93
Min. and max.	2.56; 16.2




DD.L1.PRE14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	64
Median	9
1st and 3rd quartiles	1; 19
Min. and max.	0; 78




DD.A.PRE15.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	6.51
1st and 3rd quartiles	5.47; 7.87
Min. and max.	2.62; 16.21




DD.L1.PRE15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	66
Median	9
1st and 3rd quartiles	1; 21
Min. and max.	0; 81




DD.A.POST5.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	543
Median	5.94
1st and 3rd quartiles	4.83; 7.44
Min. and max.	2.01; 14.67




DD.L1.POST5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	32
Median	2
1st and 3rd quartiles	0; 9
Min. and max.	0; 40




DD.A.POST7.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	6.07
1st and 3rd quartiles	4.86; 7.44
Min. and max.	2.3; 13.25




DD.L1.POST7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	38
Median	3
1st and 3rd quartiles	0; 11
Min. and max.	0; 51




DD.A.POST10.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	543
Median	6.15
1st and 3rd quartiles	5.02; 7.32
Min. and max.	2.49; 12.76




DD.L1.POST10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	47
Median	5
1st and 3rd quartiles	0; 14
Min. and max.	0; 58




DD.A.POST14.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	6.14
1st and 3rd quartiles	5.14; 7.29
Min. and max.	2.39; 12.89




DD.L1.POST14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	58
Median	7
1st and 3rd quartiles	1; 19
Min. and max.	0; 81




DD.A.POST15.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	6.12
1st and 3rd quartiles	5.13; 7.26
Min. and max.	2.41; 12.9




DD.L1.POST15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	59
Median	7
1st and 3rd quartiles	1; 20
Min. and max.	0; 83




RH.A.PRE5.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	68.09
1st and 3rd quartiles	62.74; 73.98
Min. and max.	31.22; 94.48




RH.A.PRE5.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	69.86
1st and 3rd quartiles	64.85; 75.75
Min. and max.	36.76; 92.99




RH.G80.PRE5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	66
Median	23
1st and 3rd quartiles	14; 33
Min. and max.	0; 70




RH.G90.PRE5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	52
Median	9
1st and 3rd quartiles	3; 17
Min. and max.	0; 67




RH.A.PRE7.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	68.04
1st and 3rd quartiles	62.65; 73.49
Min. and max.	34.58; 91.95




RH.G80.PRE7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	81
Median	31
1st and 3rd quartiles	19; 41.5
Min. and max.	0; 90




RH.G90.PRE7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	61
Median	12
1st and 3rd quartiles	4; 23
Min. and max.	0; 75




RH.A.PRE10.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	67.99
1st and 3rd quartiles	62.63; 73.5
Min. and max.	38.33; 89.28




RH.A.PRE10.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	69.41
1st and 3rd quartiles	65.22; 75.42
Min. and max.	43.6; 89.23




RH.G80.PRE10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	94
Median	43
1st and 3rd quartiles	28; 58
Min. and max.	0; 107




RH.G90.PRE10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	71
Median	17
1st and 3rd quartiles	8; 31
Min. and max.	0; 87




RH.A.PRE14.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	68.72
1st and 3rd quartiles	63.15; 73.29
Min. and max.	39.26; 86.36




RH.A.PRE14.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	70.04
1st and 3rd quartiles	65.65; 74.62
Min. and max.	45.22; 85.9




RH.G80.PRE14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	114
Median	61
1st and 3rd quartiles	40; 77
Min. and max.	0; 137




RH.G90.PRE14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	86
Median	26
1st and 3rd quartiles	12; 42
Min. and max.	0; 96




RH.A.PRE15.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	68.37
1st and 3rd quartiles	63.26; 72.88
Min. and max.	38.99; 86.15




RH.A.PRE15.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	69.91
1st and 3rd quartiles	65.42; 74.27
Min. and max.	44.78; 85.6




RH.G80.PRE15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	122
Median	65
1st and 3rd quartiles	45; 81
Min. and max.	0; 140




RH.G90.PRE15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	83
Median	28
1st and 3rd quartiles	13; 43
Min. and max.	0; 99




RH.A.POST5.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	71.04
1st and 3rd quartiles	64.69; 75.59
Min. and max.	41.02; 89.09




RH.A.POST5.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	72.59
1st and 3rd quartiles	66.92; 76.76
Min. and max.	44.73; 91.17




RH.G80.POST5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	56
Median	26
1st and 3rd quartiles	17; 34
Min. and max.	0; 60




RH.G90.POST5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	40
Median	10
1st and 3rd quartiles	3; 18
Min. and max.	0; 44




RH.A.POST7.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	70.79
1st and 3rd quartiles	64.84; 75.39
Min. and max.	45.96; 87.61




RH.A.POST7.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	72.43
1st and 3rd quartiles	66.86; 76.65
Min. and max.	49.11; 90.24




RH.G80.POST7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	72
Median	35
1st and 3rd quartiles	23; 44.5
Min. and max.	0; 77




RH.G90.POST7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	49
Median	14
1st and 3rd quartiles	5; 23
Min. and max.	0; 59




RH.A.POST10.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	70.25
1st and 3rd quartiles	65.73; 74.67
Min. and max.	47.84; 86.77




RH.G80.POST10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	86
Median	46
1st and 3rd quartiles	33; 60
Min. and max.	0; 92




RH.G90.POST10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	63
Median	18
1st and 3rd quartiles	8.5; 30
Min. and max.	0; 70




RH.A.POST14.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	70.35
1st and 3rd quartiles	66.11; 74.6
Min. and max.	47.14; 86.82




RH.A.POST14.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	71.97
1st and 3rd quartiles	67.69; 75.6
Min. and max.	49.93; 88.98




RH.G80.POST14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	113
Median	63
1st and 3rd quartiles	45; 81
Min. and max.	0; 140




RH.G90.POST14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	79
Median	24
1st and 3rd quartiles	12; 40
Min. and max.	0; 100




RH.A.POST15.12H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	70.31
1st and 3rd quartiles	66.06; 74.54
Min. and max.	47.1; 86.75




RH.A.POST15.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	71.9
1st and 3rd quartiles	67.76; 75.53
Min. and max.	50.11; 88.83




RH.G80.POST15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	120
Median	67
1st and 3rd quartiles	50; 86
Min. and max.	0; 148




RH.G90.POST15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	83
Median	24
1st and 3rd quartiles	13; 42
Min. and max.	0; 102




T.A.PRE5.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	18.66
1st and 3rd quartiles	16.48; 20.91
Min. and max.	8.1; 26.8




T.9T30.PRE5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	47
Median	140
1st and 3rd quartiles	132; 144
Min. and max.	65; 144




T.15T30.PRE5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	109
Median	108
1st and 3rd quartiles	87; 127
Min. and max.	10; 144




T.L9.PRE5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	43
Median	0
1st and 3rd quartiles	0; 9
Min. and max.	0; 79




T.L15.PRE5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	109
Median	33
1st and 3rd quartiles	12; 55.5
Min. and max.	0; 134




T.G30.PRE5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	28
Median	0
1st and 3rd quartiles	0; 2
Min. and max.	0; 45




T.A.PRE7.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	18.45
1st and 3rd quartiles	16.45; 20.48
Min. and max.	10.09; 26.19




T.9T30.PRE7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	55
Median	185
1st and 3rd quartiles	175; 191
Min. and max.	105; 192




T.L9.PRE7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	50
Median	3
1st and 3rd quartiles	0; 13
Min. and max.	0; 87




T.L15.PRE7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	135
Median	45
1st and 3rd quartiles	26; 76
Min. and max.	0; 162




T.G30.PRE7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	30
Median	0
1st and 3rd quartiles	0; 4
Min. and max.	0; 47




T.A.PRE10.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	18.06
1st and 3rd quartiles	16.35; 19.85
Min. and max.	10.83; 26.44




T.9T30.PRE10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	76
Median	251
1st and 3rd quartiles	239; 260
Min. and max.	148; 264




T.15T30.PRE10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	170
Median	189
1st and 3rd quartiles	151; 216
Min. and max.	58; 262




T.L9.PRE10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	73
Median	7
1st and 3rd quartiles	0; 22
Min. and max.	0; 116




T.L15.PRE10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	174
Median	74
1st and 3rd quartiles	43; 108
Min. and max.	0; 206




T.G30.PRE10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	35
Median	0
1st and 3rd quartiles	0; 5
Min. and max.	0; 65




T.A.PRE14.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	17.87
1st and 3rd quartiles	16.16; 19.45
Min. and max.	11.4; 25.94




T.9T30.PRE14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	97
Median	339
1st and 3rd quartiles	318; 351
Min. and max.	208; 360




T.15T30.PRE14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	203
Median	242
1st and 3rd quartiles	207; 288
Min. and max.	85; 352




T.L9.PRE14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	92
Median	15
1st and 3rd quartiles	1; 36
Min. and max.	0; 152




T.L15.PRE14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	203
Median	113
1st and 3rd quartiles	68; 149.5
Min. and max.	0; 275




T.G30.PRE14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	35
Median	0
1st and 3rd quartiles	0; 7
Min. and max.	0; 77




T.A.PRE15.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	17.65
1st and 3rd quartiles	16.18; 19.3
Min. and max.	11.5; 25.98




T.9T30.PRE15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	100
Median	360
1st and 3rd quartiles	337; 374
Min. and max.	222; 384




T.15T30.PRE15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	216
Median	255
1st and 3rd quartiles	217; 304
Min. and max.	88; 376




T.L9.PRE15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	94
Median	18
1st and 3rd quartiles	2; 40.5
Min. and max.	0; 162




T.L15.PRE15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	224
Median	123
1st and 3rd quartiles	75; 161
Min. and max.	0; 296




T.G30.PRE15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	36
Median	0
1st and 3rd quartiles	0; 7
Min. and max.	0; 82




T.A.POST5.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	19.17
1st and 3rd quartiles	17.41; 21.12
Min. and max.	11.73; 26.87




T.9T30.POST5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	44
Median	141
1st and 3rd quartiles	134; 144
Min. and max.	90; 144




T.15T30.POST5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	102
Median	114
1st and 3rd quartiles	96; 130
Min. and max.	32; 144




T.L9.POST5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	41
Median	0
1st and 3rd quartiles	0; 4
Min. and max.	0; 54




T.L15.POST5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	100
Median	26
1st and 3rd quartiles	9; 47
Min. and max.	0; 112




T.G30.POST5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	28
Median	0
1st and 3rd quartiles	0; 3
Min. and max.	0; 38




T.A.POST7.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	544
Median	19.31
1st and 3rd quartiles	17.83; 21.05
Min. and max.	12.56; 26.92




T.9T30.POST7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	46
Median	186
1st and 3rd quartiles	177; 192
Min. and max.	132; 192




T.15T30.POST7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	119
Median	151
1st and 3rd quartiles	133; 170
Min. and max.	52; 192




T.L9.POST7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	43
Median	0
1st and 3rd quartiles	0; 7
Min. and max.	0; 54




T.L15.POST7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	120
Median	38
1st and 3rd quartiles	15; 58
Min. and max.	0; 140




T.G30.POST7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	32
Median	0
1st and 3rd quartiles	0; 6
Min. and max.	0; 54




T.9T30.POST10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	53
Median	256
1st and 3rd quartiles	245; 263
Min. and max.	190; 264




T.L9.POST10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	45
Median	0
1st and 3rd quartiles	0; 8
Min. and max.	0; 62




T.L15.POST10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	133
Median	48
1st and 3rd quartiles	24; 68.5
Min. and max.	0; 189




T.G30.POST10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	40
Median	1
1st and 3rd quartiles	0; 8
Min. and max.	0; 65




T.A.POST14.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	19.86
1st and 3rd quartiles	18.56; 21.23
Min. and max.	12.87; 25.74




T.9T30.POST14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	67
Median	349
1st and 3rd quartiles	335; 356
Min. and max.	280; 360




T.15T30.POST14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	160
Median	291
1st and 3rd quartiles	262; 313.5
Min. and max.	113; 358




T.L9.POST14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	51
Median	2
1st and 3rd quartiles	0; 9
Min. and max.	0; 69




T.L15.POST14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	158
Median	60
1st and 3rd quartiles	32; 94
Min. and max.	0; 247




T.G30.POST14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	50
Median	3
1st and 3rd quartiles	0; 15
Min. and max.	0; 71




T.A.POST15.24H

Feature	Result
Variable type	numeric
Number of missing obs.	0 (0 %)
Number of unique values	545
Median	19.96
1st and 3rd quartiles	18.67; 21.28
Min. and max.	13.11; 25.27




T.9T30.POST15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	70
Median	372
1st and 3rd quartiles	357; 379
Min. and max.	304; 384




T.15T30.POST15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	155
Median	312
1st and 3rd quartiles	281; 336
Min. and max.	124; 378




T.L9.POST15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	50
Median	2
1st and 3rd quartiles	0; 10
Min. and max.	0; 69




T.L15.POST15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	163
Median	61
1st and 3rd quartiles	35; 96
Min. and max.	0; 260




T.G30.POST15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	53
Median	4
1st and 3rd quartiles	0; 16
Min. and max.	0; 71




TRH.9T30nRHG80.PRE5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	64
Median	21
1st and 3rd quartiles	12; 31
Min. and max.	0; 70




TRH.9T30nRHG90.PRE5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	53
Median	8
1st and 3rd quartiles	3; 15
Min. and max.	0; 67




TRH.15T30nRHG80.PRE5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	50
Median	14
1st and 3rd quartiles	6; 22
Min. and max.	0; 53




TRH.15T30nRHG90.PRE5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	39
Median	4
1st and 3rd quartiles	1; 10
Min. and max.	0; 48




TRH.9T30nRHG80.PRE7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	79
Median	28
1st and 3rd quartiles	17; 40
Min. and max.	0; 90




TRH.9T30nRHG90.PRE7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	61
Median	11
1st and 3rd quartiles	4; 21
Min. and max.	0; 75




TRH.15T30nRHG80.PRE7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	60
Median	18
1st and 3rd quartiles	9; 27
Min. and max.	0; 71




TRH.15T30nRHG90.PRE7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	44
Median	5
1st and 3rd quartiles	1; 12
Min. and max.	0; 62




TRH.9T30nRHG80.PRE10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	95
Median	40
1st and 3rd quartiles	25; 56
Min. and max.	0; 107




TRH.9T30nRHG90.PRE10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	71
Median	15
1st and 3rd quartiles	7; 28
Min. and max.	0; 87




TRH.15T30nRHG80.PRE10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	73
Median	23
1st and 3rd quartiles	12; 34
Min. and max.	0; 89




TRH.15T30nRHG90.PRE10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	52
Median	7
1st and 3rd quartiles	2; 16
Min. and max.	0; 69




TRH.9T30nRHG80.PRE14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	109
Median	53
1st and 3rd quartiles	34; 72
Min. and max.	0; 132




TRH.9T30nRHG90.PRE14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	81
Median	21
1st and 3rd quartiles	11; 37
Min. and max.	0; 95




TRH.15T30nRHG80.PRE14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	85
Median	30
1st and 3rd quartiles	16; 47
Min. and max.	0; 97




TRH.15T30nRHG90.PRE14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	55
Median	10
1st and 3rd quartiles	4; 22
Min. and max.	0; 69




TRH.9T30nRHG80.PRE15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	114
Median	57
1st and 3rd quartiles	38; 77
Min. and max.	0; 137




TRH.9T30nRHG90.PRE15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	83
Median	24
1st and 3rd quartiles	11; 40
Min. and max.	0; 95




TRH.15T30nRHG80.PRE15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	88
Median	31
1st and 3rd quartiles	18; 49
Min. and max.	0; 99




TRH.15T30nRHG90.PRE15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	55
Median	11
1st and 3rd quartiles	4; 23
Min. and max.	0; 70




TRH.9T30nRHG80.POST5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	56
Median	25
1st and 3rd quartiles	15; 33
Min. and max.	0; 55




TRH.9T30nRHG90.POST5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	40
Median	9
1st and 3rd quartiles	3; 17
Min. and max.	0; 44




TRH.15T30nRHG80.POST5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	49
Median	16
1st and 3rd quartiles	8; 25
Min. and max.	0; 54




TRH.15T30nRHG90.POST5.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	38
Median	5
1st and 3rd quartiles	1; 12
Min. and max.	0; 39




TRH.9T30nRHG80.POST7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	71
Median	33
1st and 3rd quartiles	22; 43
Min. and max.	0; 72




TRH.9T30nRHG90.POST7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	49
Median	13
1st and 3rd quartiles	4; 22
Min. and max.	0; 59




TRH.15T30nRHG80.POST7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	62
Median	23
1st and 3rd quartiles	14; 32
Min. and max.	0; 64




TRH.15T30nRHG90.POST7.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	43
Median	8
1st and 3rd quartiles	2; 16
Min. and max.	0; 49




TRH.9T30nRHG80.POST10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	87
Median	45
1st and 3rd quartiles	32; 58
Min. and max.	0; 92




TRH.9T30nRHG90.POST10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	62
Median	17
1st and 3rd quartiles	8; 29
Min. and max.	0; 70




TRH.15T30nRHG80.POST10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	80
Median	32
1st and 3rd quartiles	20; 44
Min. and max.	0; 85




TRH.15T30nRHG90.POST10.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	53
Median	11
1st and 3rd quartiles	3; 20
Min. and max.	0; 65




TRH.9T30nRHG80.POST14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	111
Median	62
1st and 3rd quartiles	44; 79
Min. and max.	0; 140




TRH.9T30nRHG90.POST14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	78
Median	23
1st and 3rd quartiles	12; 39
Min. and max.	0; 88




TRH.15T30nRHG80.POST14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	96
Median	44
1st and 3rd quartiles	29; 60
Min. and max.	0; 109




TRH.15T30nRHG90.POST14.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	60
Median	16
1st and 3rd quartiles	6; 27
Min. and max.	0; 81




TRH.9T30nRHG80.POST15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	115
Median	66
1st and 3rd quartiles	47; 85
Min. and max.	0; 148




TRH.9T30nRHG90.POST15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	82
Median	24
1st and 3rd quartiles	13; 41
Min. and max.	0; 92




TRH.15T30nRHG80.POST15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	99
Median	48
1st and 3rd quartiles	31; 64
Min. and max.	0; 115




TRH.15T30nRHG90.POST15.12H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	63
Median	17
1st and 3rd quartiles	8; 30
Min. and max.	0; 82




TRH.9T30nRHG80.PRE5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	115
Median	48
1st and 3rd quartiles	32; 65
Min. and max.	0; 137




TRH.9T30nRHG90.PRE5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	86
Median	18
1st and 3rd quartiles	9; 34
Min. and max.	0; 118




TRH.15T30nRHG80.PRE5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	87
Median	31
1st and 3rd quartiles	15; 46
Min. and max.	0; 104




TRH.15T30nRHG90.PRE5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	63
Median	10
1st and 3rd quartiles	3; 20
Min. and max.	0; 82




TRH.9T30nRHG80.PRE7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	137
Median	62
1st and 3rd quartiles	40; 85
Min. and max.	0; 175




TRH.9T30nRHG90.PRE7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	99
Median	24
1st and 3rd quartiles	12; 47.5
Min. and max.	0; 142




TRH.9T30nRHG80.PRE10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	166
Median	85
1st and 3rd quartiles	60; 115
Min. and max.	0; 210




TRH.9T30nRHG90.PRE10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	123
Median	34
1st and 3rd quartiles	17; 64.5
Min. and max.	0; 169




TRH.15T30nRHG80.PRE10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	127
Median	49
1st and 3rd quartiles	27; 72
Min. and max.	0; 173




TRH.15T30nRHG90.PRE10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	86
Median	18
1st and 3rd quartiles	8; 33
Min. and max.	0; 132




TRH.9T30nRHG80.PRE14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	190
Median	115
1st and 3rd quartiles	80; 158
Min. and max.	0; 259




TRH.9T30nRHG90.PRE14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	146
Median	50
1st and 3rd quartiles	26; 83
Min. and max.	0; 191




TRH.15T30nRHG80.PRE14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	154
Median	64
1st and 3rd quartiles	37; 98
Min. and max.	0; 185




TRH.15T30nRHG90.PRE14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	97
Median	24
1st and 3rd quartiles	10; 48
Min. and max.	0; 138




TRH.9T30nRHG80.PRE15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	191
Median	122
1st and 3rd quartiles	86; 165
Min. and max.	0; 268




TRH.9T30nRHG90.PRE15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	145
Median	54
1st and 3rd quartiles	28; 86.5
Min. and max.	0; 201




TRH.15T30nRHG80.PRE15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	159
Median	66
1st and 3rd quartiles	39; 102
Min. and max.	0; 193




TRH.15T30nRHG90.PRE15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	98
Median	25
1st and 3rd quartiles	11; 50
Min. and max.	0; 144




TRH.9T30nRHG80.POST5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	108
Median	55
1st and 3rd quartiles	37; 70
Min. and max.	0; 123




TRH.9T30nRHG90.POST5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	74
Median	24
1st and 3rd quartiles	9.5; 38
Min. and max.	0; 93




TRH.15T30nRHG80.POST5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	96
Median	36
1st and 3rd quartiles	21; 53
Min. and max.	0; 110




TRH.15T30nRHG90.POST5.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	65
Median	14
1st and 3rd quartiles	4; 26
Min. and max.	0; 79




TRH.9T30nRHG80.POST7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	126
Median	74
1st and 3rd quartiles	52; 92
Min. and max.	0; 156




TRH.9T30nRHG90.POST7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	93
Median	31
1st and 3rd quartiles	14.5; 50
Min. and max.	0; 119




TRH.15T30nRHG80.POST7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	117
Median	48
1st and 3rd quartiles	29; 68
Min. and max.	0; 133




TRH.15T30nRHG90.POST7.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	78
Median	20
1st and 3rd quartiles	7; 32
Min. and max.	0; 99




TRH.9T30nRHG80.POST10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	155
Median	100
1st and 3rd quartiles	74.5; 125
Min. and max.	0; 207




TRH.9T30nRHG90.POST10.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	115
Median	41
1st and 3rd quartiles	24; 65
Min. and max.	0; 162




TRH.9T30nRHG80.POST14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	176
Median	138
1st and 3rd quartiles	104; 165
Min. and max.	1; 300




TRH.9T30nRHG90.POST14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	139
Median	59
1st and 3rd quartiles	35; 87
Min. and max.	0; 202




TRH.15T30nRHG80.POST14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	170
Median	98
1st and 3rd quartiles	66; 125
Min. and max.	0; 209




TRH.15T30nRHG90.POST14.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	117
Median	37
1st and 3rd quartiles	19; 60
Min. and max.	0; 154




TRH.9T30nRHG80.POST15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	179
Median	150
1st and 3rd quartiles	111.5; 177
Min. and max.	1; 317




TRH.9T30nRHG90.POST15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	150
Median	65
1st and 3rd quartiles	38.5; 93
Min. and max.	0; 217




TRH.15T30nRHG80.POST15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	177
Median	105
1st and 3rd quartiles	71; 134
Min. and max.	0; 222



TRH.15T30nRHG90.POST15.24H

Feature	Result
Variable type	integer
Number of missing obs.	0 (0 %)
Number of unique values	122
Median	40
1st and 3rd quartiles	21; 64
Min. and max.	0; 161


count
200
100
0
0
50
100
150
TRH.15T30nRHG90.POST15.24H