emergent keyboard shortcuts

Standard navigation keys

A variety of standard emacs/readline navigation keys have analogs throughout emergent. The first line of each top-level section lists which of these work there. On OSX you can swap the Cmd and Ctrl keys and Cmd+V is paste while Ctrl+V is Page Down.

Tab/Shift+Tab	Forward/Backwards through elements/interface
Page Up/Down	Move cursor to the top/bottom or first/last element
Ctrl+Space	Enable select as you navigate mode.
Ctrl+F	Move cursor forwards or expand node.
Ctrl+B	Move cursor backwards or expand node.
Ctrl+N	Move cursor down one line.
Ctrl+P	Move cursor up one line.
Ctrl+A	Move cursor to first character
Ctrl+E	Move cursor to last character
Ctrl+D	Delete item in focus or all selected items.
Ctrl+G	Deselect text or tree selection.
Ctrl+X/W	Cut.
Ctrl+C/Alt+W	Copy.
Ctrl+V/Y	Paste.

css console and text fields

Standard	Ctrl+F/B/N/P/A/E/D/X/W/C/V/Y.
Ctrl+K	Kill text until end of line.
Ctrl+right	Move cursor one word forward.
Ctrl+left	Move cursor one word backwards.
Ctrl+shift+right	Highlight one word forward.
Ctrl+shift+left	Highlight one word backwards.

Global project

|	
Standard	Tab
Ctrl+S	Save project.
Ctrl+left	Backwards in navigation history
Ctrl+right	Forwards in navigation history
F5	Refresh GUI.
Ctrl/Alt+J	Move global focus left
Ctrl/Alt+L	Move global focus right

Window frames

Cmd+1	Tree browser only
Cmd+2	Panel frame only
Cmd+3	Tree & panel frame
Cmd+4	3D frame only
Cmd+5	Tree & 3D frame
Cmd+6	Panels & 3D frame
Cmd+7	All frames

Control panels

Init,Run,Step,Stop,Abort	F8,F9,F10,F11,F12

Project tree and program tree

Standard	Page,Ctrl+Space/F/B/N/P/D/G/X/W/C/V/Y.
Any 1-3 chars	Find as you type. Moves cursor to next matching lin
Ctrl+I	New item below cursor.
Alt+F	Find from selected node.
Ctrl+M	Duplicate element(s).

New elements in project tree

Click on any group or navigate to group by typing first 1-3 chars, then Ctrl+I.
Examples.

da Ctrl+I	New DataTable
la Ctrl+I	New Layer
pr Ctrl+I	New Program
sp Ctrl+I	New Spec

New elements can also be created by pressing Return (Enter). No chooser dialog will appear. Works for all project elements.

New elements in program tree

These sequences insert new items by displaying a chooser dialog. Press Ctrl+left to navigate back to where you were before the insert. Examples

obj Ctrl+I Type	New obj
var Ctrl+I	New var
fun Ctrl+I	New fun

New elements can also be created by pressing Return (Enter). No chooser dialog will appear. Works for all program elements.

Text fields

|	
Ctrl+L	Text completion lookup.
Ctrl+U	Highlight all.

Edit panels

See the "Text fields" section for shortcuts that work on the text fields of edit panels.

Standard	Tab
Up/Down arrow	(numeric field) Increase/decrease value.
Up/Down arrow	(dropdown) Move up/down.
ESC	Revert changes.
Ctrl+Enter	Apply changes.
Space	Open token chooser and Check/uncheck flag.
Ctrl+L	(expression fields) Lookup information.

DataTables and matrices

|	
Standard	Page,Ctrl+F/B/N/P/A/E/C/V/D/G/Y.
Ctrl+T	Switch between table and matrix focus.
Ctrl+I	Insert new row.
Ctrl+M	Duplicate row.
Ctrl+Space	Start editing cell.

Choosers

Standard	Tab,Ctrl+F/B/N/P/A/E/D/X/W/C/V/Y.

3D View

Arrow keys	Rotate
Shift + Arrow keys	Pan
-	Zoom-Out
+ or =	Zoom-In.

Help Browser

Standard	Tab,Page,Ctrl+F/B/N/P/A/E/X/W/C/V/Y.
F1	Help Browser.
Ctrl+S	Toggle Search/Find focus.

Docs

Standard	Tab,Space,Ctrl+F/B/N/P/A/E/D/X/W/C/V/Y.

css console

Ctrl+L	Clear console buffer history.
Ctrl+L	Delete highlighted text.