

1145 Aug 10 2023 Coordination w/o Schoolhouse

Inventory report

RF zone: 4D Interior

Primary frequencies (6)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (6)					
PSM1000	G10	Shure	[P10T]	G:-- Ch:--	481.625 MHz
PSM1000	G10	Shure	[P10T]	G:-- Ch:--	520.075 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	472.925 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	474.375 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	475.550 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	523.025 MHz

Backup frequencies (2) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
PSM1000	G10		G:-- Ch:--	482.375 MHz
ULXD/Standard	G50		G:-- Ch:--	524.525 MHz

RF zone: Driving School

Primary frequencies (1)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (1)					
ULX	G3	Shure	ULX	G:04 Ch:04	473.050 MHz

Backup frequencies (1) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULX	G3		G:09 Ch:11	485.325 MHz

RF zone: Duplo Schoolhouse

Primary frequencies (2)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (2)					
ULXD4D/ Standard	G50	TeachOne	[ULXD4D]	G:-- Ch:--	520.050 MHz
ULXD4D/ Standard	G50	TeachTwo	[ULXD4D]	G:-- Ch:--	485.125 MHz

Backup frequencies (1) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	474.525 MHz

RF zone: EVENT Kingdoms Stage

Primary frequencies (5)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (5)					
PSM900	G7	Shure	PSM900	G:-- Ch:--	506.125 MHz

Model	Band	Channel name	Device ID	Group & Channel	Frequency
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	473.050 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	484.775 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	485.500 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	519.375 MHz

Backup frequencies (1) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	525.950 MHz

RF zone: EVENT Market Circle

Primary frequencies (2)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (2)					
ULXD4D/ Standard	G50	Shure	[ULXD4D]	G:-- Ch:--	475.600 MHz
ULXD4D/ Standard	G50	Shure	[ULXD4D]	G:-- Ch:--	523.350 MHz

Backup frequencies (3) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (3)				
ULXD/Standard	G50		G:-- Ch:--	476.825 MHz
ULXD/Standard	G50		G:-- Ch:--	484.400 MHz
ULXD/Standard	G50		G:-- Ch:--	524.550 MHz

RF zone: EVENT Miniland

Primary frequencies (2)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (2)					
ULXD4D/Standard	G50	Shure	[ULXD4D]	G:-- Ch:--	519.875 MHz
ULXD4D/Standard	G50	Shure	[ULXD4D]	G:-- Ch:--	523.950 MHz

Backup frequencies (3) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (3)				
ULXD/Standard	G50		G:-- Ch:--	471.925 MHz
ULXD/Standard	G50		G:-- Ch:--	481.475 MHz
ULXD/Standard	G50		G:-- Ch:--	523.075 MHz

RF zone: EVENT OUTSIDE 4D

Primary frequencies (2)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (2)					
PSM900	G6	Shure	PSM900	G:-- Ch:--	479.975 MHz
ULXD4/Standard	G50	Shure	[ULXD4]	G:-- Ch:--	525.200 MHz

Backup frequencies (4) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (4)				
PSM900	G6		G:-- Ch:--	480.375 MHz
PSM900	G6		G:-- Ch:--	487.225 MHz
ULXD/Standard	G50		G:-- Ch:--	527.500 MHz
ULXD/Standard	G50		G:-- Ch:--	529.100 MHz

RF zone: EVENT South Stadium

Primary frequencies (4)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (4)					
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	480.300 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	487.525 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	525.950 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	529.475 MHz

Backup frequencies (1) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	527.850 MHz

RF zone: EVENT Technic

Primary frequencies (1)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (1)					
ULXD4/ Standard	G50	Shure	[ULXD4]	G:-- Ch:--	482.375 MHz

Backup frequencies (1) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	478.925 MHz

RF zone: Hotel Pirate Stage

Primary frequencies (2)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (2)					
ULXD4D/Standard	G50	Pirate 1	[PIH-101]	G:-- Ch:--	472.800 MHz
ULXD4D/Standard	G50	Pirate 2	[PIH-101]	G:-- Ch:--	526.100 MHz

Backup frequencies (2) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50		G:-- Ch:--	485.275 MHz
ULXD/Standard	G50		G:-- Ch:--	528.100 MHz

RF zone: LCS

Primary frequencies (8)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (8)					
PSM900	G7	Shure	PSM900	G:-- Ch:--	527.125 MHz
PSM900	G7	Shure	PSM900	G:-- Ch:--	528.425 MHz
ULXD4D/Standard	J50A	Shure	[ULXD4D]	G:-- Ch:--	593.950 MHz
ULXD4D/Standard	J50A	Shure	[ULXD4D]	G:-- Ch:--	595.025 MHz
ULXD4Q/Standard	J50A	Backup	[Funtown1]	G:-- Ch:--	591.175 MHz
ULXD4Q/Standard	J50A	Lexi	[Funtown1]	G:-- Ch:--	602.625 MHz
ULXD4Q/Standard	J50A	Sam	[Funtown1]	G:-- Ch:--	580.900 MHz
ULXD4Q/	J50A	Switch	[Funtown1]	G:-- Ch:--	606.850 MHz

Model	Band	Channel name	Device ID	Group & Channel	Frequency
Standard					

Backup frequencies (4) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (4)				
PSM900	G7		G:-- Ch:--	518.975 MHz
ULXD/Standard	J50A		G:-- Ch:--	590.125 MHz
ULXD/Standard	J50A		G:-- Ch:--	593.500 MHz
ULXD/Standard	J50A		G:-- Ch:--	605.675 MHz

RF zone: Master Model Builder

Primary frequencies (2)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (2)					
ULXD4D/ Standard	G50	Shure	[ULXD4D]	G:-- Ch:--	480.325 MHz
ULXD4D/ Standard	G50	Shure	[ULXD4D]	G:-- Ch:--	481.450 MHz

Backup frequencies (1) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	524.475 MHz

RF zone: Parkwide Backup Freq

Primary frequencies (10)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (10)					
PSM900	G6	Shure	PSM900	G:-- Ch:--	483.425 MHz

Model	Band	Channel name	Device ID	Group & Channel	Frequency
ULX	G3	Shure	ULX	G:10 Ch:01	470.600 MHz
ULXD4/ Standard	G50	Shure	[ULXD4]	G:-- Ch:--	520.950 MHz
ULXD4/ Standard	G50	Shure	[ULXD4]	G:-- Ch:--	526.550 MHz
ULXD4D/ Standard	J50A	Shure	[ULXD4D]	G:-- Ch:--	605.325 MHz
ULXD4D/ Standard	J50A	Shure	[ULXD4D]	G:-- Ch:--	606.425 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	472.800 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	485.275 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	526.100 MHz
ULXD4Q/ Standard	G50	Shure	[ULXD4Q]	G:-- Ch:--	528.100 MHz

Backup frequencies (0)

RF zone: Peppa Stage

Primary frequencies (4)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (4)					
QLXD4	J50A	Shure	[QLXD4]	G:-- Ch:--	576.750 MHz
QLXD4	J50A	Shure	[QLXD4]	G:-- Ch:--	583.350 MHz
QLXD4	J50A	Shure	[QLXD4]	G:-- Ch:--	595.500 MHz
QLXD4	J50A	Shure	[QLXD4]	G:-- Ch:--	603.325 MHz

Backup frequencies (1) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
QLXD	J50A		G:-- Ch:--	602.400 MHz

RF zone: Rescue Academy

Primary frequencies (2)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (2)					
ULX	G3	Shure	ULX	G:10 Ch:08	481.675 MHz
ULX	G3	Shure	ULX	G:03 Ch:04	483.925 MHz

Backup frequencies (1) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULX	G3		G:06 Ch:10	481.000 MHz

RF zone: Ski

Primary frequencies (6)

Model	Band	Channel name	Device ID	Group & Channel	Frequency
No Inclusion Group (6)					
PSM1000	G10	Char	[Ski A]	G:-- Ch:--	472.675 MHz
PSM1000	G10	K&K	[Ski A]	G:-- Ch:--	486.075 MHz
ULXD4Q/ Standard	G50	Keel	[Ski Show]	G:-- Ch:--	522.300 MHz
ULXD4Q/ Standard	G50	Ketch	[Ski Show]	G:-- Ch:--	482.575 MHz
ULXD4Q/ Standard	G50	SL Spare	[Ski Show]	G:-- Ch:--	527.300 MHz
ULXD4Q/ Standard	G50	SR Spare	[Ski Show]	G:-- Ch:--	518.400 MHz

Backup frequencies (2) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
PSM1000	G10		G:-- Ch:--	519.050 MHz
ULXD/Standard	G50		G:-- Ch:--	477.375 MHz

RF zone: Hotel Castle Stage

Primary frequencies (0)

Backup frequencies (3) Frequency list source: WWB

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (3)				
ULXD/Standard	G50		G:-- Ch:--	471.875 MHz
ULXD/Standard	G50		G:-- Ch:--	519.950 MHz
ULXD/Standard	G50		G:-- Ch:--	527.450 MHz

Created on 6 Sep 2023 at 5:24PM
Generated using Wireless Workbench 7.0.0.400