4D Interior List of Approved Frequencies

Primary frequencies (8)

Туре	Band	Channel name	Group & Channel	Frequency			
	No Inclusion Group (8)						
PSM900	G7		G: Ch:	518.150 MHz			
PSM900	G7		G: Ch:	518.600 MHz			
PSM900	G7		G: Ch:	520.025 MHz			
PSM900	G7		G: Ch:	520.425 MHz			
ULXD/Standard	G50	Shure	G: Ch:	472.925 MHz			
ULXD/Standard	G50	Shure	G: Ch:	474.375 MHz			
ULXD/Standard	G50	Shure	G: Ch:	523.025 MHz			
ULXD/Standard	G50	Shure	G: Ch:	524.525 MHz			

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (2)

Туре	Band	Source	Group & Channel	Frequency	
No Inclusion Group (2)					
PSM900	G7		G: Ch:	528.100 MHz	
ULXD/Standard	J50A		G: Ch:	606.225 MHz	

Driving School List of Approved Frequencies

Туре	Band	Channel name	Group & Channel	Frequency
ULX	G3		G:02 Ch:05	479.900 MHz

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (1)

Туре	Band	Source	Group & Channel	Frequency	
No Inclusion Group (1)					
ULX	G3		G:06 Ch:06	476.800 MHz	

Duplo Schoolhouse List of Approved Frequencies

Primary frequencies (2)

Туре	Band	Channel name	Group & Channel	Frequency		
No Inclusion Group (2)						
ULXD/Standard	G50	TeachOne	G: Ch:	523.475 MHz		
ULXD/Standard	G50	TeachTwo	G: Ch:	485.125 MHz		

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (1)

Туре	Band	Source	Group & Channel	Frequency	
No Inclusion Group (1)					
ULXD/Standard G50 G: Ch: 472.350 MHz					

Kingdoms Stage List of Approved Frequencies

Primary frequencies (3)

Туре	Band	Channel name	Group & Channel	Frequency
		No Inclusion Gr	oup (3)	
PSM900	G7		G: Ch:	518.375 MHz
ULXD/Standard	J50A		G: Ch:	592.100 MHz
ULXD/Standard	J50A		G: Ch:	593.000 MHz

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (3)

Туре	Band	Source	Group & Channel	Frequency
		No Inclusion	Group (3)	
PSM900	G7		G: Ch:	529.025 MHz
ULXD/Standard	J50A		G: Ch:	590.450 MHz
ULXD/Standard	J50A		G: Ch:	594.825 MHz

Market Circle List of Approved Frequencies

Primary frequencies (2)

Туре	Band	Channel name	Group & Channel	Frequency	
No Inclusion Group (2)					
ULXD/Standard	J50A		G: Ch:	576.775 MHz	
ULXD/Standard	J50A		G: Ch:	603.650 MHz	

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (2)

Туре	Band	Source	Group & Channel	Frequency	
No Inclusion Group (2)					
ULXD/Standard	J50A		G: Ch:	590.525 MHz	
ULXD/Standard	J50A		G: Ch:	606.650 MHz	

Miniland List of Approved Frequencies

Туре	Band	Channel name	Group & Channel	Frequency
		No Inclusion Gr	oup (4)	
ULXD/Standard	G50		G: Ch:	483.200 MHz
ULXD/Standard	G50		G: Ch:	520.600 MHz
ULXD/Standard	G50		G: Ch:	522.800 MHz
ULXD/Standard	G50	Shure	G: Ch:	519.850 MHz

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (2)

Туре	Band	Source	Group & Channel	Frequency	
No Inclusion Group (2)					
ULXD/Standard	G50		G: Ch:	472.450 MHz	
ULXD/Standard	G50		G: Ch:	473.000 MHz	

4D EXTERIOR List of Approved Frequencies

Primary frequencies (4)

Туре	Band	Channel name	Group & Channel	Frequency		
No Inclusion Group (4)						
PSM900	G7		G: Ch:	521.000 MHz		
PSM900	G7		G: Ch:	524.100 MHz		
QLXD	J50A		G: Ch:	593.650 MHz		
QLXD	J50A		G: Ch:	603.900 MHz		

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (4)

Туре	Band	Source	Group & Channel	Frequency	
No Inclusion Group (4)					
PSM900	G7		G: Ch:	526.050 MHz	
PSM900	G7		G: Ch:	529.825 MHz	
QLXD	J50A		G: Ch:	595.225 MHz	
QLXD	J50A		G: Ch:	604.925 MHz	

South Stadium List of Approved Frequencies

Primary frequencies (4)

Туре	Band	Channel name	Group & Channel	Frequency		
No Inclusion Group (4)						
ULXD/Standard	G50		G: Ch:	529.800 MHz		
ULXD/Standard	G50	Shure	G: Ch:	471.375 MHz		
ULXD/Standard	G50	Shure	G: Ch:	484.450 MHz		
ULXD/Standard	G50	Shure	G: Ch:	524.050 MHz		

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (2)

Туре	Band	Source	Group & Channel	Frequency		
No Inclusion Group (2)						
ULXD/Standard	G50	Shure	G: Ch:	526.725 MHz		
ULXD/Standard		(WWB: EVENT South Stadium)	G: Ch:	527.850 MHz		

Technic Outdoors List of Approved Frequencies

Primary frequencies (1)

Туре	Band	Channel name	Group & Channel	Frequency	
No Inclusion Group (1)					
ULXD/Standard G50 Shure G: Ch:- 527.325 MHz					

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (1)

Туре	Band	Source	Group & Channel	Frequency	
No Inclusion Group (1)					
ULXD/Standard G50 G: Ch: 483.250 MHz					

EVENT INSIDE HLH List of Approved Frequencies

Туре	Band	Channel name	Group & Channel	Frequency
		No Inclusion Gr	oup (4)	
ULXD/Standard	G50		G: Ch:	470.875 MHz
ULXD/Standard	G50		G: Ch:	481.300 MHz
ULXD/Standard	G50		G: Ch:	486.025 MHz
ULXD/Standard	G50		G: Ch:	521.500 MHz

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (2)

Туре	Band	Source	Group & Channel	Frequency	
No Inclusion Group (2)					
ULXD/Standard	G50		G: Ch:	475.300 MHz	
ULXD/Standard	G50		G: Ch:	528.375 MHz	

Hotel Castle Stage List of Approved Frequencies

Туре	Band	Channel name	Group & Channel	Frequency	
No Inclusion Group (2)					
ULXD/Standard	G50		G: Ch:	471.875 MHz	
ULXD/Standard	G50		G: Ch:	527.450 MHz	

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (1)

Туре	Band	Source	Group & Channel	Frequency	
No Inclusion Group (1)					
ULXD/Standard G50 G: Ch: 519.950 MHz					

Hotel Pirate Stage List of Approved Frequencies

Primary frequencies (4)

Туре	Band	Channel name	Group & Channel	Frequency		
No Inclusion Group (4)						
ULXD/Standard	G50		G: Ch:	485.275 MHz		
ULXD/Standard	G50		G: Ch:	528.100 MHz		
ULXD/Standard	G50	Pirate 1	G: Ch:	472.800 MHz		
ULXD/Standard	G50	Pirate 2	G: Ch:	526.100 MHz		

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (2)

Туре	Band	Source	Group & Channel	Frequency	
No Inclusion Group (2)					
ULXD/Standard	G50		G: Ch:	473.600 MHz	
ULXD/Standard	G50		G: Ch:	483.900 MHz	

LCS List of Approved Frequencies

Туре	Band	Channel name	Group & Channel	Frequency
PSM900	G7	Shure	G: Ch:	527.125 MHz
PSM900	G7	Shure	G: Ch:	528.425 MHz
ULXD/Standard	J50A	Backup	G: Ch:	591.175 MHz
ULXD/Standard	J50A	Lexi	G: Ch:	602.625 MHz
ULXD/Standard	J50A	Sam	G: Ch:	580.900 MHz
ULXD/Standard	J50A	Shure	G: Ch:	593.950 MHz
ULXD/Standard	J50A	Shure	G: Ch:	595.025 MHz
ULXD/Standard	J50A	Switch	G: Ch:	606.850 MHz

List of Approved Fallback / Backup Frequencies in case of RF Issues

Туре	Band	Source	Group & Channel	Frequency		
No Inclusion Group (6)						
PSM900	G7		G: Ch:	520.625 MHz		
PSM900	G7		G: Ch:	521.600 MHz		
ULXD/Standard	J50A		G: Ch:	575.700 MHz		
ULXD/Standard	J50A		G: Ch:	580.475 MHz		
ULXD/Standard	J50A		G: Ch:	594.575 MHz		
ULXD/Standard	J50A		G: Ch:	595.650 MHz		

Master Model Builder List of Approved Frequencies

Primary frequencies (2)

Туре	Band	Channel name	Group & Channel	Frequency	
No Inclusion Group (2)					
ULXD/Standard	G50	Shure	G: Ch:	480.325 MHz	
ULXD/Standard	G50	Shure	G: Ch:	481.450 MHz	

List of Approved Fallback / Backup Frequencies in case of RF Issues

Туре	Band	Source	Group & Channel	Frequency
ULXD/Standard	G50		G: Ch:	524.775 MHz

Emergency Use Resort-Wide Compatible Approved Frequencies

Use these frequencies at ANY venue in an emergency. Match the device and band.

Туре	Band	Channel name No Inclusion Gr	Group & Channel	Frequency
PSM1000	G10		G: Ch:	474.025 MHz
ULX	G3	Shure	G:02 Ch:03	477.450 MHz
ULXD/Standard	G50		G: Ch:	525.225 MHz
ULXD/Standard	J50A		G: Ch:	615.050 MHz

Peppa Stage List of Approved Frequencies

Primary frequencies (3)

Туре	Band	Channel name	Group & Channel	Frequency		
No Inclusion Group (3)						
QLXD	J50A	Shure	G: Ch:	575.450 MHz		
QLXD	J50A	Shure	G: Ch:	575.800 MHz		
QLXD	J50A	Shure	G: Ch:	578.400 MHz		

List of Approved Fallback / Backup Frequencies in case of RF Issues

Туре	Band	Source	Group & Channel	Frequency
QLXD	J50A		G: Ch:	583.350 MHz
QLXD	J50A		G: Ch:	607.150 MHz

Rescue Academy List of Approved Frequencies

Primary frequencies (2)

Туре	Band	Channel name	Group & Channel	Frequency		
No Inclusion Group (2)						
ULX	G3	Shure	G:10 Ch:08	481.675 MHz		
ULX	G3	Shure	G:03 Ch:04	483.925 MHz		

List of Approved Fallback / Backup Frequencies in case of RF Issues

Туре	Band	Source	Group & Channel	Frequency		
No Inclusion Group (1)						
ULX G3 G:10 Ch:05 475.500 MHz						

Ski List of Approved Frequencies

Primary frequencies (6)

Туре	Band	Channel name	Group & Channel	Frequency		
No Inclusion Group (6)						
PSM1000	G10	Char	G: Ch:	472.675 MHz		
PSM1000	G10	K&K	G: Ch:	519.050 MHz		
ULXD/Standard	G50	Keel	G: Ch:	522.300 MHz		
ULXD/Standard	G50	Ketch	G: Ch:	482.575 MHz		
ULXD/Standard	G50	SL Spare	G: Ch:	527.300 MHz		
ULXD/Standard	G50	SR Spare	G: Ch:	518.400 MHz		

List of Approved Fallback / Backup Frequencies in case of RF Issues

Туре	Band	Source	Group & Channel	Frequency
	ı	No Inclusion	Group (3)	
PSM1000	G10		G: Ch:	470.925 MHz
ULXD/Standard	G50		G: Ch:	523.325 MHz
ULXD/Standard	G50		G: Ch:	529.200 MHz

EVENT Unikitty List of Approved Frequencies

Primary frequencies (1)

Туре	Band	Channel name	Group & Channel	Frequency		
No Inclusion Group (1)						
QLXD G50 G: Ch: 519.275 MHz						

List of Approved Fallback / Backup Frequencies in case of RF Issues

Backup frequencies (1)

Туре	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
QLXD	G50		G: Ch:	520.300 MHz