

Sep 2023 Coordination

Coordination report

RF zone: 4D Interior

Primary frequencies (8)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (8)				
PSM900	G6		G:-- Ch:--	478.400 MHz
PSM900	G6		G:-- Ch:--	480.225 MHz
PSM900	G6		G:-- Ch:--	484.525 MHz
PSM900	G6		G:-- Ch:--	485.350 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	472.925 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	474.375 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	523.025 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	524.525 MHz

Backup frequencies (3)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (3)				
PSM900	G6		G:-- Ch:--	472.525 MHz
ULXD/Standard	G50		G:-- Ch:--	526.700 MHz
ULXD/Standard	G50		G:-- Ch:--	527.175 MHz

RF zone: Driving School

Primary frequencies (1)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (1)				
ULX	G3		G:02 Ch:05	479.900 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULX	G3		G:06 Ch:06	476.800 MHz

RF zone: Duplo Schoolhouse

Primary frequencies (2)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50	TeachOne	G:-- Ch:--	523.475 MHz
ULXD/Standard	G50	TeachTwo	G:-- Ch:--	485.125 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	472.350 MHz

RF zone: EVENT Kingdoms Stage

Primary frequencies (6)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (6)				
PSM900	G7		G:-- Ch:--	518.375 MHz
PSM900	G7	Shure	G:-- Ch:--	520.300 MHz
ULXD/Standard	G50		G:-- Ch:--	484.600 MHz

Type	Band	Channel name	Group & Channel	Frequency
ULXD/Standard	G50	Shure	G:-- Ch:--	478.675 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	481.725 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	519.825 MHz

Backup frequencies (4)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (4)				
PSM900	G7		G:-- Ch:--	526.800 MHz
PSM900	G7		G:-- Ch:--	529.025 MHz
ULXD/Standard	G50		G:-- Ch:--	527.625 MHz
ULXD/Standard	G50		G:-- Ch:--	528.150 MHz

RF zone: EVENT Market Circle

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
ULXD/Standard	G50		G:-- Ch:--	470.275 MHz
ULXD/Standard	G50		G:-- Ch:--	483.675 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	471.375 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	475.250 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50		G:-- Ch:--	525.725 MHz
ULXD/Standard	G50		G:-- Ch:--	528.875 MHz

RF zone: EVENT Miniland

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
ULXD/Standard	G50		G:-- Ch:--	483.200 MHz
ULXD/Standard	G50		G:-- Ch:--	520.600 MHz
ULXD/Standard	G50		G:-- Ch:--	522.800 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	519.850 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50		G:-- Ch:--	472.450 MHz
ULXD/Standard	G50		G:-- Ch:--	473.000 MHz

RF zone: EVENT OUTSIDE 4D

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
PSM900	G7		G:-- Ch:--	521.000 MHz
PSM900	G7		G:-- Ch:--	524.100 MHz
QLXD	J50A		G:-- Ch:--	593.650 MHz
QLXD	J50A		G:-- Ch:--	603.900 MHz

Backup frequencies (4)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (4)				
PSM900	G7		G:-- Ch:--	526.050 MHz
PSM900	G7		G:-- Ch:--	529.825 MHz
QLXD	J50A		G:-- Ch:--	595.225 MHz
QLXD	J50A		G:-- Ch:--	604.925 MHz

RF zone: EVENT South Stadium

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
ULXD/Standard	G50		G:-- Ch:--	529.800 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	471.375 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	484.450 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	524.050 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50	Shure	G:-- Ch:--	526.725 MHz
ULXD/Standard	G50	(WWB: EVENT South Stadium)	G:-- Ch:--	527.850 MHz

RF zone: EVENT Technic

Primary frequencies (1)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50	Shure	G:-- Ch:--	527.325 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	483.250 MHz

RF zone: Event HLH

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				
ULXD/Standard	G50		G:-- Ch:--	470.875 MHz
ULXD/Standard	G50		G:-- Ch:--	481.300 MHz
ULXD/Standard	G50		G:-- Ch:--	486.025 MHz
ULXD/Standard	G50		G:-- Ch:--	521.500 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50		G:-- Ch:--	475.300 MHz
ULXD/Standard	G50		G:-- Ch:--	528.375 MHz

RF zone: Hotel Castle Stage

Primary frequencies (2)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50		G:-- Ch:--	471.875 MHz
ULXD/Standard	G50		G:-- Ch:--	527.450 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	519.950 MHz

RF zone: Hotel Pirate Stage

Primary frequencies (4)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (4)				

Type	Band	Channel name	Group & Channel	Frequency
ULXD/Standard	G50		G:-- Ch:--	485.275 MHz
ULXD/Standard	G50		G:-- Ch:--	528.100 MHz
ULXD/Standard	G50	Pirate 1	G:-- Ch:--	472.800 MHz
ULXD/Standard	G50	Pirate 2	G:-- Ch:--	526.100 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50		G:-- Ch:--	473.600 MHz
ULXD/Standard	G50		G:-- Ch:--	483.900 MHz

RF zone: LCS

Primary frequencies (8)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (8)				
PSM900	G7	Shure	G:-- Ch:--	527.125 MHz
PSM900	G7	Shure	G:-- Ch:--	528.425 MHz
ULXD/Standard	J50A	Backup	G:-- Ch:--	591.175 MHz
ULXD/Standard	J50A	Lexi	G:-- Ch:--	602.625 MHz
ULXD/Standard	J50A	Sam	G:-- Ch:--	580.900 MHz
ULXD/Standard	J50A	Shure	G:-- Ch:--	593.950 MHz
ULXD/Standard	J50A	Shure	G:-- Ch:--	595.025 MHz
ULXD/Standard	J50A	Switch	G:-- Ch:--	606.850 MHz

Backup frequencies (6)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (6)				
PSM900	G7		G:-- Ch:--	520.625 MHz
PSM900	G7		G:-- Ch:--	521.600 MHz

Type	Band	Source	Group & Channel	Frequency
ULXD/Standard	J50A		G:-- Ch:--	575.700 MHz
ULXD/Standard	J50A		G:-- Ch:--	580.475 MHz
ULXD/Standard	J50A		G:-- Ch:--	594.575 MHz
ULXD/Standard	J50A		G:-- Ch:--	595.650 MHz

RF zone: Master Model Builder

Primary frequencies (2)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (2)				
ULXD/Standard	G50	Shure	G:-- Ch:--	480.325 MHz
ULXD/Standard	G50	Shure	G:-- Ch:--	481.450 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULXD/Standard	G50		G:-- Ch:--	524.775 MHz

RF zone: Parkwide Backup Freq

Primary frequencies (5)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (5)				
PSM1000	G10		G:-- Ch:--	474.000 MHz
PSM900	G6		G:-- Ch:--	486.950 MHz
ULX	G3	Shure	G:02 Ch:03	477.450 MHz
ULXD/Standard	G50		G:-- Ch:--	525.225 MHz
ULXD/Standard	J50A		G:-- Ch:--	615.050 MHz

Backup frequencies (0)

RF zone: Peppa Stage

Primary frequencies (3)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (3)				
QLXD	J50A	Shure	G:-- Ch:--	575.450 MHz
QLXD	J50A	Shure	G:-- Ch:--	575.800 MHz
QLXD	J50A	Shure	G:-- Ch:--	578.400 MHz

Backup frequencies (2)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (2)				
QLXD	J50A		G:-- Ch:--	583.350 MHz
QLXD	J50A		G:-- Ch:--	607.150 MHz

RF zone: Rescue Academy

Primary frequencies (2)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (2)				
ULX	G3	Shure	G:10 Ch:08	481.675 MHz
ULX	G3	Shure	G:03 Ch:04	483.925 MHz

Backup frequencies (1)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (1)				
ULX	G3		G:10 Ch:05	475.500 MHz

RF zone: Ski

Primary frequencies (6)

Type	Band	Channel name	Group & Channel	Frequency
No Inclusion Group (6)				
PSM1000	G10	Char	G:-- Ch:--	472.675 MHz
PSM1000	G10	K&K	G:-- Ch:--	519.050 MHz
ULXD/Standard	G50	Keel	G:-- Ch:--	522.300 MHz
ULXD/Standard	G50	Ketch	G:-- Ch:--	482.575 MHz
ULXD/Standard	G50	SL Spare	G:-- Ch:--	527.300 MHz
ULXD/Standard	G50	SR Spare	G:-- Ch:--	518.400 MHz

Backup frequencies (3)

Type	Band	Source	Group & Channel	Frequency
No Inclusion Group (3)				
PSM1000	G10		G:-- Ch:--	470.925 MHz
ULXD/Standard	G50		G:-- Ch:--	523.325 MHz
ULXD/Standard	G50		G:-- Ch:--	529.200 MHz

Created on 22 Sep 2023 at 9:32PM
Generated using Wireless Workbench 7.0.0.400