DE RUEDA CONSTRUCTION

Complete UI Image & Description Book

Important design instruction: Use the supplied UI mockup images as the primary actual UI design references, preserving their layout, component placement, navigation, tables, cards, and workflows as-is. Change the color treatment to green, dark blue, light blue, white, and black, with a little pink glitter used sparingly as a decorative accent.

Brand: Use the preferred glossy green de RUEDA architectural emblem and wordmark with CONSTRUCTION subtitle consistently.

Honesty note: The images in this document are visual UI mockups/concepts. This PDF does not claim the screens or integrations are already implemented in a live system.

1. Public Company Landing Page

Image




Description

Preserve the supplied landing-page layout as-is: branded navigation, construction hero, calls to action, service cards, featured projects, company overview, hiring section, and contact/inquiry flow. Apply the specified palette while keeping the existing composition.

2. Account Sign-Up / Access Request

Image




Description

Keep the supplied account-request UI layout: logo, personal/work details, role/site fields, privacy agreement, and submit action. Use the same green, dark blue, light blue, white, black, and subtle pink-glitter accents.

3. Login

Image




Description

Use the supplied login mockup as the actual design reference. Preserve email/password fields, remember-me, password recovery, passkey/biometric options, and sign-up link. Ensure secure authentication; a typed email alone is not identity verification.

4. Two-Factor Authentication

Image




Description

Use the pictured 2FA screen layout with code entry and alternate verification methods. Support authenticator app, email/SMS where configured, and passkeys/biometrics where available. Include recovery controls and log verification events.

5. CEO Activation

Image




Description

Use the supplied CEO activation concept as the layout reference. Keep activation steps simple but verify the CEO's identity securely before enabling account access. Set a strong password, enroll 2FA/passkey, and record activation in the audit log.

6. Executive Dashboard

Image




Description

Preserve the dashboard composition: sidebar, KPI cards, project overview, activity feed, charts, and approvals. Use real saved data for live metrics; any demo numbers must be clearly marked as examples.

7. HR & Employee Management

Image




Description

Use the provided HR employee-list image as the primary UI design as-is. Preserve employee table, summary cards, search/filter, action menus, transfer/reassignment, deactivate/terminate, archive, and reactivate workflows. Keep unique Employee IDs and retain historical payroll/attendance data.

8. New Employee Onboarding

Image




Description

Use the supplied employee form screen as the visual reference. Capture identity/contact, job/site assignment, pay rate, and required records with access restrictions. Validate input and create a unique Employee ID; avoid exposing government identifiers to unauthorized roles.

9. Attendance / Daily Time Record

Image




Description

Use the attendance mockup layout: date/site filters, QR scanner and manual entry, attendance summary cards, and searchable time records. Record exact Time In/Time Out timestamps, prevent duplicate punches, and audit authorized corrections.

10. Payroll, Deductions & Payslips

Image




Description

Use the supplied payroll UI layout: period/site selectors, payroll summary cards, employee calculations, deductions, and export/disbursement actions. Itemize gross, SSS, PhilHealth, canteen, cash advances, other approved deductions, and net pay. Generate PDF/Excel outputs.

11. Central GCash Hub

Image




Description

Use the GCash Hub screenshot as the primary UI design as-is, retaining tabs, batch/individual payout workflow, balance area, transaction history and status indicators. Track payout reference, amount, employee/site, timestamps, failures/reversals and reconciliation. Only show real balances or API status when officially connected and authorized.

12. Sites & Projects

Image




Description

Use the supplied project management screenshot as the primary layout reference. Preserve project cards/list, progress, customer, site, statuses, filters and actions. Support planned, active, paused/on-hold, completed, cancelled/stopped unfinished and archived states, with history retained.

13. Materials & Supplies

Image




Description

Use the materials inventory screen image as the primary UI reference. Track stock item, category, unit, quantities, availability, supplier, cost/value, purchase orders, deliveries, site releases, usage and adjustments. Show low-stock alerts and preserve movement history.

14. Reports & Export Center

Image



Description

Use the supplied Reports screenshot as the primary UI design as-is. Preserve report category cards, report tabs, date filters, site/department selectors, and generate/export/print actions. Include executive, HR, attendance, payroll, deductions, projects, materials, GCash, expenses and financial reports.

15. Documents & Payslip Outputs

Image




Description

Use the payslip preview and documents-style panels as the image reference. Support individual/site/company payslip PDFs, print-ready payroll registers, employee/project documents, attachment links, and access restrictions. Keep the established layout and palette consistent.

16. Security, Roles & Settings

Image




Description

Use the settings/security screen as the primary UI reference. Include profile, password, 2FA, passkey/biometric controls, role permissions, session controls, audit activity, company settings, payroll rules and approved storage links. Protect sensitive employee and payment data.

17. Finance, Expenses & Cash Flow

Image




Description

Use the existing dashboard and GCash visuals as the design pattern for finance screens. Track site-linked expenses, vendors, categories, amount, proof, approvals, budgets, payroll liabilities and payouts. Distinguish pending, paid, failed, reversed and reconciled transactions.

18. Customer Progress Updates & Photo Reports

Image




Description

Use the Sites & Projects UI as the primary design pattern. Collect customer/company name, contact person, phone, primary and alternate email, and address. Prepare branded photo reports at 25%, 50%, 75%, 100%, plus monthly updates between milestones. Preview PDF/email before a user manually approves sending, then save report history.

19. Documents & Internal Messages

Image




Description

Follow the same sidebar/header/table design language. Provide an indexed document library and private individual/group internal messages with attachments and message status. Do not access or reuse another person's personal social-media account or session.

20. Responsive Mobile UI

Image



Description

Use the mobile panels as a design reference for responsive layouts. Keep core tasks usable on phones: dashboard, attendance, project updates, payroll status and authorized approvals. Preserve the same branding and permissions across device sizes.

Final Implementation Rule


Use the supplied UI images as the primary design, as-is; do not replace them with a newly invented layout. Apply only the agreed color and brand treatment unless a functional requirement makes a small change necessary. The palette is green, dark blue, light blue, white and black, with a little pink glitter as a restrained accent. All images are mockups for design reference, not proof of live implementation.

DE RUEDA CONSTRUCTION

Xendit Payment & Disbursement Integration — Design Addendum

Integration decision: Use Xendit as the intended payment/disbursement provider for ERP transactions. The existing "GCash Hub" remains the internal operations screen, but transaction processing should go through the Xendit services and channels approved for the company account.

1. Updated transaction architecture



The ERP must never treat a clicked button or a payout request as proof of payment. The backend verifies provider responses and authenticated webhook events before finalizing a transaction.

2. GCash Hub — revised screen description

Keep the existing GCash Hub visual layout and navigation as the primary UI reference, but update its description and integration labels to make Xendit the transaction provider. The hub should include:

• **Provider connection:** Xendit connection/health status, environment indicator (test or live), and last successful event time.

• **Payroll disbursement:** single-employee and batch payout workflow to eligible GCash wallets or bank accounts, only where the company's Xendit account and enabled channels support the destination.

• **Incoming customer payments:** payment links/checkout or other approved Xendit methods, including GCash where enabled for the account.

• **Transaction ledger:** internal transaction ID, employee/site or customer, amount, channel, provider reference, timestamps, status, and reconciliation result.

• **Status handling:** pending, successful, failed, reversed, and needs-review states. Prevent duplicate submissions using idempotency controls where supported.

• **Balance display:** do not imply direct access to a personal GCash wallet balance. Show provider/account balance only if Xendit exposes it for the authorized account and the feature is implemented.

• **Audit and permissions:** restrict initiating/approving disbursements by role; record who initiated, approved, retried, cancelled, or reconciled each transaction.

3. Payroll and payslip workflow

• HR prepares the payroll batch and checks employee identifiers, destinations, net pay, pay period, and site allocation.

• An authorized user reviews and approves the batch according to CEO delegation and role permissions.

• The backend submits eligible payouts through Xendit and stores the internal batch ID plus provider reference for each item.

• The ERP marks a payout as successful only after verified provider status confirms success. Pending items remain pending; failed or reversed items enter a review/reconciliation queue.

• Send the employee SMS payslip notification only after confirmed successful payout. Include pay period, gross pay, deductions, net pay, transaction reference, and payout status, while minimizing sensitive information in SMS.

• Reconcile provider transaction records against payroll liabilities and the ERP ledger. Never automatically retry a payout without duplicate-protection checks.

4. Security and implementation requirements

• Store Xendit secret API keys only in server-side environment variables or a secrets manager. Never put secret keys in browser code, public configuration, screenshots, PDFs, or source control.

• Use separate test and live credentials; test the full flow before enabling production transactions.

• Configure the production webhook URL in the Xendit Dashboard and verify webhook authenticity using the provider's current documented mechanism before processing events.

• Make webhook handling idempotent: duplicate event deliveries must not create duplicate payouts, ledger entries, or SMS notifications.

• Log provider event IDs/references, processing outcomes, and timestamps without exposing secrets or unnecessary personal data.

• Use least-privilege access, approval controls, secure session handling, and auditable changes for payment configuration.

5. Required account setup checklist

Item	Preparation / confirmation
Xendit business account	Activate and complete any required business verification.
Enabled channels	Confirm incoming GCash payment support and outgoing GCash/bank payout destinations available to this account.
API credentials	Create the appropriate test credentials first; store secrets server-side.
Webhook endpoint	Provide the public HTTPS backend endpoint and configure it in the Xendit Dashboard.

Item	Preparation / confirmation
Payout controls	Confirm limits, fees, approval requirements, and destination validation for the intended use.
Notifications	Choose an SMS provider and configure it separately; Xendit payment status alone does not send ERP payslips automatically.

Scope and honesty note: This addendum updates the intended design and requirements only. It does not mean Xendit is connected, credentials are configured, webhooks are live, or any payment channel is enabled. Those require authorized account setup, implementation, and testing.

Provider capabilities and channel availability can depend on account approval, product availability, and current Xendit terms. Confirm the exact supported channels in the company's Xendit account before release.

THE SECRET RECIPE

Reusable Website & Software Build, Quality, Security and Deployment Standard

Purpose. Apply this checklist to every relevant De Rueda Construction website/ERP update and deployment. The goal is a complete, honest, secure, buildable project—not a visual-only mockup presented as working software.

1. Project structure and package manager

• Standardize the project on **npm**. Do not use Bun as the project package manager.

• Remove conflicting Bun lockfiles (such as `bun.lock` or `bun.lockb`) when standardizing the project on npm.

• Keep `package.json` and `package-lock.json` synchronized and commit the correct npm lockfile.

• Use the project's existing framework and conventions where practical; avoid unnecessary rewrites or unrelated changes.

2. Build and deployment gate

• Install dependencies consistently from the npm lockfile (prefer `npm ci` in clean CI environments).

• Run `npm run build` after changes and resolve all build errors before declaring the project deployment-ready.

• Confirm the actual build output directory and set the hosting platform to that directory. For the established Cloudflare Pages setup, use `dist/` when that is the framework's configured output.

• Review deployment logs after publishing. A successful deployment must serve the intended latest build, not an old artifact or a different branch.

• Test the published HTTPS URL on desktop and mobile; verify routing, refresh/deep links, assets, forms, and key user journeys.

3. Real functionality—no fake features

• Every visible button, form, menu, filter, report action, and workflow must do what its label promises, or be clearly marked as not yet available.

• Do not present mock data, simulated balances, invented transaction confirmations, or UI-only interactions as live integrations.

• Keep visual mockups clearly identified as design references until the underlying screen and backend workflow are implemented and tested.

• For payment workflows, use official provider integrations only when approved and configured. Until then, clearly label manual or sandbox/test mode; never fake a successful payment.

• For the Xendit workflow, verify provider results and authenticated webhooks server-side before finalizing payouts, ledger entries, or SMS payslip notifications.

4. Security and data integrity

• Keep API secrets and credentials on the server in environment variables or a secrets manager—never in frontend code, public files, or Git history.

• Enforce authentication, role-based authorization, least privilege, and server-side validation for sensitive actions.

• Use audit logs for approvals, edits, exports, payroll changes, payouts, role changes, and security events.

• Protect against duplicate submissions; make webhook processing idempotent and use safe retry/reconciliation procedures.

• Use sandbox/test credentials and test cases before production. Verify failure, timeout, reversal, and duplicate-event scenarios.

• Preserve records and history where required. Archive or deactivate records rather than destructively deleting business history without explicit authorization.

5. UI and product quality

• Use the preferred glossy green **de RUEDA** architectural emblem and **CONSTRUCTION** wordmark consistently.

• Use the established green, dark blue, light blue, white, and black palette; keep pink glitter subtle and decorative.

• Preserve the supplied mockup layout and component placement as the primary design reference unless a change is requested.

• Provide meaningful loading, empty, success, failure, and permission-denied states; validate inputs and show understandable error messages.

• Check responsive layouts, accessibility basics, legible tables, keyboard interaction where applicable, and appropriate handling of sensitive data.

6. Release checklist

Gate	Must be true before calling the update ready
Dependencies	npm package files and lockfile are consistent; no conflicting Bun lockfile.
Build	`npm run build` completes successfully.
Configuration	Required environment variables and deployment output directory are correct; secrets remain private.
Core tests	Important user journeys and error states have been tested.
Integrations	Provider credentials, webhook verification, idempotency, and sandbox tests are complete where applicable.
Deployment	Latest deployment succeeds and the deployed HTTPS site is checked on desktop/mobile.
Honest status	Unimplemented features, mock data, and unavailable integrations are disclosed clearly.

Definition of done: The code is consistent, `npm run build` passes, security-sensitive operations are server-side and auditable, the deployed site is verified, and no feature is falsely represented as live.

This recipe is a project standard and verification checklist. It does not itself implement features, configure credentials, or prove that a deployment has passed.