

LinkedIn Content Strategy: Kerberos Security Project

30-Day Content Calendar for Maximum Visibility & Engagement

Author: Emerson

Campaign Duration: 30 days

Goal: Position as enterprise security expert

Target Audience: Hiring managers, security engineers, CISOs

Expected Reach: 50,000+ impressions, 500+ profile views



Campaign Overview

Objectives

1. **Visibility:** Increase profile views by 300%
2. **Credibility:** Establish Kerberos/enterprise auth expertise
3. **Engagement:** Generate conversations with potential employers
4. **Opportunities:** Receive recruiter messages and interview requests
5. **Portfolio Promotion:** Drive traffic to GitHub repository

Content Strategy

Content Pillars:

1. **Technical Deep Dives** (40%) - Show expertise
2. **Lab Build Updates** (30%) - Show work ethic
3. **Lessons Learned** (20%) - Show humility & growth
4. **Industry Insights** (10%) - Show thought leadership

Posting Schedule:

- **Frequency:** 3-4 posts per week

- **Best Times:** Tuesday-Thursday, 8-10 AM or 12-1 PM
 - **Format Mix:** 70% text, 20% screenshots, 10% videos
-

30-Day Content Calendar

Week 1: Launch & Lab Setup

Day 1 (Tuesday) - Project Announcement

Post Type: Project Launch

Best Time: 8:00 AM

Hashtags: #CyberSecurity #Kerberos #Penetration Testing #HomeLab

At 53, I'm not slowing down. I'm building up.

Just launched my latest project: A complete Kerberos attack & detection lab.

Here's what I'm building:

- MIT Kerberos KDC from scratch
- 8 real attack simulations (brute force, AS-REP roasting, Kerberoasting)
- AI-powered detection system using Claude
- 100% isolated lab environment

Why Kerberos?

Because 95% of Fortune 500 companies use it (Active Directory).

Understanding Kerberos attacks = understanding enterprise breaches.

The full project will be open-source on GitHub.

30-day build. Daily updates. All documented.

Who else is building security labs? Drop a comment 🙌

#InfoSec #ActiveDirectory #SecurityResearch #CareerPivot

Expected Engagement: 100-200 reactions, 20-30 comments

Follow-up Actions: Reply to ALL comments within 2 hours

Day 3 (Thursday) - Lab Architecture

Post Type: Technical + Visual

Attachment: Architecture diagram

Day 3: Lab architecture is live.

4 VMs. 1 isolated network. Zero internet access.

The setup:

- KDC Server (MIT Kerberos)
- Kali Linux (attack platform)
- 2 Target clients (SSH, HTTP, PostgreSQL)
- Monitoring VM (captures everything)

Why isolation matters:

- Can't accidentally attack production
- Repeatable experiments
- Safe for learning real attack techniques

Network: 192.168.88.0/24 (br-kerberos)

Hypervisor: KVM/QEMU on RHEL 8

Tomorrow: Installing MIT Kerberos and creating the LAB.LOCAL realm.

The architecture diagram is in my GitHub (link in comments).

What's your home lab setup? 🏠💻

#HomeLab #Virtualization #KVM #CyberSecLab

Engagement Goal: Share architecture knowledge, invite comparison

Day 5 (Saturday) - First Success

Post Type: Victory + Lesson

Day 5: First Kerberos ticket captured. 🎉

Spent 6 hours yesterday fighting with krb5.conf syntax.

Turns out: case sensitivity matters. A LOT.

"lab.local" ≠ "LAB.LOCAL"

One tiny typo = 3 hours of troubleshooting.

But now:

- ✓ KDC is running
- ✓ Principals created
- ✓ First TGT successfully issued
- ✓ SSH with Kerberos working

Next: Building the attack scripts.

The best learning happens when you break things first.

Anyone else lose hours to typos? Share your pain 😅

#Learning #Kerberos #TechLife #DebuggingStories

Engagement Goal: Relatability, encourage sharing stories

Week 2: Attack Development

Day 8 (Tuesday) - First Attack Script

Post Type: Technical Achievement

Attachment: Code screenshot

Day 8: Built my first Kerberos attack script.

Advanced brute force tool with:

- Multi-threading (1-32 workers)
- Smart password generation (Season+Year patterns)
- Rate limiting (avoid detection)
- Automatic ticket extraction
- Resume capability

Tested against my lab:

- 847 password variations generated
- Found weak password in 234 attempts
- Took 3 minutes, 47 seconds

The crazy part:

This is exactly how enterprises get breached.

Weak password + no account lockout = game over.

Code is on GitHub. 450 lines of Python.

What's the weakest password you've seen in production?
(Change it first, then tell us 😊)

#PenetrationTesting #Python #CyberSecurity #PasswordSecurity

Engagement Goal: Technical depth + humor

Day 10 (Thursday) - Wireshark Analysis

Post Type: Deep Dive + Visual

Attachment: Wireshark screenshot

Day 10: This is what a Kerberos brute force looks like in Wireshark.

See those repeated "KRB5KDC_ERR_PREAUTH_FAILED" errors?

That's 47 failed login attempts in 23 seconds.

What defenders should look for:

1. Multiple AS-REQ from same IP
2. Same username (cname)
3. Error code 24 (pre-auth failed)
4. Regular timing pattern
5. From unexpected source

The attack: Noisy

The detection: Straightforward

The real question: Are you actually monitoring for this?

Most enterprises aren't.

Wireshark filter in comments.

#ThreatDetection #Wireshark #BlueTeam #SecurityMonitoring

Comment to post:

```
Wireshark filter:  
kerberos.msg_type == 10 && kerberos.error_code == 24
```

```
Then: Statistics > Conversations > TCP  
Sort by packets to find the attacker
```

Day 12 (Saturday) - AS-REP Roasting Explained

Post Type: Education

Day 12: Discovered why AS-REP roasting is so dangerous.

Here's what makes it scary:

1. No authentication needed
2. One request per user (not brute force)
3. Hash extracted for offline cracking
4. Completely silent attack
5. Default config in many domains

I tested it in my lab:

- Found 1 vulnerable account in 30 seconds
- Captured hash
- Cracked password in 2 minutes
- Password: "Welcome1"

The fix: Enable pre-authentication for ALL accounts.

One checkbox = entire attack vector eliminated.

How many of you have audited this in your domain?

Drop a  if you're going to check this week.

#ActiveDirectory #KerberosSecurity #PenTesting #SecurityAudit

Engagement Goal: Actionable security advice

Week 3: Detection System & AI Integration

Day 15 (Tuesday) - Detection System Launch

Post Type: Major Milestone

Day 15: Built an AI-powered Kerberos attack detector.

It caught attacks I didn't even know were happening.

The system:

- Analyzes network traffic (pcap files)
- Pattern recognition for 6 attack types
- Claude AI for contextual analysis
- 80% reduction in false positives

Real example from my lab:

1. Detected brute force in 12 seconds
2. Identified lateral movement attempt
3. AI explained: "Compromised admin account, moved to web & db servers"
4. Recommended: "Disable admin, review logs, enable lockout policy"

Traditional IDS: 127 alerts (mostly noise)

AI system: 3 alerts (all legit)

The future of SOC work isn't replacing humans.
It's giving them better tools.

GitHub link in comments.

Thoughts from the SOC teams out there? 🗨️

#AI #ThreatDetection #MachineLearning #SOC #ClaudeAI

Engagement Goal: Show innovation, invite discussion

Day 17 (Thursday) - AI Analysis Example

Post Type: Technical Deep Dive

Day 17: Here's what AI threat analysis actually looks like.

I fed Claude 1,234 Kerberos packets.

Traditional output:

"High volume of AS-REQ detected"

AI-enhanced output:

"Coordinated attack: Attacker from 192.168.88.10 compromised admin@LAB.LOCAL after 234

The difference?

Context. Understanding. Actionable intelligence.

AI doesn't replace security analysts.

It makes them 10x more effective.

The detection confidence? 90%

False positive probability? <5%

This is where security operations is heading.

Are you ready?

#ArtificialIntelligence #CyberSecurity #ThreatIntelligence #SOC

Day 19 (Saturday) - Performance Metrics

Post Type: Data-Driven Results

Day 19: Tested my detection system against 100 attack scenarios.

Results:

- ✓ 94% true positive rate
- ✓ 3% false positive rate
- ✓ Average detection time: 12 seconds
- ✓ 80% FP reduction with AI

Compared to traditional signature-based detection:

- 35% fewer missed attacks
- 80% fewer false alarms
- 60% faster investigation time

But here's what matters more:

I understand how these attacks work.

I can explain them to executives.
I can build systems to stop them.

That's what makes you valuable.

Not the tools. The understanding.

Anyone can run nmap.
Not everyone can build detection systems.

What's your latest learning project? 📖

#ContinuousLearning #CyberSkills #SecurityEngineering

Week 4: Impact & Reflection

Day 22 (Tuesday) - Portfolio Impact

Post Type: Reflection + Metrics

Day 22: The metrics that actually matter.

GitHub stats:

- 12,000+ lines of code written
- 8 production-ready attack scripts
- 24 packet captures documented
- 6 detection algorithms implemented
- 200+ pages of documentation

Personal stats:

- 3 recruiter messages (before I even finished!)
- 2 interview requests
- 500+ profile views (3x normal)
- Learned more in 22 days than I did in 2 years

But the real win?

My manager asked me to present this at our team meeting.

The same manager who gave me that bad review.

Funny how that works.

Build in public. Share your work. Let the results speak.

Age doesn't make you obsolete.

Refusing to learn does.

What project are YOU building? 📌

#BuildInPublic #TechCareer #CareerGrowth #NeverStopLearning

Day 24 (Thursday) - Lessons Learned

Post Type: Wisdom Sharing

Day 24: 5 things I learned building this project.

1. You don't need permission to learn
Started with 0 approval. Now presenting to leadership.
2. Documentation is 50% of the project
Great code + poor docs = invisible work
3. AI is a force multiplier, not a replacement
Claude helped me write better code, faster
But I still had to understand every line
4. Real learning requires real failure
Lost 6 hours to a typo. Won't forget that lesson.
5. Public accountability works
Posting progress = can't quit quietly

Bonus lesson:

At 53, I'm more employable now than at 50.

Because I didn't sit still.

Who else is on a learning journey? Share below 🚀

#CareerDevelopment #LifelongLearning #TechSkills

Day 26 (Saturday) - Use Cases

Post Type: Practical Application

Day 26: Here's who can actually use this project.

Security Engineers:

- Validate detection systems
- Test SIEM rules
- Train ML models
- Develop playbooks

Pen Testers:

- Practice techniques safely
- Understand attack patterns
- Build custom tools
- Create client demos

Students:

- Learn Kerberos authentication
- Understand enterprise security
- Build portfolio projects
- Prep for OSCP/CEH

SOC Teams:

- Understand attacker TTPs
- Reduce false positives
- Improve detection coverage
- Train new analysts

CISOs:

- Understand real threats
- Justify security investments
- Audit authentication security
- Benchmark detection capabilities

Built for learning.

Useful for working.

That's the goal.

Full code + documentation on GitHub.

#InfoSec #Kerberos #SecurityTools #OpenSource

Day 28 (Monday) - Future Plans

Post Type: Forward-Looking

Day 28: This isn't the end. It's the beginning.

Next projects:

1. Windows AD version (same attacks, Active Directory)
2. Real-time detection dashboard
3. SIEM integration (Splunk, ELK)
4. Machine learning model training
5. Mobile app for SOC alerts

But more importantly:

This project opened doors.

- 5 recruiter conversations
- 3 interview opportunities
- 1 consulting inquiry
- Speaking opportunity at local BSides

Not bad for 28 days of work.

The compound effect of public learning:

- Day 1: Nobody watching
- Day 10: A few curious people
- Day 20: Recruiters reaching out
- Day 30: Opportunities appearing

Consistency > Perfection

What are you building for Day 1? 🏠

#TechCareer #BuildInPublic #CyberSecurity #CareerGrowth

Day 30 (Wednesday) - Project Completion

Post Type: Victory Lap + Thank You

Day 30: Project complete. 🎉

The numbers:

- 12,000 lines of code
- 8 attack scripts
- 6 detection algorithms
- 24 documented packet captures
- 200+ pages of docs
- 100% open source

The impact:

- Multiple job opportunities
- Speaking engagement confirmed
- Internal promotion discussion
- Most importantly: Learned a TON

The gratitude:

Thank you to everyone who:

- Liked posts
- Left comments
- Shared insights
- Offered encouragement
- Connected professionally

Special thanks to:

- Security community for knowledge
- My family for patience
- Anthropic for Claude API
- Open source community

The LinkedIn effect:

- 2,000+ connections (was 500)
- 75,000+ impressions
- 1,200+ profile views
- 15+ recruiter messages

But the best part?

I proved something to myself.

At 53, I'm just getting started.

What's YOUR 30-day project? Let's inspire each other 💪

Full project: [\[GitHub link\]](#)

#ThankYou #ProjectComplete #CyberSecurity #NeverTooLate

This is just the beginning of my learning journey.

Follow for more security projects, career insights, and proof that continuous learning p

Your next chapter starts today. What will you build?

Content Performance Tracking

KPIs to Monitor

Metric	Week 1 Target	Week 4 Target
Impressions	2,000	15,000
Engagement Rate	5%	8%
Profile Views	50	300
New Connections	20	100
Recruiter Messages	0	3
Comments	10/post	25/post

Analytics Dashboard (Weekly Review)

Track in spreadsheet:

Week	Post#	Date	Impressions	Reactions	Comments	Shares	Profile Views	New
1	1	2/7						
1	2	2/9						
...								



Content Best Practices

Writing Formula

1. Hook (first 2 lines):

- Controversial statement, or
- Personal story, or
- Surprising fact

2. Body:

- Use line breaks (not paragraphs)
- Bullet points for readability
- Numbers and data
- Concrete examples

3. Call-to-Action:

- Ask a question
- Request opinion
- Encourage sharing

Engagement Strategy

Within 2 hours of posting:

- Reply to every comment
- Tag relevant people
- Share to relevant groups

Daily:

- Comment on 5-10 other posts in your niche
- Engage with connections' content
- Join relevant conversations

Weekly:

- Review analytics
 - Adjust content based on performance
 - Identify top performers, create more like them
-

Primary (use in every post):

• **CyberSecurity**

• **InfoSec**

• **Kerberos**

Secondary (rotate):

• **PenetrationTesting**

• **ThreatDetection**

• **AI**

• **MachineLearning**

• **HomeLab**

• **SecurityResearch**

Trending (check LinkedIn trending):

- Update weekly based on trending topics

Hashtag rules:

- Maximum 5 per post
 - Mix of popular and niche
 - Relevant to content
-



Growth Milestones

Week 1:

- ☐ 5,000 impressions
- ☐ 100 reactions
- ☐ 20 comments
- ☐ 2 new recruiter connections

Week 2:

- ☐ 10,000 impressions
- ☐ 250 reactions
- ☐ 50 comments
- ☐ 5 recruiter messages

Week 3:

- ☐ 20,000 impressions
- ☐ 500 reactions
- ☐ 100 comments
- ☐ First interview request

Week 4:

- ☐ 50,000+ total impressions
 - ☐ 1,000+ reactions
 - ☐ 200+ comments
 - ☐ Multiple opportunities
-



After Day 30: Momentum Maintenance

Post-Campaign Content (ongoing)

Weekly:

- Project updates (new features, improvements)
- Technical tips (Kerberos, security, Python)
- Industry news commentary

Bi-weekly:

- Deep dives on specific topics
- Tutorial content
- Tool reviews

Monthly:

- Project retrospectives
- Career reflections
- Major announcements

Content Ideas Bank

1. "5 Kerberos attacks every CISO should know"
 2. "How I reduced SOC false positives by 80%"
 3. "Building a security lab for under \$0 (using free tiers)"
 4. "Kerberos vs OAuth: Enterprise authentication explained"
 5. "What I learned from 1,000 failed login attempts"
 6. "The one checkbox that stops AS-REP roasting"
 7. "Why age is an advantage in cybersecurity"
 8. "From bad performance review to speaking opportunity"
 9. "AI-powered security: Hype or reality?"
 10. "Open source tools that changed my career"
-



Video Content (Optional Boost)

Short Videos (30-60 seconds)

Ideas:

1. Lab tour (show your VMs)
2. Attack demo (5-second capture)
3. Wireshark analysis walkthrough
4. Tool showcase
5. "Day in the life" of security research

Platform: Post natively to LinkedIn

Best times: Same as text posts

Format: Vertical or square, captions required



Direct Outreach Templates

To Recruiters

Hi [Name],

I saw you recruit for [Company]. I recently completed a 30-day Kerberos security project

Built:

- 8 attack simulation tools
- AI-powered detection system
- Complete lab environment

The work is public on GitHub and documented on my LinkedIn.

Would you be open to a brief conversation about [specific role]?

Best,
Emerson

To Hiring Managers

Hi [Name],

I've been following [Company]'s security work. I recently completed a project on Kerberos

The project demonstrates:

- Enterprise authentication expertise
- Detection engineering capabilities
- AI integration for security operations

Would you be interested in seeing the work? Happy to share a quick demo.

Best,
Emerson



Success Metrics

Quantitative

- LinkedIn impressions: 50,000+
- Profile views: 500+
- New connections: 100+
- Recruiter messages: 5+
- Interview requests: 2+

Qualitative

- Recognition as Kerberos expert
 - Invitations to speak/present
 - Peer respect and engagement
 - Internal visibility improvement
 - Confidence boost
-

Final Tips

1. Consistency > Perfection

- Post even when you don't feel ready
- Done is better than perfect

2. Engage Authentically

- Real comments, not generic "Great post!"
- Add value to others' content

3. Track Everything

- What works, what doesn't
- Double down on winners

4. Be Patient

- Week 1 is slow
- Week 4 is momentum
- Month 3 is results

5. Stay Humble

- Share failures, not just wins
 - Credit others
 - Help beginners
-

Daily Checklist

Morning (15 min):

- ☐ Check notifications
- ☐ Reply to comments
- ☐ Engage with 3-5 posts in feed

Post Day (30 min):

- ☐ Write post
- ☐ Add hashtags
- ☐ Schedule/publish
- ☐ Monitor first hour
- ☐ Reply to early comments

Evening (10 min):

- ☐ Final comment replies

- [] Update metrics spreadsheet
 - [] Plan tomorrow's engagement
-

Remember: The goal isn't to go viral. It's to be seen as knowledgeable, professional, and actively learning. Consistency + quality = opportunities.

Good luck! 🚀

Document End

This content calendar is a living document. Adjust based on your results and audience feedback. The posts provided are templates—personalize them with your voice and specific details from your actual project.