YData: Introduction to Data Science



Class 14: Interactive data visualizations

Overview

Show and tell of your visualizations from homework 5

Very quick review seaborn

Interactive graphics with plotly

If there is time: maps!

- Brief history of visualizing data with maps
- Geopandas
- Coordinate reference systems and projections



Announcement: class project

The final project is a 6-10 page Jupyter notebook report where you analyze your own data to address a question that you find interesting

- It's a chance to practice everything you've learned in class!

The goal of is to present a clear and compelling data analysis showing a few interesting results!

- Ideally something you are proud of that you could show off to potential future employers, etc.

A few sources for data sets are listed on Canvas

- You can use data you collect as well. If you use data from another class, your work must be unique for each class

Announcement: class project

A draft of the project is due on November 16th

- I'm telling you about this early so:
  - If you want to think/work on the project over break you can
  - If don't want to think about it over break you don't have to

There will be a "peer review" period where you will give and receive feedback on three other projects

- Instructions for how to do the review will be given

The final version will be due on December 7th

A Jupyter notebook "template" project will be available soon

Questions?

Review of data visualization!

*Statistical projections which **speak to the senses without fatiguing the mind**, possess the advantage of fixing the attention on a great number of important facts*

—Alexander von Humboldt, 1811

Let’s take a few minutes to explore the data visualizations you found and that you created as part of homework 5!

Comparisons





Comparisons



Maps


This is New York City's population by day ...
Traffic rank: 16th worst (46 hr./yr.)
Average daily commute: 34 min.
Hudson River
East River
... and the population at night
Hudson River
East River
1.5 km
1.5 miles
Key to city maps
Population
Low
Medium
High


This is what the United States looks like if you scale states by population
SOURCE: United States Census Population Estimates, 2014
Vox

Bar/column plots





Line charts


Less Education For Your Buck
+1184%
1200%
1000%
800%
600%
400%
200%
0%
College Tuition Inflation (US)
Overall Inflation (US CPI)
+228%
1980
1985
1990
1995
2000
2005
2010
2015
2020
Source: US Bureau of Labor Statistics
chartr


"Academic" Salaries
Actual average and median salaries at U.S. Doctoral-granting Universities
$600,000
$400,000
$200,000
$000,000
$320,616
$242,570
$189,217
$95,199
$86,311
$70,055
$65,692
$17,784
$1,057,305
University President/CEO
Provost
Deans
Tenured Professors
Un-tenured
Grad Students
Football Coaches (for real)
Male
Female
Notes: Administrator figures are medians salaries, the rest are averages. All figures in 2008 dollars. Sources: College and University Professional Association for Human Resources 2005 Survey; American Association of University Professors 2007 Survey; The Chronicle of Higher Education 2001 Survey of Graduate Assistants; USA Today Survey of Div. I-A College Football Coaches Compensation 2007.
WWW.PHDCOMICS.COM
JORGE CHAM © 2008

Food

TWO OUNCES OF RICE

15.1 gallons

16 ALMONDS

15.3 gallons

TWO OLIVES

1.4 gallons

A THIN MELON SLICE

1.1 gallons

A BOWL OF PROCESSED TOMATOES

9.1 gallons

A THIRD OF AN EGG

6 gallons

FOUR BROCCOLI FLORETS

2.2 gallons

AN ORANGE SLICE

6.2 gallons

A THIRD OF A HEAD OF LETTUCE

4.1 gallons

TWO PEACH SLICES

3.3 gallons

½ OUNCE OF TURKEY

4.1 gallons

TWO SLICES OF BREAD

6.4 gallons



One of my favorites…

NYTimes: TheUpshot

What 2,000 Calories Looks Like

Chipotle

Shake shack

Ruth's Chris Steakhouse

Potbelly

Sonic

Subway

iHop

At home

Quick review: Seaborn

"Seaborn is a Python data visualization library based on **matplotlib**. It provides a high-level interface for drawing attractive and informative statistical graphics."

To explore seaborn, we looked at data on penguins!




```
import seaborn as sns

sns.set_theme()
```

Seaborn figure level plots

Figure level plots are grouped based on the types of variables being plotted

In particular, there are plots for:

1. Two quantitative variables
   - sns.relplot()

2. A single quantitative variable
   - sns.displot()

3. Quantitative variable compared across different categorical levels
   - sns.catplot()

Figure level plots



Pairs plot

A pairs plot, create scatter plots between all quantitative variables in a DataFrame

It can be one of the most useful ways to see relationships between multiple quantitative variabels

We can create pairs plots in seaborn using:

```
sns.pairplot(the_data)
```



Let’s do a quick warm-up exercise!


CHINSTRAP!
GENTOO!
ADÉLIE!
@allison_horst

Interactive visualizations for data exploration

Interactive visualizations are useful for exploring data to find trends

- They can be shared on the internet
- They can't be put in static pdfs
  - But can still be useful for your final project to find trends that you can display with static graphics

We will use plotly to create interactive graphics

```
import plotly.express as px
```

Plotly interactive plots

Line plots

```
fig = px.line(data_frame =, x =, y = , color = , hover_name = , line_shape = )
```

Scatter plots

```
fig = px.scatter(data_frame = , x = , y = , size = , color = , hover_name = )
```

Add axis labels

```
fig.update_layout(xaxis_title="X", yaxis_title="Y")
```

Let's explore this in Jupyter!

Plotly interactive plots

Sunburst plots

```
px.sunburst(data_frame = ,  path = , values = ,  color = )
```

Treemap

```
px.treemap(data_frame = , path = , values = , color =  )
```

Let's explore this in Jupyter!

Pivot Tables and heatmaps

Pivot tables aggregate values based on to two grouping variables, and create a table where:

- The rows are the levels of one cat. variable
- The columns are the levels of the second cat. variable
- The values are aggregated over a third quant. variable

```
df2 = df.pivot_table(index = "col1”, columns = "col2",
                     values = "col3”, aggfunc = "max")
```

```
nba2 = nba.pivot_table(index = "TEAM”, columns = ”POSITION",
                       values = ”SALARY”,  aggfunc = ”max”)
```

	PLAYER	TEAM	POSITION	SALARY
0	De'Andre Hunter	Atlanta Hawks	SF	9.835881
1	Jalen Johnson	Atlanta Hawks	SF	2.792640
2	AJ Griffin	Atlanta Hawks	SF	3.536160
3	Trent Forrest	Atlanta Hawks	SG	0.508891
4	John Collins	Atlanta Hawks	PF	23.500000

POSITION TEAM	C	PF	PG	SF	SG
Atlanta Hawks	18.206896	23.500000	37.096500	9.835881	17.071120
Boston Celtics	26.500000	4.306281	22.500000	30.351780	17.142857
Brooklyn Nets	9.391069	44.119845	38.917057	20.100000	19.500000
Charlotte Bobcats	3.722040	1.563518	8.623920	30.075000	21.486316
Chicago Bulls	3.200000	7.775400	9.030000	27.300000	37.096500

Pivot Tables and heatmaps

One can then visualize the data as a heatmap using plotly or seaborn

```
sns.heatmap(nba2)    # seaborn
px.imshow(nba2)      # plotly
```



rows → TEAM; columns → POSITION; values → SALARY

	PLAYER	TEAM	POSITION	SALARY
0	De'Andre Hunter	Atlanta Hawks	SF	9.835881
1	Jalen Johnson	Atlanta Hawks	SF	2.792640
2	AJ Griffin	Atlanta Hawks	SF	3.536160
3	Trent Forrest	Atlanta Hawks	SG	0.508891
4	John Collins	Atlanta Hawks	PF	23.500000

POSITION TEAM	C	PF	PG	SF	SG
Atlanta Hawks	18.206896	23.500000	37.096500	9.835881	17.071120
Boston Celtics	26.500000	4.306281	22.500000	30.351780	17.142857
Brooklyn Nets	9.391069	44.119845	38.917057	20.100000	19.500000
Charlotte Bobcats	3.722040	1.563518	8.623920	30.075000	21.486316
Chicago Bulls	3.200000	7.775400	9.030000	27.300000	37.096500

Let's explore this in Jupyter!

Maps

Maps to determine the causes of cholera

Visualizing data on a map can be a powerful way to see spatial trends

- One of the first maps used to show spatial trends was created by John Snow to further his case that cholera was a water born illness



Cholera in London in the 19th century

Cholera reached London in early 1830s

It was greatly feared as it was often deadly

- An outbreak in 1849 killed over 14,000 people in London

Cause of cholera was unknown. Several theories:

1. Miasmas theory: caused by bad air/smells
   - Florence Nightingale, Edwin Chadwick (board of health)
2. Water born disease
   - John Snow (anesthesiologist)



John Snow and spatial mapping

To try to understand the cause of the cholera outbreak of 1854, John Snow plotted a map of cholera deaths



Based on this map and interviews, he concluded that the source of cholera was the Broad Steet well

- He famously removed the handle of the well to prevent the spread of disease
- Now he is considered the founder of epidemiology

Maps

Another early use where a map gave insight was the mapping of weather by John Galton in 1875





Galton's first weather map (1875)

W. E. B. Du Bois

W.E.B. Du Bois was a social scientist and prominent African-American rights activist

Took on the complex task of gathering and manually visualizing the lives of Black Americans in the 1890s

Presented 58 visualizations in the 1900 World's Fair in Paris

- Won a gold award



geopandas

To create maps in Python we will use the geopandas package

```
import geopandas as gpd
```

The key object of interest is the geopandas DataFrame

- It is the same as a regular data frame but it has an extra column called ”geometry” that contains geospatial shape features
- The geometry column contrains “Shapely” objects used to represent geometric shapes

	key_comb_drvr	geometry
0	M11551	POINT (117.525391 34.008926)
1	M17307	POINT (86.51248 30.474344)
2	M19584	POINT (89.537415 37.157627)
3	M21761	POINT (117.526871 34.00647)
4	M22374	POINT (117.525345 34.008915)
5	U01997A	POINT (84.80533 33.719654)
6	U153601	POINT (78.24838 39.986454)
7	U159393	POINT (98.49438499999999 40.801544)
8	U722222	POINT (84.23309 33.9386)
9	U723030	POINT (83.86456 34.08479)
10	U723333	POINT (85.67151 42.83093)
11	U753333	POINT (117.498535 34.069157)
12	U760505	POINT (90.61252 41.456993)

geopandas

We can read in data as a geopandas DataFrame using

```
map = gpd.read_file('my_file.geojson')
```

We can plot maps using the gpd.plot() function

Let's explore this in Jupyter!

Coordinate reference systems

A coordinate reference system (CRS) is a framework used to precisely measure locations on the surface of the Earth as coordinates

The goal of any coordinate reference system is to create a common reference frame in which locations can be measured precisely as coordinates, so that any recipient can identify the same location that was originally intended

- Needed for aligning different layers on maps

Map projections

Since the earth is a 3D structure, coordinate systems have to project their data onto a 2D maps



Different projects preserve different properties

- **Mercator projection** keeps angles intact
  - Useful for navigation
- **Eckert IV projection** keeps the size of land areas intact

Let's explore this in Jupyter!