
Plant Designation

AUTOMATIC LINEAR SINGLE MODULE
'SELF TOP LABELING MACHINE

Mark : M-ETK-A02


Drawing Number : 3848 E1832


REVISION Cover Page 0 DOCUMENT NUMBER 23.12.2020 3848-ED.126-22.12.2020-02 SCHEME NAME **CHANGES** Chassis Number EYÜP KEPCEOĞLU Electric Number 01 LOCATION: +L1CONTRACT:





SOLIDWORKS Electrical


REVISION **Terminals** 0 DOCUMENT NUMBER 3848-ED.126-22.12.2020-02 0 23.12.2020 elektrik SCHEME REV. DATE **CHANGES** Chassis Number EYÜP KEPCEOĞLU Electric Number 02 LOCATION: +L1 CONTRACT: 3848 1835
































1 2 3 4 5 6 7 8 9 10

24 V DC I/O CONNECTOR

m610 advan- ced pin	FUNCTION	CABLE COLOR	I/O
Р	m600 advanced 24V DC	White/Yellow	->
J	Exterior +24 V DC (for output)	Black	<-
Т	M610 GND	Brown	->
Α	Exterior GND (for output)	Gray	<-
С	İnput 1 m610 advanced	Pink	<-
G	İnput 2 m610 advanced	Red	<-
L	İnput 3 m610 advanced	Purple	<-
N	İnput 4 m610 advanced	White/Greenl	<-
Е	Exterior GND (for input)	Blue	<-
0	Output 1 m610 advanced OK	Green/Brown	->
R	Output 2 m610 advanced error	Yellowi/Brown	->
S	Output 3 m610 advanced ink below 10 %	White	->
U	Output 4 m610 advanced counter value reached, or end of print	Yellow	->

Printer m610

+L1

LOCATION:





+24 V Dc (POWER)	Ground (POWER)	C6030 BECKHOFF PC	Trigger (PEMBE)	Ground (MAVİ)	
16-10	14-10	01.41			16-8
+	+		ć	404	1 1


					REVISION
					0
0	23.12.2020	elektrik			
REV.	DATE	NAME		CHANGES	SCHEME
Chassis Number 3848		YÜP KEPCE	OĞLU	Electric Number 1835	15

CONTRACT:


DOCUMENT NUMBER 3848-ED.126-22.12.2020-02 1 2 3 4 5 6 7 8 9 10

12 PIN SOCKET

PIN NUMBER	FUNCTION	CABLE COLOR	PLC
PIN 1	TRIGGER	WHİTE	TRIGGER +
PIN 2	24V+	BROWN	24V+
PIN 3	DEFAULT	-	
PIN 4	NEW MASTER	-	
PIN 5	OUTPUT 1	GRAY	PASS/FAIL
PIN 6	OUTPUT 3	PINK	OPTIONAL
PIN 7	GROUND	BLUE	- V
PIN 8	INPUT COMMON	RED	- V
PIN 9	RS-232 (HOST) RxD	-	
PIN 10	RS-232 (HOST) RxD	-	
PIN 11	OUTPUT 2	GRAY/PINK	DATA READY
PIN 12	OUTPUT COMMON	BLUE/RED	TRIGGER -



			=		17	
	Microscan Camera 1					REVISION
DOCUMENT NUMBER						0
3848-ED.126-22.12.2020-02		0	23.12.2020	elektrik		
30 10 EB.120 22.12.2020 02		REV.	DATE	NAME	CHANGES	SCHEME
CONTRACT	LOCATION:		s Number	EYÜP KEPCE	OĞLU Electric Number 1835	16
CONTRACT:	+L1	3848			1835	



3848

1835

+L1

CONTRACT:

