

# Practical Machine Learning Project

*Eric Hansen*

*Sunday, November 22, 2015*

## Introduction

This document attempts to estimate how subjects are performing a variety of different exercises using movement and acceleration readings from devices worn on the subjects' belt, forearm, arm and the dumbbell they are using.

## Load Data and Libraries

First, lets load the dataset and all relevant R packages we will need to use. We will be using the "caret" package to build our model.

```
set.seed(1015)
library(caret)
```

```
## Warning: package 'caret' was built under R version 3.1.3
```

```
## Loading required package: lattice
```

```
## Warning: package 'lattice' was built under R version 3.1.3
```

```
## Loading required package: ggplot2
```

```
## Warning: package 'ggplot2' was built under R version 3.1.3
```

```
data<-read.csv("C:/Users/Eric/Desktop/Coursera/pml-training.csv")
```

Each entry in the dataset is comprised of some information on the subject, the start and end time of the exercise, and then a large number of metrics gathered from each device worn by the subject. The last value is a factor variable labeled "classe" and that is the value the model this document is outlining will try and estimate.

# Cleaning Data

Running a summary function on the dataset we can see that there are a large number of variables that are either missing, or contain errors such as '#DIV/0'. (To avoid cluttering the document I will be posting the summary output in the appendix of the document.)

We can check which columns have very little variability in their values and remove them from our dataset. Because these values have little variability in their values we do not expect them to offer any explanation on the values we are trying to estimate.

In addition to the columns with little variability, we want to remove columns that are comprised mostly of missing values.

Lastly, we will also remove the first 6 columns of the dataset containing subject information that is not relevant to the estimating the “classe” variable.

```
#returns list of variables with very little variability and therefore are unlikely to  
o have much predictive value and then removes them from the dataset.  
data_scrub<-data[,~nearZeroVar(data)]  
  
#removes columns that are comprised of over 50% missing values  
data_scrub<-data_scrub[,colSums(is.na(data_scrub))<nrow(data_scrub)/2]  
  
#removes subject information  
data_scrub<-data_scrub[,~c(1:6)]
```

# Training and Testing Datasets

Now that we've removed the columns that won't be relevant to our model, we can separate the dataset into two sets, a testing and a training set. We will keep 60% of the observations in the training set while setting aside the remaining 40% to be used to calculate how accurate the model is while avoiding “over-fitting” the model to one dataset.

```
#separate training and testing datasets  
inTrain<-createDataPartition(data_scrub$classe, p=0.6, list=FALSE)  
training<-data_scrub[inTrain,]  
testing<-data_scrub[-inTrain,]
```

# Model Creation

Because the “classe” variable we are trying to estimate is a categorical variable we will be using a random forest model to estimate which category each observation belongs to.

Furthermore a quick look at the summary statement (posted in the appendix) shows that some variables cover a large range of values while others are much more concentrated. Because of this we will want to use PCA pre-processing on our dataset before calculating the model. Both of these steps can be accomplished using the caret “train” function.

Lastly, we also would like to use 10 k-fold cross validation in our model to include another layer of training/testing model creation to hopefully ensure as accurate a model as possible.

```
#train statement used to generate model based on training data set. utilizes random forest method while using PCA to preprocess the data  
modFit<-train(training$classe ~.,data=training, method = "rf", preProcess = "pca",tr  
Control=trainControl(method="cv", allowParallel=TRUE))
```

```
## Loading required package: randomForest
```

```
## Warning: package 'randomForest' was built under R version 3.1.3
```

```
## randomForest 4.6-10  
## Type rfNews() to see new features/changes/bug fixes.
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid  
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid  
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid  
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid  
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid  
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid  
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

```
## Warning in randomForest.default(x, y, mtry = param$mtry, ...): invalid
## mtry: reset to within valid range
```

# Testing The Model

Now that we've created our model, let's use it on the testing dataset we created earlier and see how accurate our model is.

Using the “predict” function from the caret package we can run our model on the testing dataset to calculate an estimated “classe” value for each observation. Then, we can compare the estimated values to the actual values in a confusion matrix to see how accurate our model is.

```
#use predict function to test
modTest<-predict(modFit, testing)

#check accuracy of prediction
matrix<-confusionMatrix(modTest, testing$classe)

matrix
```

```

## Confusion Matrix and Statistics
##
##           Reference
## Prediction   A    B    C    D    E
##           A 2213   47    1    1    1
##           B   7 1452   28    3    7
##           C   7   18 1325   72   16
##           D   1    0    9 1207   14
##           E   4    1    5    3 1404
##
## Overall Statistics
##
##           Accuracy : 0.9688
##           95% CI : (0.9647, 0.9725)
##           No Information Rate : 0.2845
##           P-Value [Acc > NIR] : < 2.2e-16
##
##           Kappa : 0.9605
##           McNemar's Test P-Value : < 2.2e-16
##
## Statistics by Class:
##
##           Class: A Class: B Class: C Class: D Class: E
## Sensitivity      0.9915   0.9565   0.9686   0.9386   0.9736
## Specificity      0.9911   0.9929   0.9826   0.9963   0.9980
## Pos Pred Value   0.9779   0.9699   0.9214   0.9805   0.9908
## Neg Pred Value    0.9966   0.9896   0.9933   0.9881   0.9941
## Prevalence       0.2845   0.1935   0.1744   0.1639   0.1838
## Detection Rate   0.2821   0.1851   0.1689   0.1538   0.1789
## Detection Prevalence 0.2884   0.1908   0.1833   0.1569   0.1806
## Balanced Accuracy 0.9913   0.9747   0.9756   0.9675   0.9858

```



We can see that our model accurately predicted the classe value for 96.88% of observations in the testing set.

## Appendix

```
summary(data)
```

```

##          X          user_name  raw_timestamp_part_1 raw_timestamp_part_2
## Min.      :    1    adelmo   :3892    Min.      :1.322e+09    Min.      :   294
## 1st Qu.: 4906    carlitos:3112    1st Qu.:1.323e+09    1st Qu.:252912
## Median : 9812    charles  :3536    Median :1.323e+09    Median :496380
## Mean    : 9812    eurico   :3070    Mean    :1.323e+09    Mean     :500656
## 3rd Qu.:14717    jeremy   :3402    3rd Qu.:1.323e+09    3rd Qu.:751891
## Max.     :19622    pedro    :2610    Max.     :1.323e+09    Max.     :998801
##
##          cvtd_timestamp  new_window    num_window    roll_belt
## 28/11/2011 14:14: 1498    no :19216    Min.      : 1.0    Min.      :-28.90
## 05/12/2011 11:24: 1497    yes: 406    1st Qu.:222.0    1st Qu.: 1.10
## 30/11/2011 17:11: 1440                                Median :424.0    Median :113.00
## 05/12/2011 11:25: 1425                                Mean     :430.6    Mean      : 64.41
## 02/12/2011 14:57: 1380                                3rd Qu.:644.0    3rd Qu.:123.00
## 02/12/2011 13:34: 1375                                Max.      :864.0    Max.      :162.00
## (Other)          :11007
##    pitch_belt          yaw_belt          total_accel_belt kurtosis_roll_belt
## Min.      :-55.8000    Min.      :-180.00    Min.      : 0.00          :19216
## 1st Qu.: 1.7600    1st Qu.: -88.30    1st Qu.: 3.00    #DIV/0! : 10
## Median : 5.2800    Median : -13.00    Median :17.00    -1.908453: 2
## Mean     : 0.3053    Mean     : -11.21    Mean     :11.31    -0.016850: 1
## 3rd Qu.: 14.9000    3rd Qu.: 12.90    3rd Qu.:18.00    -0.021024: 1
## Max.      : 60.3000    Max.      : 179.00    Max.      :29.00    -0.025513: 1
##                                     (Other) : 391
## kurtosis_picth_belt kurtosis_yaw_belt skewness_roll_belt
##          :19216          :19216          :19216
## #DIV/0! : 32    #DIV/0!: 406    #DIV/0! : 9
## 47.000000: 4          0.000000 : 4
## -0.150950: 3          0.422463 : 2
## -0.684748: 3          -0.003095: 1
## -1.750749: 3          -0.010002: 1
## (Other) : 361          (Other) : 389
## skewness_roll_belt.1 skewness_yaw_belt max_roll_belt    max_picth_belt
##          :19216          :19216    Min.      :-94.300    Min.      : 3.00
## #DIV/0! : 32    #DIV/0!: 406    1st Qu.: -88.000    1st Qu.: 5.00
## 0.000000 : 4          Median : -5.100    Median :18.00
## -2.156553: 3          Mean     : -6.667    Mean     :12.92
## -3.072669: 3          3rd Qu.: 18.500    3rd Qu.:19.00
## -6.324555: 3          Max.      :180.000    Max.      :30.00
## (Other) : 361          NA's      :19216    NA's      :19216
## max_yaw_belt    min_roll_belt    min_pitch_belt    min_yaw_belt
##          :19216    Min.      :-180.00    Min.      : 0.00          :19216
## -1.1 : 30    1st Qu.: -88.40    1st Qu.: 3.00    -1.1 : 30
## -1.4 : 29    Median : -7.85    Median :16.00    -1.4 : 29

```



```

## -1.2 : 26 Mean : -10.44 Mean :10.76 -1.2 : 26
## -0.9 : 24 3rd Qu.: 9.05 3rd Qu.:17.00 -0.9 : 24
## -1.3 : 22 Max. : 173.00 Max. :23.00 -1.3 : 22
## (Other): 275 NA's :19216 NA's :19216 (Other): 275
## amplitude_roll_belt amplitude_pitch_belt amplitude_yaw_belt
## Min. : 0.000 Min. : 0.000 :19216
## 1st Qu.: 0.300 1st Qu.: 1.000 #DIV/0!: 10
## Median : 1.000 Median : 1.000 0.00 : 12
## Mean : 3.769 Mean : 2.167 0.0000 : 384
## 3rd Qu.: 2.083 3rd Qu.: 2.000
## Max. :360.000 Max. :12.000
## NA's :19216 NA's :19216
## var_total_accel_belt avg_roll_belt stddev_roll_belt var_roll_belt
## Min. : 0.000 Min. : -27.40 Min. : 0.000 Min. : 0.000
## 1st Qu.: 0.100 1st Qu.: 1.10 1st Qu.: 0.200 1st Qu.: 0.000
## Median : 0.200 Median :116.35 Median : 0.400 Median : 0.100
## Mean : 0.926 Mean : 68.06 Mean : 1.337 Mean : 7.699
## 3rd Qu.: 0.300 3rd Qu.:123.38 3rd Qu.: 0.700 3rd Qu.: 0.500
## Max. :16.500 Max. :157.40 Max. :14.200 Max. :200.700
## NA's :19216 NA's :19216 NA's :19216 NA's :19216
## avg_pitch_belt stddev_pitch_belt var_pitch_belt avg_yaw_belt
## Min. : -51.400 Min. : 0.000 Min. : 0.000 Min. : -138.300
## 1st Qu.: 2.025 1st Qu.:0.200 1st Qu.: 0.000 1st Qu.: -88.175
## Median : 5.200 Median :0.400 Median : 0.100 Median : -6.550
## Mean : 0.520 Mean :0.603 Mean : 0.766 Mean : -8.831
## 3rd Qu.: 15.775 3rd Qu.:0.700 3rd Qu.: 0.500 3rd Qu.: 14.125
## Max. : 59.700 Max. :4.000 Max. :16.200 Max. : 173.500
## NA's :19216 NA's :19216 NA's :19216 NA's :19216
## stddev_yaw_belt var_yaw_belt gyros_belt_x
## Min. : 0.000 Min. : 0.000 Min. : -1.040000
## 1st Qu.: 0.100 1st Qu.: 0.010 1st Qu.: -0.030000
## Median : 0.300 Median : 0.090 Median : 0.030000
## Mean : 1.341 Mean : 107.487 Mean : -0.005592
## 3rd Qu.: 0.700 3rd Qu.: 0.475 3rd Qu.: 0.110000
## Max. :176.600 Max. :31183.240 Max. : 2.220000
## NA's :19216 NA's :19216
## gyros_belt_y gyros_belt_z accel_belt_x accel_belt_y
## Min. : -0.64000 Min. : -1.4600 Min. : -120.000 Min. : -69.00
## 1st Qu.: 0.00000 1st Qu.: -0.2000 1st Qu.: -21.000 1st Qu.: 3.00
## Median : 0.02000 Median : -0.1000 Median : -15.000 Median : 35.00
## Mean : 0.03959 Mean : -0.1305 Mean : -5.595 Mean : 30.15
## 3rd Qu.: 0.11000 3rd Qu.: -0.0200 3rd Qu.: -5.000 3rd Qu.: 61.00
## Max. : 0.64000 Max. : 1.6200 Max. : 85.000 Max. :164.00
##

```

```

## accel_belt_z magnet_belt_x magnet_belt_y magnet_belt_z
## Min. : -275.00 Min. : -52.0 Min. : 354.0 Min. : -623.0
## 1st Qu.: -162.00 1st Qu.: 9.0 1st Qu.: 581.0 1st Qu.: -375.0
## Median : -152.00 Median : 35.0 Median : 601.0 Median : -320.0
## Mean : -72.59 Mean : 55.6 Mean : 593.7 Mean : -345.5
## 3rd Qu.: 27.00 3rd Qu.: 59.0 3rd Qu.: 610.0 3rd Qu.: -306.0
## Max. : 105.00 Max. : 485.0 Max. : 673.0 Max. : 293.0
##
## roll_arm pitch_arm yaw_arm total_accel_arm
## Min. : -180.00 Min. : -88.800 Min. : -180.0000 Min. : 1.00
## 1st Qu.: -31.77 1st Qu.: -25.900 1st Qu.: -43.1000 1st Qu.: 17.00
## Median : 0.00 Median : 0.000 Median : 0.0000 Median : 27.00
## Mean : 17.83 Mean : -4.612 Mean : -0.6188 Mean : 25.51
## 3rd Qu.: 77.30 3rd Qu.: 11.200 3rd Qu.: 45.8750 3rd Qu.: 33.00
## Max. : 180.00 Max. : 88.500 Max. : 180.0000 Max. : 66.00
##
## var_accel_arm avg_roll_arm stddev_roll_arm var_roll_arm
## Min. : 0.00 Min. : -166.67 Min. : 0.000 Min. : 0.000
## 1st Qu.: 9.03 1st Qu.: -38.37 1st Qu.: 1.376 1st Qu.: 1.898
## Median : 40.61 Median : 0.00 Median : 5.702 Median : 32.517
## Mean : 53.23 Mean : 12.68 Mean : 11.201 Mean : 417.264
## 3rd Qu.: 75.62 3rd Qu.: 76.33 3rd Qu.: 14.921 3rd Qu.: 222.647
## Max. : 331.70 Max. : 163.33 Max. : 161.964 Max. : 26232.208
## NA's :19216 NA's :19216 NA's :19216 NA's :19216
## avg_pitch_arm stddev_pitch_arm var_pitch_arm avg_yaw_arm
## Min. : -81.773 Min. : 0.000 Min. : 0.000 Min. : -173.440
## 1st Qu.: -22.770 1st Qu.: 1.642 1st Qu.: 2.697 1st Qu.: -29.198
## Median : 0.000 Median : 8.133 Median : 66.146 Median : 0.000
## Mean : -4.901 Mean : 10.383 Mean : 195.864 Mean : 2.359
## 3rd Qu.: 8.277 3rd Qu.: 16.327 3rd Qu.: 266.576 3rd Qu.: 38.185
## Max. : 75.659 Max. : 43.412 Max. : 1884.565 Max. : 152.000
## NA's :19216 NA's :19216 NA's :19216 NA's :19216
## stddev_yaw_arm var_yaw_arm gyros_arm_x
## Min. : 0.000 Min. : 0.000 Min. : -6.37000
## 1st Qu.: 2.577 1st Qu.: 6.642 1st Qu.: -1.33000
## Median : 16.682 Median : 278.309 Median : 0.08000
## Mean : 22.270 Mean : 1055.933 Mean : 0.04277
## 3rd Qu.: 35.984 3rd Qu.: 1294.850 3rd Qu.: 1.57000
## Max. : 177.044 Max. : 31344.568 Max. : 4.87000
## NA's :19216 NA's :19216
## gyros_arm_y gyros_arm_z accel_arm_x accel_arm_y
## Min. : -3.4400 Min. : -2.3300 Min. : -404.00 Min. : -318.0
## 1st Qu.: -0.8000 1st Qu.: -0.0700 1st Qu.: -242.00 1st Qu.: -54.0
## Median : -0.2400 Median : 0.2300 Median : -44.00 Median : 14.0

```

```

## Mean      :-0.2571    Mean      : 0.2695    Mean      : -60.24    Mean      : 32.6
## 3rd Qu.: 0.1400    3rd Qu.: 0.7200    3rd Qu.: 84.00    3rd Qu.: 139.0
## Max.      : 2.8400    Max.      : 3.0200    Max.      : 437.00    Max.      : 308.0
##
## accel_arm_z      magnet_arm_x      magnet_arm_y      magnet_arm_z
## Min.      :-636.00    Min.      :-584.0    Min.      :-392.0    Min.      :-597.0
## 1st Qu.: -143.00    1st Qu.: -300.0    1st Qu.: -9.0    1st Qu.: 131.2
## Median : -47.00    Median : 289.0    Median : 202.0    Median : 444.0
## Mean      : -71.25    Mean      : 191.7    Mean      : 156.6    Mean      : 306.5
## 3rd Qu.: 23.00    3rd Qu.: 637.0    3rd Qu.: 323.0    3rd Qu.: 545.0
## Max.      : 292.00    Max.      : 782.0    Max.      : 583.0    Max.      : 694.0
##
## kurtosis_roll_arm kurtosis_pitch_arm kurtosis_yaw_arm skewness_roll_arm
##           :19216           :19216           :19216           :19216
## #DIV/0! : 78    #DIV/0! : 80    #DIV/0! : 11    #DIV/0! : 77
## -0.02438: 1    -0.00484: 1    0.55844 : 2    -0.00051: 1
## -0.04190: 1    -0.01311: 1    0.65132 : 2    -0.00696: 1
## -0.05051: 1    -0.02967: 1    -0.01548: 1    -0.01884: 1
## -0.05695: 1    -0.07394: 1    -0.01749: 1    -0.03359: 1
## (Other) : 324    (Other) : 322    (Other) : 389    (Other) : 325
## skewness_pitch_arm skewness_yaw_arm max_roll_arm      max_pitch_arm
##           :19216           :19216    Min.      :-73.100    Min.      :-173.000
## #DIV/0! : 80    #DIV/0! : 11    1st Qu.: -0.175    1st Qu.: -1.975
## -0.00184: 1    -1.62032: 2    Median : 4.950    Median : 23.250
## -0.01185: 1    0.55053 : 2    Mean      : 11.236    Mean      : 35.751
## -0.01247: 1    -0.00311: 1    3rd Qu.: 26.775    3rd Qu.: 95.975
## -0.02063: 1    -0.00562: 1    Max.      : 85.500    Max.      : 180.000
## (Other) : 322    (Other) : 389    NA's      :19216    NA's      :19216
## max_yaw_arm      min_roll_arm      min_pitch_arm      min_yaw_arm
## Min.      : 4.00    Min.      :-89.10    Min.      :-180.00    Min.      : 1.00
## 1st Qu.:29.00    1st Qu.: -41.98    1st Qu.: -72.62    1st Qu.: 8.00
## Median :34.00    Median : -22.45    Median : -33.85    Median :13.00
## Mean      :35.46    Mean      :-21.22    Mean      : -33.92    Mean      :14.66
## 3rd Qu.:41.00    3rd Qu.: 0.00    3rd Qu.: 0.00    3rd Qu.:19.00
## Max.      :65.00    Max.      : 66.40    Max.      : 152.00    Max.      :38.00
## NA's      :19216    NA's      :19216    NA's      :19216    NA's      :19216
## amplitude_roll_arm amplitude_pitch_arm amplitude_yaw_arm
## Min.      : 0.000    Min.      : 0.000    Min.      : 0.00
## 1st Qu.: 5.425    1st Qu.: 9.925    1st Qu.:13.00
## Median : 28.450    Median : 54.900    Median :22.00
## Mean      : 32.452    Mean      : 69.677    Mean      :20.79
## 3rd Qu.: 50.960    3rd Qu.:115.175    3rd Qu.:28.75
## Max.      :119.500    Max.      :360.000    Max.      :52.00
## NA's      :19216    NA's      :19216    NA's      :19216

```

```

## roll_dumbbell pitch_dumbbell yaw_dumbbell
## Min. : -153.71 Min. : -149.59 Min. : -150.871
## 1st Qu.: -18.49 1st Qu.: -40.89 1st Qu.: -77.644
## Median : 48.17 Median : -20.96 Median : -3.324
## Mean : 23.84 Mean : -10.78 Mean : 1.674
## 3rd Qu.: 67.61 3rd Qu.: 17.50 3rd Qu.: 79.643
## Max. : 153.55 Max. : 149.40 Max. : 154.952
##
## kurtosis_roll_dumbbell kurtosis_pitch_dumbbell kurtosis_yaw_dumbbell
## :19216 :19216 :19216
## #DIV/0!: 5 -0.5464: 2 #DIV/0!: 406
## -0.2583: 2 -0.9334: 2
## -0.3705: 2 -2.0833: 2
## -0.5855: 2 -2.0851: 2
## -2.0851: 2 -2.0889: 2
## (Other): 393 (Other): 396
## skewness_roll_dumbbell skewness_pitch_dumbbell skewness_yaw_dumbbell
## :19216 :19216 :19216
## #DIV/0!: 4 -0.2328: 2 #DIV/0!: 406
## -0.9324: 2 -0.3521: 2
## 0.1110 : 2 -0.7036: 2
## 1.0312 : 2 0.1090 : 2
## -0.0082: 1 1.0326 : 2
## (Other): 395 (Other): 396
## max_roll_dumbbell max_pitch_dumbbell max_yaw_dumbbell min_roll_dumbbell
## Min. : -70.10 Min. : -112.90 :19216 Min. : -149.60
## 1st Qu.: -27.15 1st Qu.: -66.70 -0.6 : 20 1st Qu.: -59.67
## Median : 14.85 Median : 40.05 0.2 : 19 Median : -43.55
## Mean : 13.76 Mean : 32.75 -0.8 : 18 Mean : -41.24
## 3rd Qu.: 50.58 3rd Qu.: 133.22 -0.3 : 16 3rd Qu.: -25.20
## Max. : 137.00 Max. : 155.00 -0.2 : 15 Max. : 73.20
## NA's :19216 NA's :19216 (Other): 318 NA's :19216
## min_pitch_dumbbell min_yaw_dumbbell amplitude_roll_dumbbell
## Min. : -147.00 :19216 Min. : 0.00
## 1st Qu.: -91.80 -0.6 : 20 1st Qu.: 14.97
## Median : -66.15 0.2 : 19 Median : 35.05
## Mean : -33.18 -0.8 : 18 Mean : 55.00
## 3rd Qu.: 21.20 -0.3 : 16 3rd Qu.: 81.04
## Max. : 120.90 -0.2 : 15 Max. : 256.48
## NA's :19216 (Other): 318 NA's :19216
## amplitude_pitch_dumbbell amplitude_yaw_dumbbell total_accel_dumbbell
## Min. : 0.00 :19216 Min. : 0.00
## 1st Qu.: 17.06 #DIV/0!: 5 1st Qu.: 4.00
## Median : 41.73 0.00 : 401 Median : 10.00

```

```

## Mean      : 65.93                               Mean      :13.72
## 3rd Qu.: 99.55                               3rd Qu.:19.00
## Max.      :273.59                               Max.      :58.00
## NA's      :19216
## var_accel_dumbbell avg_roll_dumbbell stddev_roll_dumbbell
## Min.      : 0.000   Min.      :-128.96   Min.      : 0.000
## 1st Qu.: 0.378   1st Qu.: -12.33   1st Qu.: 4.639
## Median : 1.000   Median : 48.23   Median : 12.204
## Mean      : 4.388   Mean      : 23.86   Mean      : 20.761
## 3rd Qu.: 3.434   3rd Qu.: 64.37   3rd Qu.: 26.356
## Max.      :230.428   Max.      : 125.99   Max.      :123.778
## NA's      :19216   NA's      :19216   NA's      :19216
## var_roll_dumbbell  avg_pitch_dumbbell stddev_pitch_dumbbell
## Min.      : 0.00   Min.      :-70.73   Min.      : 0.000
## 1st Qu.: 21.52   1st Qu.: -42.00   1st Qu.: 3.482
## Median : 148.95   Median : -19.91   Median : 8.089
## Mean      :1020.27   Mean      :-12.33   Mean      :13.147
## 3rd Qu.: 694.65   3rd Qu.: 13.21   3rd Qu.:19.238
## Max.      :15321.01   Max.      : 94.28   Max.      :82.680
## NA's      :19216   NA's      :19216   NA's      :19216
## var_pitch_dumbbell avg_yaw_dumbbell  stddev_yaw_dumbbell
## Min.      : 0.00   Min.      :-117.950   Min.      : 0.000
## 1st Qu.: 12.12   1st Qu.: -76.696   1st Qu.: 3.885
## Median : 65.44   Median : -4.505   Median : 10.264
## Mean      : 350.31   Mean      : 0.202   Mean      : 16.647
## 3rd Qu.: 370.11   3rd Qu.: 71.234   3rd Qu.: 24.674
## Max.      :6836.02   Max.      : 134.905   Max.      :107.088
## NA's      :19216   NA's      :19216   NA's      :19216
## var_yaw_dumbbell  gyros_dumbbell_x  gyros_dumbbell_y
## Min.      : 0.00   Min.      :-204.0000   Min.      :-2.10000
## 1st Qu.: 15.09   1st Qu.: -0.0300   1st Qu.: -0.14000
## Median : 105.35   Median : 0.1300   Median : 0.03000
## Mean      : 589.84   Mean      : 0.1611   Mean      : 0.04606
## 3rd Qu.: 608.79   3rd Qu.: 0.3500   3rd Qu.: 0.21000
## Max.      :11467.91   Max.      : 2.2200   Max.      :52.00000
## NA's      :19216
## gyros_dumbbell_z  accel_dumbbell_x  accel_dumbbell_y  accel_dumbbell_z
## Min.      : -2.380   Min.      :-419.00   Min.      :-189.00   Min.      :-334.00
## 1st Qu.: -0.310   1st Qu.: -50.00   1st Qu.: -8.00   1st Qu.: -142.00
## Median : -0.130   Median : -8.00   Median : 41.50   Median : -1.00
## Mean      : -0.129   Mean      : -28.62   Mean      : 52.63   Mean      : -38.32
## 3rd Qu.: 0.030   3rd Qu.: 11.00   3rd Qu.: 111.00   3rd Qu.: 38.00
## Max.      :317.000   Max.      : 235.00   Max.      : 315.00   Max.      : 318.00
##

```

```

## magnet_dumbbell_x magnet_dumbbell_y magnet_dumbbell_z roll_forearm
## Min.      :-643.0      Min.      :-3600      Min.      :-262.00      Min.      :-180.0000
## 1st Qu.: -535.0      1st Qu.: 231      1st Qu.: -45.00      1st Qu.: -0.7375
## Median : -479.0      Median : 311      Median : 13.00      Median : 21.7000
## Mean      :-328.5      Mean      : 221      Mean      : 46.05      Mean      : 33.8265
## 3rd Qu.: -304.0      3rd Qu.: 390      3rd Qu.: 95.00      3rd Qu.: 140.0000
## Max.      : 592.0      Max.      : 633      Max.      : 452.00      Max.      : 180.0000
##
## pitch_forearm      yaw_forearm      kurtosis_roll_forearm
## Min.      :-72.50      Min.      :-180.00      :19216
## 1st Qu.: 0.00      1st Qu.: -68.60      #DIV/0!: 84
## Median : 9.24      Median : 0.00      -0.8079: 2
## Mean      : 10.71      Mean      : 19.21      -0.9169: 2
## 3rd Qu.: 28.40      3rd Qu.: 110.00      -0.0227: 1
## Max.      : 89.80      Max.      : 180.00      -0.0359: 1
##
## (Other): 316
## kurtosis_picth_forearm kurtosis_yaw_forearm skewness_roll_forearm
## :19216 :19216 :19216
## #DIV/0!: 85 #DIV/0!: 406 #DIV/0!: 83
## -0.0073: 1 -0.1912: 2
## -0.0442: 1 -0.4126: 2
## -0.0489: 1 -0.0004: 1
## -0.0523: 1 -0.0013: 1
## (Other): 317 (Other): 317
## skewness_pitch_forearm skewness_yaw_forearm max_roll_forearm
## :19216 :19216 Min.      :-66.60
## #DIV/0!: 85 #DIV/0!: 406 1st Qu.: 0.00
## 0.0000 : 4 Median : 26.80
## -0.6992: 2 Mean : 24.49
## -0.0113: 1 3rd Qu.: 45.95
## -0.0131: 1 Max. : 89.80
## (Other): 313 NA's :19216
## max_picth_forearm max_yaw_forearm min_roll_forearm min_pitch_forearm
## Min.      :-151.00 :19216 Min.      :-72.500 Min.      :-180.00
## 1st Qu.: 0.00 #DIV/0!: 84 1st Qu.: -6.075 1st Qu.: -175.00
## Median : 113.00 -1.2 : 32 Median : 0.000 Median : -61.00
## Mean : 81.49 -1.3 : 31 Mean : -0.167 Mean : -57.57
## 3rd Qu.: 174.75 -1.4 : 24 3rd Qu.: 12.075 3rd Qu.: 0.00
## Max. : 180.00 -1.5 : 24 Max. : 62.100 Max. : 167.00
## NA's :19216 (Other): 211 NA's :19216 NA's :19216
## min_yaw_forearm amplitude_roll_forearm amplitude_pitch_forearm
## :19216 Min. : 0.000 Min. : 0.0
## #DIV/0!: 84 1st Qu.: 1.125 1st Qu.: 2.0
## -1.2 : 32 Median : 17.770 Median : 83.7

```

```

## -1.3 : 31 Mean : 24.653 Mean :139.1
## -1.4 : 24 3rd Qu.: 39.875 3rd Qu.:350.0
## -1.5 : 24 Max. :126.000 Max. :360.0
## (Other): 211 NA's :19216 NA's :19216
## amplitude_yaw_forearm total_accel_forearm var_accel_forearm
## :19216 Min. : 0.00 Min. : 0.000
## #DIV/0!: 84 1st Qu.: 29.00 1st Qu.: 6.759
## 0.00 : 322 Median : 36.00 Median : 21.165
## Mean : 34.72 Mean : 33.502
## 3rd Qu.: 41.00 3rd Qu.: 51.240
## Max. :108.00 Max. :172.606
## NA's :19216
## avg_roll_forearm stddev_roll_forearm var_roll_forearm
## Min. : -177.234 Min. : 0.000 Min. : 0.00
## 1st Qu.: -0.909 1st Qu.: 0.428 1st Qu.: 0.18
## Median : 11.172 Median : 8.030 Median : 64.48
## Mean : 33.165 Mean : 41.986 Mean : 5274.10
## 3rd Qu.: 107.132 3rd Qu.: 85.373 3rd Qu.: 7289.08
## Max. : 177.256 Max. :179.171 Max. :32102.24
## NA's :19216 NA's :19216 NA's :19216
## avg_pitch_forearm stddev_pitch_forearm var_pitch_forearm
## Min. : -68.17 Min. : 0.000 Min. : 0.000
## 1st Qu.: 0.00 1st Qu.: 0.336 1st Qu.: 0.113
## Median : 12.02 Median : 5.516 Median : 30.425
## Mean : 11.79 Mean : 7.977 Mean : 139.593
## 3rd Qu.: 28.48 3rd Qu.:12.866 3rd Qu.: 165.532
## Max. : 72.09 Max. :47.745 Max. :2279.617
## NA's :19216 NA's :19216 NA's :19216
## avg_yaw_forearm stddev_yaw_forearm var_yaw_forearm gyros_forearm_x
## Min. : -155.06 Min. : 0.000 Min. : 0.00 Min. : -22.000
## 1st Qu.: -26.26 1st Qu.: 0.524 1st Qu.: 0.27 1st Qu.: -0.220
## Median : 0.00 Median : 24.743 Median : 612.21 Median : 0.050
## Mean : 18.00 Mean : 44.854 Mean : 4639.85 Mean : 0.158
## 3rd Qu.: 85.79 3rd Qu.: 85.817 3rd Qu.: 7368.41 3rd Qu.: 0.560
## Max. : 169.24 Max. :197.508 Max. :39009.33 Max. : 3.970
## NA's :19216 NA's :19216 NA's :19216
## gyros_forearm_y gyros_forearm_z accel_forearm_x accel_forearm_y
## Min. : -7.02000 Min. : -8.0900 Min. : -498.00 Min. : -632.0
## 1st Qu.: -1.46000 1st Qu.: -0.1800 1st Qu.: -178.00 1st Qu.: 57.0
## Median : 0.03000 Median : 0.0800 Median : -57.00 Median : 201.0
## Mean : 0.07517 Mean : 0.1512 Mean : -61.65 Mean : 163.7
## 3rd Qu.: 1.62000 3rd Qu.: 0.4900 3rd Qu.: 76.00 3rd Qu.: 312.0
## Max. :311.00000 Max. :231.0000 Max. : 477.00 Max. : 923.0
##

```

```
## accel_forearm_z magnet_forearm_x magnet_forearm_y magnet_forearm_z
## Min. : -446.00 Min. : -1280.0 Min. : -896.0 Min. : -973.0
## 1st Qu.: -182.00 1st Qu.: -616.0 1st Qu.: 2.0 1st Qu.: 191.0
## Median : -39.00 Median : -378.0 Median : 591.0 Median : 511.0
## Mean : -55.29 Mean : -312.6 Mean : 380.1 Mean : 393.6
## 3rd Qu.: 26.00 3rd Qu.: -73.0 3rd Qu.: 737.0 3rd Qu.: 653.0
## Max. : 291.00 Max. : 672.0 Max. : 1480.0 Max. : 1090.0
##
## classe
## A:5580
## B:3797
## C:3422
## D:3216
## E:3607
##
##
```