SmartPOS
Integrated
Point of Sales with
Adempiere ERP
Resource Configuration Reference

Project Sponsored by

ActiveMQConfiguration

active mq configuration for local queue system, example:

```
<?xml version="1.0" encoding="UTF-8"?>
<entityDetail>
 <broker>
  <user login="user" password="xxxxxxx" roles="users"/>
  <queue  name=">" read="admins" write="admins" admin="admins" />
  <queue  name="USERS.>" read="users" write="users" admin="users" />
  <queue  name="1000000.>" read="users" write="users" admin="users" />
  <queue  name="1000001.>" read="users" write="users" admin="users" />
  <queue  name="1000002.>" read="users" write="users" admin="users" />
  <queue  name="1000003.>" read="users" write="users" admin="users" />
  <queue  name="1000005.>" read="users" write="users" admin="users" />
  <queue  name="example.A" read="users" write="users" admin="users" />
  <queue  name="ERP1000000.>" read="users" write="users" admin="users" />
  <queue  name="ERP1000001.>" read="users" write="users" admin="users" />
  <queue  name="ERP1000002.>" read="users" write="users" admin="users" />
  <queue  name="GUEST.>" read="guests" write="guests,users" admin="guests,users" />
  <queue  name="TEST.Q" read="guests" write="guests" />
  <topic  name=">" read="admins" write="admins" admin="admins" />
  <topic  name="USERS.>" read="users" write="users" admin="users" />
  <topic  name="GUEST.>" read="guests" write="guests,users" admin="guests,users" />
  <topic  name="ActiveMQ.Advisory.>" read="users" write="users" admin="users"/>
  <topic  name="ActiveMQ.Agent.>" read="users" write="users" admin="users"/>
 </broker>
</entityDetail>
```

AmericanExpress

credit card image depending of resource: card.names

button.discount

discount button label

card.names

credit card list (separated by comma) example:
AmericanExpress,Visa,Mastercard,Diners,Clave

CashRegister.Logo

cash register image

codeButton.discount

discount button source code

codeButton.note

note button source code

codeButton.tip

tip button source code

customer.default.id

default id of customer (ERP ID of customer by default for transactions)

email.properties

settings to send emails (close cash and returns) example:

**SmartPOS
Integrated
Point of Sales with
Adempiere ERP
Resource Configuration Reference**

Project Sponsored by

http://www.xpluk.com

mail.smtp.host=smtp.gmail.com
mail.smtp.starttls.enable=true
mail.smtp.port=587
mail.smtp.user=usuario@gmail.com
mail.smtp.auth=true
mail.smtp.password=asdasdasd
to-list=destino@a.com.pa,b@smartjsp.com
from=source.report@gmail.com

email.sendInPartialCash
　　　　true o false
　　　　defines if an email is sent when Partial cash report is executed
event.addline
　　　　event source code
event.change
　　　　event source code
event.close
　　　　event source code
event.removeline
　　　　event source code
event.setline
　　　　event source code
event.total
　　　　event source code
info.address
　　　　address text for tickets
info.city
　　　　citi text for tickets
info.DV
　　　　tax number for tickets
info.RUC
　　　　business number for tickets
info.tel
　　　　telephone number for tickets
jms.error
　　　　log file for POS (local) errors during real time (small xml messeges) synchronization
jms.inqueue
　　　　queue name for where this organization receives information from the ERP

**SmartPOS
Integrated
Point of Sales with
Adempiere ERP
Resource Configuration Reference**

Project Sponsored by

http://www.xpluk.com

it should be the internal organization id assigned to this organización by the ERP

jms.lasUpdate

date where last synchronization was performed

jms.message

stores errors during batch synchronization

jms.outqueue

ERP queue where this POS send all the outgoing messages

it should be the internal client id assigned to this client by the ERP

jms.password

password for connectivity wiht remote ERP queue system

jms.store.folder

relative folder to the current POS folder, where all the activeMQ messages will be store   if network or server issues are found (store-and-forward)

activemq-data

jms.url

jms url pointing to the remote queue system (ERP) to send outgoing messages from   the embebed internal activemq of this POS

tcp://xxx.xx.xx.x:61616

jms.url.out

jms url pointing to the local embebed activemq of this POS

tcp://localhost:61617

jms.userLogin

user to perform secure connections

label.affectsInventory

label

label.priceLimt

label

label.priceLimtTax

label

label.priceList

label

label.priceListTax

label

label.priceSTD

label

label.priceSTDTax

label

label.razon

**SmartPOS
Integrated
Point of Sales with
Adempiere ERP
Resource Configuration Reference**

Project Sponsored by

http://www.xpluk.com

label
mainImage
business logo image for initial screen
Mastercard
credit card image depending of resource: card.names
Menu.Root
source code for root menu
Notes.Logo
notes button image
payment.cash
source code

paymentSyncId

bank account id values for ERP synchronization
example:
cash=1000001
cheque=1000001
magcard=1000001

free=free - don't change it
debt=debt / don't change it

price.listId
id of ERP price list to use with this organzation

Printer.CloseCash
velocity template for close cash
Printer.CustomerPaid
velocity template used when a customer pay cash to his account
Printer.CustomerPaid2
velocity template used when to show total to a customer pay cash to his account

SmartPOS
Integrated
Point of Sales with
Adempiere ERP
Resource Configuration Reference

Project Sponsored by

http://www.xpluk.com

Printer.Inventory
   not used
Printer.Logo
   printer button logo
Printer.Mapping
   specifies which physical printer will attend an business area, example:
      Cocina=2
      Bar=1
      Bar2=4
      Cocina2=3
      Cocina3=5
      Bar7=7

Printer.OpenDrawer
   source code to open drawer
Printer.PartialCash
   velocity template to print partial cash report
Printer.Start
   velocity template to print start message (2nd display)
Printer.Ticket
   velocity template to print ticket
Printer.Ticket.Logo
   business logo image for tickets
Printer.Ticket2
   velocity template to re-print the ticket
Printer.TicketBar
   velocity template to print command for barXX (Bar)
Printer.TicketChange_Bar
   borrar
Printer.TicketChange_Kitchen
   borrar
Printer.TicketKitchen
   velocity template to print command for KitchebXX (Cocina)
Printer.TicketLine
   source code
Printer.TicketPreview
   velocity template to print -
Printer.TicketTotal

**SmartPOS
Integrated
Point of Sales with
Adempiere ERP
Resource Configuration Reference**

Project Sponsored by

http://www.xpluk.com

velocity template to footer of tickets

reasonNotAffectInventory

list of possible reasons to not affect inventory during the returns, it should be a comma
separated list example: damaged, unsatisfied customer, defective product

reasonToCancel

list of possible reasons to register outputs of inventory, it should be a   comma
separated list example: damaged, unsatisfied customer, defective product

Report.logo

business logo for reports (black & white) 100x50 suggested

Script.SendOrder

source code for sending orders

send.commands

source code for sending commands

Ticket.Buttons

source code (template) that control which buttons are shown in the sales windows

Ticket.Line

source code for ticket lines

Visa

credit card image depending of resource: card.names

Window.Logo

small color product logo (SmartPOS) 80x80

Window.Title

text product