API Reference

- Products
- Ads
- Content API for Shopping
- Reference

This API reference is organized by resource type. Each resource type has one or more data representations and one or more methods.

Resource types

- 1. Accounts
- 2. Accountstatuses
- 3. Accounttax
- 4. Datafeeds
- 5. Datafeedstatuses
- 6. <u>Inventory</u>
- 7. Orders
- 8. <u>Products</u>
- 9. Productstatuses
- 10. Shippingsettings

Accounts

For Accounts Resource details, see the <u>resource representation</u> page.

Method	HTTP request	Description
URIs relative	to https://www.googleapis.com/	content/v2, unless otherwise noted
<u>authinfo</u>	GET /accounts/authinfo	Returns information about the authenticated user.
claimwebsite	POST / merchantId/accounts/accountId/claimwebsite	Claims the website of a Merchant Center sub-account.
custombatch	POST /accounts/batch	Retrieves, inserts, updates, and deletes multiple Merchant Center (sub-)accounts in a single request.
<u>delete</u>	DELETE /merchantId/accounts/accountId	Deletes a Merchant Center sub-account.
<u>get</u>	GET /merchantId/accounts/accountId	Retrieves a Merchant Center account.
<u>insert</u>	POST / merchantId/accounts	Creates a Merchant Center sub-account.
list	GET /merchantId/accounts	Lists the sub-accounts in your Merchant Center account.
<u>patch</u>	PATCH /merchantId/accounts/accountId	Updates a Merchant Center account. This method supports patch semantics.
<u>update</u>	PUT /merchantId/accounts/accountId	Updates a Merchant Center account.

Accountstatuses

For Accountstatuses Resource details, see the <u>resource representation</u> page.

 Method
 HTTP request
 Description

 URIs relative to https://www.googleapis.com/content/v2, unless otherwise noted

 custombatch
 POST /accountstatuses/batch

 get
 GET /merchantId/accountstatuses/accountId
 Retrieves the status of a Merchant Center account.

 list
 GET /merchantId/accountstatuses
 Lists the statuses of the sub-accounts in your Merchant Center account.

Accounttax

For Accounttax Resource details, see the <u>resource representation</u> page.

Method	HTTP request	Description
URIs relative	to https://www.googleaj	pis.com/content/v2, unless otherwise noted
custombatch	POST /accounttax/batch	Retrieves and updates tax settings of multiple accounts in a single request.
get	GET / merchantId/accounttax/accountId	Retrieves the tax settings of the account.
<u>list</u>	GET /merchantId/accounttax	Lists the tax settings of the sub-accounts in your Merchant Center account.
<u>patch</u>	PATCH / merchantId/accounttax/accountId	Updates the tax settings of the account. This method supports patch semantics.
<u>update</u>	PUT / merchantId/accounttax/accountId	Updates the tax settings of the account.

Datafeeds

For Datafeeds Resource details, see the <u>resource representation</u> page.

Method	HTTP request	Description
URIs relative	to https://www.googleaj	pis.com/content/v2, unless otherwise noted
$\underline{custombatch}$	POST /datafeeds/batch	
delete	DELETE / merchantId/datafeeds/ datafeedId	Deletes a datafeed configuration from your Merchant Center account.
get	GET / merchantId/datafeeds/ datafeedId	Retrieves a datafeed configuration from your Merchant Center account.
<u>insert</u>	POST / merchanition datareeds	Registers a datafeed configuration with your Merchant Center account.
<u>list</u>	GET /merchantId/datafeeds	Lists the datafeeds in your Merchant Center account.
<u>patch</u>	PATCH / merchantId/datafeeds/datafeedId	Updates a datafeed configuration of your Merchant Center account. This method supports patch semantics.
<u>update</u>	PUT merchantId datafeeds datafeedId	Updates a datafeed configuration of your Merchant Center account.

Datafeedstatuses

For Datafeedstatuses Resource details, see the <u>resource representation</u> page.

Method	HTTP request	Description
URIs relative to	o https://www.googleapis.com/content/v2	2, unless otherwise noted
<u>custombatch</u> P	OST /datafeedstatuses/batch	

r

Method	HTTP request	Description
get	GET / merchantId/datafeedstatuses/ datafeed	Retrieves the status of a datafeed from your Merchant Center account.
<u>list</u>	GET /merchantId/datafeedstatuses	Lists the statuses of the datafeeds in your Merchant Center account.

Inventory

For Inventory Resource details, see the <u>resource representation</u> page.

Method	HTTP request	Description
URIs relativ	e to https://www.googleapis.com/c	content/v2, unless otherwise noted
custombatcl	POST /inventory/batch	Updates price and availability for multiple products or stores in a single request. This operation does not update the expiration date of the products.
<u>set</u>	POST /merchantId inventory/storeCode/products/products/	Updates price and availability of a product in your ductid Merchant Center account.

Orders

For Orders Resource details, see the <u>resource representation</u> page.

Method	HTTP request	Description	
URIs relative to https://www.googleapis.com/content/v2, unless otherwise noted			
<u>acknowledge</u>	POST /merchantId/orders/orderId/acknowledge	Marks an order as acknowledged.	
<u>advancetestorder</u>	POST /merchantId/testorders/orderId/advance	Sandbox only. Moves a test order from state "inProgress" to state "pendingShipment".	
<u>cancel</u>	POST /merchantId/orders/orderId/cancel	Cancels all line items in an order, making a full refund.	
<u>cancellineitem</u>	POST /merchantId/orders/orderId/cancelLineItem	Cancels a line item, making a full refund.	
<u>createtestorder</u>	POST / merchantId/testorders	Sandbox only. Creates a test order.	
<u>custombatch</u>	POST /orders/batch	Retrieves or modifies multiple orders in a single request.	
get	GET /merchantId/orders/orderId	Retrieves an order from your Merchant Center account.	
getbymerchantorderid	GET / merchantId/ordersbymerchantid/merchantOrderId	Retrieves an order using merchant order id.	
<u>gettestordertemplate</u>	GET / merchantId/testordertemplates/ templateName	Sandbox only. Retrieves an order template that can be used to quickly create a new order in sandbox.	
<u>list</u>	GET /merchantId/orders	Lists the orders in your Merchant Center account.	
refund	POST /merchantId/orders/orderId/refund	Initiates a full or partial reversal on the payment instrument.	
<u>returnlineitem</u>	POST /merchantId/orders/orderId/returnLineItem	Returns a line item.	
<u>shiplineitems</u>	POST /merchantId/orders/orderId/shipLineItems	Marks line item(s) as shipped.	
updatemerchantorderid	POST / merchantId/orders/orderId/updateMerchantOrderId	Updates the merchant order ID for a given order.	
updateshipment	POST / merchantId/orders/orderId/updateShipment	Updates a shipment's status, carrier, and/or tracking ID.	

Products

For Products Resource details, see the <u>resource representation</u> page.

Method HTTP request Description

Method	HTTP request	Description
URIs relative	to https://www.google	eapis.com/content/v2, unless otherwise noted
custombatch	POST /products/batch	Retrieves, inserts, and deletes multiple products in a single request.
<u>delete</u>	DELETE / merchantId/products/ productId	Deletes a product from your Merchant Center account.
get	GET / <i>merchantId</i> /products/ <i>productId</i>	Retrieves a product from your Merchant Center account.
<u>insert</u>	POST / merchantId/products	Uploads a product to your Merchant Center account. If an item with the same channel, contentLanguage, offerId, and targetCountry already exists, this method updates that entry.
<u>list</u>	GET /merchantId/products	Lists the products in your Merchant Center account.

Productstatuses

For Productstatuses Resource details, see the <u>resource representation</u> page.

Method	HTTP request	Description
URIs relative	to https://www.googleapis.	com/content/v2, unless otherwise noted
custombatch	POST /productstatuses/batch	Gets the statuses of multiple products in a single request.
get	GET / merchantId/productstatuses/ productId	Gets the status of a product from your Merchant Center account.
list	GET /merchantId/productstatuses	Lists the statuses of the products in your Merchant Center account.

Shippingsettings

For Shippingsettings Resource details, see the <u>resource representation</u> page.

Method	HTTP request	Description
URIs relative to https	://www.googleapis.com/con	tent/v2, unless otherwise noted
<u>custombatch</u>	POST /shippingsettings/batch	Retrieves and updates the shipping settings of multiple accounts in a single request.
get	GET / merchantId/shippingsettings/accountId	Retrieves the shipping settings of the account.
getsupportedcarriers	GET / merchantId/supportedCarriers	Retrieves supported carriers and carrier services for an account.
<u>list</u>	GET /merchantId/shippingsettings	Lists the shipping settings of the sub-accounts in your Merchant Center account.
<u>patch</u>	PATCH / merchantId/shippingsettings/accountId	Updates the shipping settings of the account. This method supports patch semantics.
<u>update</u>	PUT / merchantId/shippingsettings/accountId	Updates the shipping settings of the account.

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 3.0 License, and code samples are licensed under the Apache 2.0 License. For details, see our Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Viewed using **Just Read**