

# Access Google APIs more easily



Google APIs give you programmatic access to Google Maps, Google Drive, YouTube, and [many other Google products](#). To make coding against these APIs easier, Google provides client libraries that can reduce the amount of code you need to write and make your code more robust.

The libraries can also make it simpler to set up authorization and authentication. If your website or app requires users to sign in, check out Google's [Identity Platform](#) products.

## Featured libraries for Google APIs

---

[Java](#)

---

[Get  
Started  
Samples](#)

---

[Python](#)

---

[Get  
Started  
Samples](#)

---

[PHP](#)  
[\(beta\)](#)

---

[Get](#)  
[Started](#)

---

[.NET](#)

---

[Get](#)  
[Started](#)

---

[JavaScript](#)

---

[Get](#)  
[Started](#)  
[Samples](#)

---

[Objective-C](#)

---

[Get](#)  
[Started](#)  
[Examples](#)

---

## Early-stage libraries for Google APIs

---

[Dart](#)  
[\(beta\)](#)

---

[Get](#)  
[Started](#)  
[Web](#)  
[Example](#)

—

[Ruby](#)  
[\(alpha\)](#)

—

[Get](#)  
[Started](#)

—

[Node-](#)  
[js](#)  
[\(alpha\)](#)

—

[Get](#)  
[Started](#)  
[Examples](#)

—

[Go](#)  
[\(alpha\)](#)

—

[Get](#)  
[Started](#)  
[Examples](#)

---

Viewed using [Just Read](#)