## **Azure Data Factory - naming rules**



docs.microsoft.com/en-us/azure/data-factory/naming-rules

- 01/16/2018
- 2 minutes to read







**APPLIES TO:** Azure Data Factory Azure Synapse Analytics (Preview)

The following table provides naming rules for Data Factory artifacts.

Name	Name Uniqueness	Validation Checks
Data Factory	Unique across Microsoft Azure. Names are case- insensitive, that is, MyDF and mydf refer to the same data factory.	<ul> <li>Each data factory is tied to exactly one Azure subscription.</li> <li>Object names must start with a letter or a number and can contain only letters, numbers, and the dash (-) character.</li> <li>Every dash (-) character must be immediately preceded and followed by a letter or a number. Consecutive dashes are not permitted in container names.</li> <li>Name can be 3-63 characters long.</li> </ul>

Name	Name Uniqueness	Validation Checks
Linked Services/Datasets/Pipelines	Unique with in a data factory. Names are case-insensitive.	<ul> <li>Object names must start with a letter, number, or an underscore (_).</li> <li>Following characters are not allowed: ".", "+", "?", "/", "&lt;"," "&gt;","*","%","&amp;",":","\"</li> <li>Dashes ("-") are not allowed in the names of linked services and of datasets only.</li> </ul>
Integration Runtime	Unique with in a data factory. Names are case-insensitive.	<ul> <li>Integration runtime         Name can contain only         letters, numbers and the         dash (-) character.</li> <li>The first and last         characters must be a         letter or number. Every         dash (-) character must         be immediately         preceded and followed         by a letter or a number.</li> <li>Consecutive dashes are         not permitted in         integration runtime         name.</li> </ul>
Resource Group	Unique across Microsoft Azure. Names are case- insensitive.	For more info, see <u>Azure</u> naming rules and restrictions.

Azure Data Factory - naming rules

## **Next steps**

Learn how to create data factories by following step-by-step instructions in <u>Quickstart:</u> <u>create a data factory</u> article.

## Is this page helpful?

