

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Sensor Data Export

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 12:58:43	71.00	22.20	67.00
2025-12-18 12:58:37	70.00	22.20	67.00
2025-12-18 12:58:18	70.00	22.20	67.00
2025-12-18 12:58:10	70.00	22.20	68.00
2025-12-18 12:58:00	70.00	22.10	68.00
2025-12-18 12:57:48	70.00	22.20	67.00
2025-12-18 12:57:39	70.00	22.20	67.00
2025-12-18 12:57:31	69.00	22.20	67.00
2025-12-18 12:57:21	70.00	22.20	67.00
2025-12-18 12:57:08	70.00	22.20	67.00
2025-12-18 12:56:58	70.00	22.20	67.00
2025-12-18 12:56:49	70.00	22.20	67.00
2025-12-18 12:56:38	69.00	22.20	67.00
2025-12-18 12:56:30	69.00	22.20	67.00
2025-12-18 12:56:18	70.00	22.20	67.00
2025-12-18 12:56:10	70.00	22.30	67.00
2025-12-18 12:55:58	69.00	22.20	67.00
2025-12-18 12:55:48	70.00	22.20	67.00
2025-12-18 12:55:38	70.00	22.30	67.00
2025-12-18 12:55:29	70.00	22.30	67.00
2025-12-18 12:55:20	70.00	22.30	67.00
2025-12-18 12:55:15	69.00	22.30	67.00
2025-12-18 12:55:01	70.00	22.30	67.00
2025-12-18 12:54:48	70.00	22.30	68.00
2025-12-18 12:54:41	70.00	22.30	67.00
2025-12-18 12:54:28	70.00	22.30	68.00
2025-12-18 12:54:17	69.00	22.20	68.00
2025-12-18 12:54:07	70.00	22.30	67.00
2025-12-18 12:54:00	69.00	22.30	68.00
2025-12-18 12:53:52	70.00	22.30	68.00
2025-12-18 12:53:39	70.00	22.30	68.00
2025-12-18 12:53:28	70.00	22.30	68.00
2025-12-18 12:53:21	70.00	22.30	68.00
2025-12-18 12:53:08	70.00	22.30	68.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 12:52:57	70.00	22.30	68.00
2025-12-18 12:52:48	70.00	22.30	67.00
2025-12-18 12:52:38	70.00	22.30	67.00
2025-12-18 12:52:27	70.00	22.30	67.00
2025-12-18 12:52:17	70.00	22.30	68.00
2025-12-18 12:52:07	69.00	22.30	67.00
2025-12-18 12:51:57	70.00	22.30	67.00
2025-12-18 12:51:47	70.00	22.30	67.00
2025-12-18 12:51:39	70.00	22.30	68.00
2025-12-18 12:51:27	70.00	22.30	68.00
2025-12-18 12:51:19	71.00	22.30	68.00
2025-12-18 12:51:09	70.00	22.30	68.00
2025-12-18 12:50:58	69.00	22.40	68.00
2025-12-18 12:50:47	70.00	22.30	68.00
2025-12-18 12:50:37	70.00	22.40	68.00
2025-12-18 12:50:29	70.00	22.40	69.00
2025-12-18 12:50:17	70.00	22.40	69.00
2025-12-18 12:50:07	70.00	22.40	69.00
2025-12-18 12:49:57	70.00	22.40	69.00
2025-12-18 12:49:47	70.00	22.40	68.00
2025-12-18 12:49:37	70.00	22.40	68.00
2025-12-18 12:49:27	70.00	22.40	68.00
2025-12-18 12:49:19	70.00	22.40	68.00
2025-12-18 12:49:08	70.00	22.40	69.00
2025-12-18 12:48:57	70.00	22.40	68.00
2025-12-18 12:48:48	70.00	22.40	68.00
2025-12-18 12:48:38	70.00	22.40	69.00
2025-12-18 12:48:27	70.00	22.40	69.00
2025-12-18 12:48:17	70.00	22.30	69.00
2025-12-18 12:48:09	70.00	22.30	68.00
2025-12-18 12:47:57	70.00	22.30	69.00
2025-12-18 12:47:47	70.00	22.30	69.00
2025-12-18 12:47:38	70.00	22.30	69.00
2025-12-18 12:47:30	70.00	22.30	68.00
2025-12-18 12:47:17	70.00	22.30	69.00
2025-12-18 12:47:07	70.00	22.30	69.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 12:46:57	70.00	22.30	69.00
2025-12-18 12:46:47	70.00	22.30	69.00
2025-12-18 12:46:37	70.00	22.30	69.00
2025-12-18 12:46:27	71.00	22.30	68.00
2025-12-18 12:46:17	70.00	22.30	68.00
2025-12-18 12:46:08	70.00	22.30	69.00
2025-12-18 12:45:57	71.00	22.30	69.00
2025-12-18 12:45:47	70.00	22.30	68.00
2025-12-18 12:45:37	70.00	22.30	68.00
2025-12-18 12:45:27	70.00	22.30	69.00
2025-12-18 12:45:17	70.00	22.20	68.00
2025-12-18 12:45:07	70.00	22.20	68.00
2025-12-18 12:44:59	70.00	22.20	68.00
2025-12-18 12:44:48	70.00	22.20	68.00
2025-12-18 12:44:37	70.00	22.20	69.00
2025-12-18 12:44:27	70.00	22.20	68.00
2025-12-18 12:44:17	70.00	22.20	68.00
2025-12-18 12:44:07	70.00	22.20	68.00
2025-12-18 12:43:57	70.00	22.20	68.00
2025-12-18 12:43:47	70.00	22.20	68.00
2025-12-18 12:43:37	70.00	22.20	68.00
2025-12-18 12:43:27	70.00	22.10	69.00
2025-12-18 12:43:18	70.00	22.10	69.00
2025-12-18 12:43:09	70.00	22.10	68.00
2025-12-18 12:42:57	70.00	22.10	69.00
2025-12-18 12:42:49	70.00	22.10	68.00
2025-12-18 12:42:37	70.00	22.10	69.00
2025-12-18 12:42:27	70.00	22.10	69.00
2025-12-18 12:42:17	70.00	22.10	68.00
2025-12-18 12:42:07	70.00	22.10	69.00
2025-12-18 12:41:57	70.00	22.10	68.00
2025-12-18 12:41:47	70.00	22.10	69.00
2025-12-18 12:41:39	70.00	22.10	68.00
2025-12-18 12:41:27	70.00	22.10	68.00
2025-12-18 12:41:19	70.00	22.00	69.00
2025-12-18 12:41:07	72.00	22.00	69.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 12:40:57	70.00	22.00	68.00
2025-12-18 12:40:47	70.00	22.00	69.00
2025-12-18 12:40:37	70.00	22.00	68.00
2025-12-18 12:40:28	70.00	22.00	68.00
2025-12-18 12:40:17	70.00	22.00	69.00
2025-12-18 12:40:07	70.00	22.00	68.00
2025-12-18 12:39:57	70.00	22.00	69.00
2025-12-18 12:39:47	70.00	22.00	69.00
2025-12-18 12:39:37	70.00	22.00	69.00
2025-12-18 12:39:27	70.00	22.00	68.00
2025-12-18 12:39:19	70.00	22.00	69.00
2025-12-18 12:39:09	70.00	22.00	69.00
2025-12-18 12:38:58	70.00	22.00	69.00
2025-12-18 12:38:50	70.00	22.00	69.00
2025-12-18 12:38:38	70.00	22.10	69.00
2025-12-18 12:38:29	70.00	22.10	69.00
2025-12-18 12:38:17	70.00	22.10	69.00
2025-12-18 12:38:11	70.00	22.10	69.00
2025-12-18 12:37:58	70.00	22.10	69.00
2025-12-18 12:37:51	70.00	22.10	69.00
2025-12-18 12:37:38	70.00	22.10	69.00
2025-12-18 12:37:28	70.00	22.10	70.00
2025-12-18 12:37:19	70.00	22.10	70.00
2025-12-18 12:37:10	70.00	22.10	70.00
2025-12-18 12:37:02	70.00	22.10	69.00
2025-12-18 12:36:49	70.00	22.10	70.00
2025-12-18 12:36:37	70.00	22.10	69.00
2025-12-18 12:36:27	70.00	22.10	69.00
2025-12-18 12:36:26	71.00	22.10	69.00
2025-12-18 12:36:12	70.00	22.10	69.00
2025-12-18 12:35:58	70.00	22.10	70.00
2025-12-18 12:35:53	70.00	22.10	70.00
2025-12-18 12:35:37	70.00	22.10	70.00
2025-12-18 12:35:27	70.00	22.10	69.00
2025-12-18 12:35:17	70.00	22.10	70.00
2025-12-18 12:35:07	70.00	22.10	70.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 12:34:57	70.00	22.10	70.00
2025-12-18 12:34:47	70.00	22.10	69.00
2025-12-18 12:34:37	70.00	22.10	70.00
2025-12-18 12:34:27	70.00	22.10	70.00
2025-12-18 12:34:17	70.00	22.10	70.00
2025-12-18 12:34:07	70.00	22.10	70.00
2025-12-18 12:33:57	70.00	22.10	70.00
2025-12-18 12:33:47	70.00	22.10	69.00
2025-12-18 12:33:39	70.00	22.10	70.00
2025-12-18 12:33:27	70.00	22.10	70.00
2025-12-18 12:33:17	70.00	22.10	70.00
2025-12-18 12:33:07	70.00	22.10	70.00
2025-12-18 12:32:57	70.00	22.10	70.00
2025-12-18 12:32:47	70.00	22.10	70.00
2025-12-18 12:32:37	70.00	22.10	70.00
2025-12-18 12:32:27	70.00	22.10	70.00
2025-12-18 12:32:17	70.00	22.10	70.00
2025-12-18 12:32:07	70.00	22.10	71.00
2025-12-18 12:31:57	70.00	22.10	71.00
2025-12-18 12:31:47	70.00	22.10	71.00
2025-12-18 12:31:37	70.00	22.10	71.00
2025-12-18 12:31:27	70.00	22.10	71.00
2025-12-18 12:31:17	70.00	22.10	70.00
2025-12-18 12:31:07	70.00	22.10	71.00
2025-12-18 12:30:59	70.00	22.00	70.00
2025-12-18 12:30:47	70.00	22.10	71.00
2025-12-18 12:30:37	70.00	22.00	70.00
2025-12-18 12:30:30	71.00	22.00	71.00
2025-12-18 12:30:17	70.00	22.10	71.00
2025-12-18 12:30:07	70.00	22.00	71.00
2025-12-18 12:30:00	71.00	22.00	71.00
2025-12-18 12:29:47	70.00	22.00	71.00
2025-12-18 12:29:37	70.00	22.00	71.00
2025-12-18 12:29:28	70.00	22.10	71.00
2025-12-18 12:29:17	70.00	22.00	70.00
2025-12-18 12:29:07	70.00	22.00	70.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 12:28:57	70.00	22.10	71.00
2025-12-18 12:28:47	70.00	22.00	70.00
2025-12-18 12:28:37	70.00	22.10	70.00
2025-12-18 12:28:27	70.00	22.10	70.00
2025-12-18 12:28:19	70.00	22.00	70.00
2025-12-18 12:28:07	71.00	22.10	70.00
2025-12-18 12:27:57	70.00	22.10	70.00
2025-12-18 12:27:47	70.00	22.00	70.00
2025-12-18 12:27:37	70.00	22.10	71.00
2025-12-18 12:27:27	70.00	22.10	70.00
2025-12-18 12:27:17	70.00	22.10	71.00
2025-12-18 12:27:07	70.00	22.10	70.00
2025-12-18 12:26:57	70.00	22.10	70.00
2025-12-18 12:26:47	70.00	22.10	70.00
2025-12-18 12:26:37	71.00	22.10	70.00
2025-12-18 12:26:27	70.00	22.10	70.00
2025-12-18 12:26:17	71.00	22.10	70.00
2025-12-18 12:26:07	71.00	22.10	71.00
2025-12-18 12:25:57	70.00	22.10	70.00
2025-12-18 12:25:47	71.00	22.10	70.00
2025-12-18 12:25:37	71.00	22.10	70.00
2025-12-18 12:25:28	71.00	22.10	70.00
2025-12-18 12:25:17	71.00	22.10	70.00
2025-12-18 12:25:07	71.00	22.10	70.00
2025-12-18 12:24:57	70.00	22.10	70.00
2025-12-18 12:24:47	71.00	22.00	70.00
2025-12-18 12:24:37	71.00	22.00	70.00
2025-12-18 12:24:27	71.00	22.10	70.00
2025-12-18 12:24:17	71.00	22.10	70.00
2025-12-18 12:24:08	71.00	22.10	70.00
2025-12-18 12:23:58	71.00	22.10	70.00
2025-12-18 12:23:47	71.00	22.10	70.00
2025-12-18 12:23:38	71.00	22.10	70.00
2025-12-18 12:23:27	70.00	22.10	70.00
2025-12-18 12:23:18	71.00	22.10	70.00
2025-12-18 12:23:07	71.00	22.10	70.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 12:22:57	71.00	22.10	70.00
2025-12-18 12:22:47	71.00	22.10	70.00
2025-12-18 12:22:37	71.00	22.10	70.00
2025-12-18 12:22:28	71.00	22.10	70.00
2025-12-18 12:22:17	71.00	22.10	71.00
2025-12-18 12:22:07	71.00	22.10	71.00
2025-12-18 12:22:00	71.00	22.10	70.00
2025-12-18 12:21:47	71.00	22.10	70.00
2025-12-18 12:21:37	71.00	22.10	71.00
2025-12-18 12:21:27	71.00	22.00	71.00
2025-12-18 12:21:18	71.00	22.10	71.00
2025-12-18 12:21:07	71.00	22.10	70.00
2025-12-18 12:20:57	71.00	22.00	70.00
2025-12-18 12:20:47	71.00	22.10	71.00
2025-12-18 12:20:37	71.00	22.10	71.00
2025-12-18 12:20:27	71.00	22.10	71.00
2025-12-18 12:20:17	72.00	22.00	70.00
2025-12-18 12:20:07	71.00	22.10	71.00
2025-12-18 12:19:58	71.00	22.10	70.00
2025-12-18 12:19:47	71.00	22.10	71.00
2025-12-18 12:19:37	71.00	22.10	70.00
2025-12-18 12:19:27	71.00	22.10	70.00
2025-12-18 12:19:17	71.00	22.20	71.00
2025-12-18 12:19:07	71.00	22.20	71.00
2025-12-18 12:18:57	71.00	22.20	70.00
2025-12-18 12:18:48	71.00	22.20	71.00
2025-12-18 12:18:37	71.00	22.20	71.00
2025-12-18 12:18:27	71.00	22.20	71.00
2025-12-18 12:18:17	71.00	22.10	71.00
2025-12-18 12:18:07	71.00	22.20	71.00
2025-12-18 12:17:57	71.00	22.10	71.00
2025-12-18 12:17:48	71.00	22.10	71.00
2025-12-18 12:17:37	71.00	22.10	71.00
2025-12-18 12:17:27	71.00	22.10	71.00
2025-12-18 12:17:17	71.00	22.10	71.00
2025-12-18 12:17:07	71.00	22.10	71.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 12:16:57	71.00	22.10	71.00
2025-12-18 12:16:48	71.00	22.10	71.00
2025-12-18 12:16:37	71.00	22.10	71.00
2025-12-18 12:16:27	71.00	22.00	71.00
2025-12-18 12:16:17	71.00	22.00	71.00
2025-12-18 12:16:07	71.00	22.00	71.00
2025-12-18 12:15:57	71.00	22.10	71.00
2025-12-18 12:15:47	71.00	22.10	71.00
2025-12-18 12:15:37	71.00	22.10	71.00
2025-12-18 12:15:27	73.00	22.10	71.00
2025-12-18 12:15:17	71.00	22.10	71.00
2025-12-18 12:15:07	71.00	22.10	70.00
2025-12-18 12:14:57	71.00	22.00	71.00
2025-12-18 12:14:48	72.00	22.10	71.00
2025-12-18 12:14:37	72.00	22.10	71.00
2025-12-18 12:14:27	72.00	22.10	70.00
2025-12-18 12:14:17	72.00	22.10	70.00
2025-12-18 12:14:07	72.00	22.10	71.00
2025-12-18 12:13:57	72.00	22.10	71.00
2025-12-18 12:13:47	72.00	22.10	71.00
2025-12-18 12:13:37	72.00	22.10	71.00
2025-12-18 12:13:27	72.00	22.10	71.00
2025-12-18 12:13:17	72.00	22.00	71.00
2025-12-18 12:13:08	72.00	22.00	71.00
2025-12-18 12:12:57	72.00	22.00	71.00
2025-12-18 12:12:47	72.00	22.00	72.00
2025-12-18 12:12:39	72.00	22.00	71.00
2025-12-18 12:12:27	72.00	22.00	71.00
2025-12-18 12:12:17	73.00	22.00	71.00
2025-12-18 12:12:07	73.00	22.00	72.00
2025-12-18 12:11:57	73.00	22.00	72.00
2025-12-18 12:11:47	73.00	22.00	71.00
2025-12-18 12:11:37	73.00	22.00	71.00
2025-12-18 12:11:28	73.00	22.00	71.00
2025-12-18 12:11:17	74.00	22.00	71.00
2025-12-18 12:11:07	74.00	22.00	71.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 12:10:57	74.00	22.00	71.00
2025-12-18 12:10:48	74.00	22.00	71.00
2025-12-18 12:10:37	75.00	22.00	71.00
2025-12-18 12:10:27	75.00	22.00	71.00
2025-12-18 12:10:18	76.00	22.00	70.00
2025-12-18 12:10:07	76.00	22.00	70.00
2025-12-18 12:09:57	77.00	22.00	71.00
2025-12-18 12:09:47	79.00	22.00	70.00
2025-12-18 12:09:38	80.00	22.00	71.00
2025-12-18 12:09:27	83.00	22.00	71.00
2025-12-18 12:09:18	86.00	22.10	71.00
2025-12-18 12:09:08	89.00	22.10	71.00
2025-12-18 12:09:00	94.00	22.10	70.00
2025-12-18 12:08:51	100.00	22.10	71.00
2025-12-18 12:08:40	0.00	22.10	71.00
2025-12-18 12:08:27	0.00	22.10	71.00
2025-12-18 12:08:17	0.00	22.10	71.00
2025-12-18 12:08:07	0.00	22.20	70.00
2025-12-18 12:08:04	0.00	22.10	71.00
2025-12-18 12:07:47	0.00	22.20	71.00
2025-12-18 12:07:37	0.00	22.20	71.00
2025-12-18 12:07:27	0.00	22.10	70.00
2025-12-18 12:07:17	0.00	22.10	70.00
2025-12-18 12:07:07	0.00	22.10	70.00
2025-12-18 12:06:58	0.00	22.10	71.00
2025-12-18 12:06:47	0.00	22.10	71.00
2025-12-18 12:06:37	0.00	22.10	71.00
2025-12-18 12:06:27	0.00	22.10	71.00
2025-12-18 12:06:17	0.00	22.10	71.00
2025-12-18 12:06:07	0.00	22.10	71.00
2025-12-18 12:05:57	0.00	22.00	71.00
2025-12-18 12:05:50	0.00	22.10	71.00
2025-12-18 12:05:37	0.00	22.00	71.00
2025-12-18 12:05:27	0.00	22.00	71.00
2025-12-18 12:05:17	0.00	22.10	71.00
2025-12-18 12:05:10	0.00	22.10	71.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 12:04:57	0.00	22.10	71.00
2025-12-18 12:04:47	0.00	22.10	71.00
2025-12-18 12:04:40	0.00	22.10	71.00
2025-12-18 11:15:19	68.00	22.00	72.00
2025-12-18 11:14:53	69.00	21.90	72.00
2025-12-18 11:14:47	69.00	21.90	72.00
2025-12-18 11:14:32	68.00	21.80	72.00
2025-12-18 11:14:18	68.00	21.80	71.00
2025-12-18 11:14:04	68.00	21.80	71.00
2025-12-18 11:13:54	69.00	21.80	71.00
2025-12-18 11:13:46	69.00	21.80	72.00
2025-12-18 11:13:34	69.00	21.80	71.00
2025-12-18 11:13:25	68.00	21.80	72.00
2025-12-18 11:13:14	68.00	21.80	71.00
2025-12-18 11:13:04	68.00	21.80	72.00
2025-12-18 11:12:54	68.00	21.80	72.00
2025-12-18 11:12:44	68.00	21.80	71.00
2025-12-18 11:12:34	68.00	21.80	72.00
2025-12-18 11:12:25	68.00	21.80	71.00
2025-12-18 11:12:14	68.00	21.80	72.00
2025-12-18 11:12:04	69.00	21.80	71.00
2025-12-18 11:11:54	68.00	21.80	72.00
2025-12-18 11:11:44	68.00	21.80	72.00
2025-12-18 11:11:34	68.00	21.80	71.00
2025-12-18 11:11:24	68.00	21.80	72.00
2025-12-18 11:11:14	68.00	21.80	72.00
2025-12-18 11:11:04	68.00	21.80	72.00
2025-12-18 11:10:54	68.00	21.80	72.00
2025-12-18 11:10:44	68.00	21.80	72.00
2025-12-18 11:10:35	69.00	21.70	72.00
2025-12-18 11:10:26	69.00	21.70	72.00
2025-12-18 11:10:23	68.00	21.70	72.00
2025-12-18 11:10:07	67.00	21.70	72.00
2025-12-18 11:09:54	67.00	21.70	72.00
2025-12-18 11:09:43	68.00	21.60	72.00
2025-12-18 11:09:33	67.00	21.60	72.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 11:09:23	68.00	21.60	73.00
2025-12-18 11:09:13	67.00	21.60	72.00
2025-12-18 11:09:05	69.00	21.60	72.00
2025-12-18 11:08:53	68.00	21.60	72.00
2025-12-18 11:08:43	68.00	21.50	73.00
2025-12-18 11:08:33	67.00	21.50	72.00
2025-12-18 11:08:25	67.00	21.50	72.00
2025-12-18 11:08:13	68.00	21.50	73.00
2025-12-18 11:08:03	67.00	21.50	73.00
2025-12-18 11:07:56	68.00	21.50	72.00
2025-12-18 11:07:43	67.00	21.50	73.00
2025-12-18 11:07:33	68.00	21.50	73.00
2025-12-18 11:07:24	67.00	21.60	73.00
2025-12-18 11:07:13	67.00	21.50	73.00
2025-12-18 11:07:03	67.00	21.50	72.00
2025-12-18 11:06:55	67.00	21.50	73.00
2025-12-18 11:06:43	67.00	21.50	73.00
2025-12-18 11:06:34	67.00	21.60	73.00
2025-12-18 11:06:23	67.00	21.60	73.00
2025-12-18 11:06:13	67.00	21.60	73.00
2025-12-18 11:06:04	67.00	21.60	73.00
2025-12-18 11:05:54	67.00	21.60	72.00
2025-12-18 11:05:43	67.00	21.50	72.00
2025-12-18 11:05:34	67.00	21.60	72.00
2025-12-18 11:05:23	67.00	21.60	73.00
2025-12-18 11:05:13	67.00	21.60	72.00
2025-12-18 11:05:04	67.00	21.50	73.00
2025-12-18 11:04:54	68.00	21.60	73.00
2025-12-18 11:04:43	67.00	21.60	73.00
2025-12-18 11:04:33	69.00	21.50	72.00
2025-12-18 11:04:23	68.00	21.60	73.00
2025-12-18 11:04:13	68.00	21.50	73.00
2025-12-18 11:04:04	68.00	21.60	72.00
2025-12-18 11:03:53	68.00	21.50	73.00
2025-12-18 11:03:45	68.00	21.50	73.00
2025-12-18 11:03:34	69.00	21.50	72.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-18 11:03:23	69.00	21.50	73.00
2025-12-18 11:03:13	69.00	21.50	72.00
2025-12-18 11:03:05	69.00	21.50	72.00
2025-12-18 11:02:53	70.00	21.50	73.00
2025-12-18 11:02:43	71.00	21.50	72.00
2025-12-18 11:02:38	71.00	21.50	72.00
2025-12-18 11:02:26	71.00	21.50	72.00
2025-12-18 11:02:13	72.00	21.50	72.00
2025-12-18 11:02:03	73.00	21.50	72.00
2025-12-18 11:01:53	73.00	21.50	72.00
2025-12-18 11:01:44	74.00	21.50	72.00
2025-12-18 11:01:35	75.00	21.50	72.00
2025-12-18 11:01:26	75.00	21.50	71.00
2025-12-18 11:01:14	76.00	21.50	71.00
2025-12-18 11:01:03	77.00	21.50	72.00
2025-12-18 11:00:53	78.00	21.50	71.00
2025-12-18 11:00:44	79.00	21.50	72.00
2025-12-18 11:00:33	81.00	21.50	72.00
2025-12-18 11:00:23	0.00	21.50	71.00
2025-12-18 11:00:16	0.00	21.50	72.00
2025-12-17 18:22:12	0.00	22.70	69.00
2025-12-17 18:22:02	0.00	22.70	69.00
2025-12-17 18:21:54	0.00	22.70	68.00
2025-12-17 18:21:42	0.00	22.70	68.00
2025-12-17 18:21:32	0.00	22.70	69.00
2025-12-17 18:21:22	0.00	22.70	69.00
2025-12-17 18:21:12	0.00	22.70	68.00
2025-12-17 18:21:02	0.00	22.70	69.00
2025-12-17 18:20:53	0.00	22.80	68.00
2025-12-17 18:20:44	0.00	22.70	69.00
2025-12-17 18:20:32	0.00	22.70	69.00
2025-12-17 18:20:22	0.00	22.70	68.00
2025-12-17 18:20:12	0.00	22.80	69.00
2025-12-17 18:20:03	0.00	22.80	68.00
2025-12-17 18:19:52	0.00	22.80	69.00
2025-12-17 18:19:43	0.00	22.80	68.00

SMART IRRIGATION SYSTEM (INDOOR)

Generated on 2025-12-18 11:46:52

Timestamp	Moisture (%)	Temperature (°C)	Humidity (%)
2025-12-17 18:19:33	0.00	22.80	69.00
2025-12-17 18:19:22	0.00	22.80	69.00
2025-12-17 18:19:12	0.00	22.80	68.00
2025-12-17 18:19:02	0.00	22.80	68.00
2025-12-17 18:18:52	0.00	22.80	69.00
2025-12-17 18:18:42	0.00	22.80	69.00
2025-12-17 18:18:32	0.00	22.80	68.00
2025-12-17 18:18:23	0.00	22.80	69.00
2025-12-17 18:18:13	0.00	22.80	68.00
2025-12-17 18:18:02	0.00	22.80	69.00
2025-12-17 18:17:52	0.00	22.80	69.00
2025-12-17 18:17:42	0.00	22.80	69.00
2025-12-17 18:17:32	0.00	22.80	68.00
2025-12-17 18:17:22	0.00	22.80	68.00
2025-12-17 18:17:15	0.00	22.80	69.00
2025-12-17 18:17:02	0.00	22.80	68.00
2025-12-17 18:16:54	0.00	22.80	69.00
2025-12-17 18:16:42	0.00	22.80	68.00
2025-12-17 18:16:32	0.00	22.80	69.00
2025-12-17 18:16:22	0.00	22.80	69.00
2025-12-17 18:16:12	0.00	22.80	68.00
2025-12-17 18:16:04	0.00	22.80	69.00
2025-12-17 18:15:52	0.00	22.80	69.00
2025-12-17 18:15:42	0.00	22.80	68.00
2025-12-17 18:15:38	0.00	22.70	69.00
2025-12-17 18:15:22	0.00	22.80	69.00
2025-12-17 18:15:12	0.00	22.80	69.00
2025-12-17 18:15:02	0.00	22.80	69.00
2025-12-17 18:14:57	0.00	22.80	69.00
2025-12-17 18:14:42	0.00	22.80	69.00
2025-12-17 18:14:33	0.00	22.80	69.00
2025-12-17 18:14:22	0.00	22.80	69.00
2025-12-17 18:14:12	0.00	22.80	69.00
2025-12-17 18:14:03	0.00	22.80	69.00
2025-12-17 18:13:52	0.00	22.80	69.00