

Public institution management system

Author: Scutea Emilia

Team: Pop Alexia

Scutea Emilia

Group: 30433, semigroup 2

Laboratory Assistant : Eneia Todoran


Date: January 2022

Table of Contents


1. Final project design	3
I. UML Packages Diagram	3
II. UML Package model Diagram	3
III. UML Package controller Diagram	4
IV. Use Case Diagram	5
V. Deployment Diagram	5
2. Final project implementation	6
I. Application Controller	6
II. Testing: QuestionRepository	9
III. Testing: ServingWebApplication	10
IV. Testing: UserRepository	10
V. About US View	11
VI. Appointment Form View	14
VII. Appointments View	16
VIII. Appointments admin View	18
IX. Contact View	19
X. Documents View	22
XI. Driving License View	26
XII. Driving Test View	29
XIII. Home user\admin View	30
XIV. Login/Sign up View	35
XV. News View	36
XVI. Passports View	40
XVII. Question Form View	43
XVIII. Questions View	44
XIX. Questions Admin View	45
XX. Register Success View	46
XXI. Registration Number View	46
XXII. Taxes View	49
XXIII. Users admin View	51

1.Final project design


I. UML Packages Diagram




II. UML Package model Diagram




III. UML Package controller Diagram



IV. Use Case Diagram



V. Deployment Diagram



2.Final project implementation

I. Application Controller

```
package com.example.servingwebcontent.controller;

import com.example.servingwebcontent.model.*;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.mail.javamail.JavaMailSender;
import org.springframework.security.core.context.SecurityContextHolder;
import org.springframework.security.crypto.bcrypt.BCryptPasswordEncoder;
import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.PostMapping;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RequestMethod;

import javax.mail.MessagingException;
import java.util.List;

@Controller
public class AppController {

    @Autowired
    private UserRepository userRepo;
    @Autowired
    private QuestionRepository questionRepo;
    @Autowired
    private AppointmentRepository appointmentRepo;

    @Autowired
    private JavaMailSender javaMailSender;

    @GetMapping("/")
    public String viewHomePg() {
        return "home";
    }

    @GetMapping("/homepage")
    public String viewHomePage(Model model) {
        model.addAttribute("user", new User());
        return "/homepage";
    }

    @GetMapping("/registerQuestion")
    public String showRegisterQuestionForm(Model model){
        model.addAttribute("question",new Question());
        return "question_form";
    }

    @GetMapping("/registerAppointment")
    public String showRegisterAppointmentForm(Model model){
        model.addAttribute("appointment",new Appointment());
        return "appointment_form";
    }

    @PostMapping("/process_register")
    public String processRegister(User user) {
        BCryptPasswordEncoder passwordEncoder = new BCryptPasswordEncoder();
        String encodedPassword = passwordEncoder.encode(user.getPassword());
```

```

        user.setPassword(encodedPassword);

        userRepo.save(user);

        return "register_success";
    }

    @PostMapping("/process_register_question")
    public String processRegisterQuestion(Question q, Model model) {
        questionRepo.save(q);
        List<Question> listQuestions = questionRepo.findQuestions();
        model.addAttribute("listQuestions", listQuestions);
        return "questions";
    }

    @PostMapping("/process_register_appointment")
    public String processRegisterAppointment(Appointment a, Model model) {
        CustomUserDetails u = (CustomUserDetails)
SecurityContextHolder.getContext().getAuthentication().getPrincipal();
        a.setName(u.getFullName());
        a.setEmail(u.getUsername());
        appointmentRepo.save(a);
        List<Appointment> listAppointments = appointmentRepo.findByNames(u.getFullName());
        model.addAttribute("listyourAppointments", listAppointments);
        return "appointments";
    }

    @PostMapping("/edit_question")
    public String editQuestion(Question q, Model model) {
        questionRepo.updateQuestion(q.getAnswer(), q.getId());
        List<Question> listQuestions = questionRepo.findAll();
        model.addAttribute("listQuestions", listQuestions);
        model.addAttribute("question", new Question());
        return "questionsadmin";
    }

    @PostMapping("/delete_question")
    public String deleteQuestion(Question q, Model model) {
        questionRepo.deleteById(q.getId());
        List<Question> listQuestions = questionRepo.findAll();
        model.addAttribute("listQuestions", listQuestions);
        model.addAttribute("question", new Question());
        return "questionsadmin";
    }

    @PostMapping("/cancel_appointment")
    public String cancelAppointment(Appointment a, Model model) {
        appointmentRepo.deleteById(a.getId());
        CustomUserDetails u = (CustomUserDetails)
SecurityContextHolder.getContext().getAuthentication().getPrincipal();
        List<Appointment> listAppointments = appointmentRepo.findByNames(u.getFullName());
        model.addAttribute("listyourAppointments", listAppointments);
        return "appointments";
    }

    @RequestMapping(value="/edit_appointment", method = RequestMethod.POST, params = "action=delete")
    public String deleteAppointment(Appointment a, Model model) {
        appointmentRepo.deleteById(a.getId());
        List<Appointment> listAppointments = appointmentRepo.findAll();
        model.addAttribute("listAppointments", listAppointments);

        return "appointmentsadmin";
    }

    @RequestMapping(value="/edit_appointment", method = RequestMethod.POST, params
="action=sendMail")
    public String sendMail(Appointment a, Model model) throws MessagingException {

```

```

        EmailService emailService=new EmailService(javaMailSender);
        Appointment app = appointmentRepo.getById(a.getId());
        emailService.sendMail(app.getEmail());
        List<Appointment> listAppointments = appointmentRepo.findAll();
        model.addAttribute("listAppointments", listAppointments);

        return "appointmentsadmin";
    }

    @GetMapping("/home")
    public String viewHome() {

        return "home";
    }
    @GetMapping("/contact")
    public String viewContact() {

        return "contact";
    }
    @GetMapping("/about")
    public String viewAbout() {

        return "about";
    }
    @GetMapping("/news")
    public String viewNews() {

        return "news";
    }
    @GetMapping("/appointments")
    public String showAppointmentsForm(Model model) {
        CustomUserDetails u = (CustomUserDetails)
SecurityContextHolder.getContext().getAuthentication().getPrincipal();
        List<Appointment> listAppointments = appointmentRepo.findByNames(u.getFullName());
        model.addAttribute("listyourAppointments", listAppointments);
        model.addAttribute(new Appointment());
        return "appointments";
    }

    @GetMapping("/questions")
    public String showQuestionForm(Model model) {
        List<Question> listQuestions = questionRepo.findQuestions();
        model.addAttribute("listQuestions", listQuestions);
        return "questions";
    }
    @GetMapping("/documents")
    public String viewDocuments(){
        return "documents";
    }

    @GetMapping("/registrationNumber")
    public String viewRegistrationNumber(){
        return "registrationNumber";
    }

    @GetMapping("/drivingLicense")
    public String viewDrivingLicense(){
        return "drivingLicense";
    }

    @GetMapping("/drivingTest")
    public String viewDrivingTest(){
        return "drivingTest";
    }

    @GetMapping("/taxes")
    public String viewTaxes(){

```



```

        return "taxes";
    }

    @GetMapping("/passports")
    public String viewPassports(){return "passports";}

    @GetMapping("/homeadmin")
    public String viewHomeAdmin() {

        return "homeadmin";
    }

    @GetMapping("/questionsadmin")
    public String viewChatAdmin(Model model) {
        List<Question> listQuestions = questionRepo.findAll();
        model.addAttribute("listQuestions", listQuestions);
        model.addAttribute("question",new Question());
        return "questionsadmin";
    }

    @GetMapping("/usersadmin")
    public String viewUsersAdmin(Model model) {
        List<User> listUsers = userRepo.findAll();
        model.addAttribute("listUsers", listUsers);
        return "usersadmin";
    }

    @GetMapping("/appointmentsadmin")
    public String viewAppointmentsAdmin(Model model) {
        List<Appointment> listAppointments = appointmentRepo.findAll();
        model.addAttribute("listAppointments", listAppointments);
        model.addAttribute("appointment",new Appointment());
        return "appointmentsadmin";
    }
}

```

II. QuestionRepository Testing

```

package com.example.servingwebcontent;

import com.example.servingwebcontent.model.Question;
import com.example.servingwebcontent.model.QuestionRepository;
import org.junit.jupiter.api.Test;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.boot.test.autoconfigure.jdbc.AutoConfigureTestDatabase;
import org.springframework.boot.test.autoconfigure.orm.jpa.DataJpaTest;
import org.springframework.boot.test.autoconfigure.orm.jpa.TestEntityManager;
import org.springframework.test.annotation.Rollback;

import static org.assertj.core.api.Assertions.assertThat;

@DataJpaTest
@AutoConfigureTestDatabase(replace = AutoConfigureTestDatabase.Replace.NONE)
@Rollback(false)
public class QuestionRepositoryTest {

    @Autowired
    private TestEntityManager entityManager;

    @Autowired
    private QuestionRepository repo;

    // test methods go below

    @Test
    public void testCreateUser() {

```

```

        Question q = new Question();
        q.setQuest("WHAT");
        q.setUsername("EU");
        Question savedQ = repo.save(q);

        Question existq = entityManager.find(Question.class, savedQ.getId());

        assertThat(q.getQuest()).isEqualTo(existq.getQuest());
    }
}

```

III. ServingWebApplication Testing

```

package com.example.servingwebcontent;

import org.junit.jupiter.api.Test;
import org.springframework.boot.test.context.SpringBootTest;

@SpringBootTest
class ServingWebContentApplicationTests {

    @Test
    void contextLoads() {
    }

}

```

IV. UserRepository Testing

```

package com.example.servingwebcontent;

import static org.assertj.core.api.Assertions.assertThat;

import com.example.servingwebcontent.model.User;
import com.example.servingwebcontent.model.UserRepository;
import org.junit.jupiter.api.Test;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.boot.test.autoconfigure.jdbc.AutoConfigureTestDatabase;
import org.springframework.boot.test.autoconfigure.jdbc.AutoConfigureTestDatabase.Replace;
import org.springframework.boot.test.autoconfigure.orm.jpa.DataJpaTest;
import org.springframework.boot.test.autoconfigure.orm.jpa.TestEntityManager;
import org.springframework.test.annotation.Rollback;
import org.springframework.security.crypto.bcrypt.BCryptPasswordEncoder;

@DataJpaTest
@AutoConfigureTestDatabase(replace = Replace.NONE)
@Rollback(false)
public class UserRepositoryTests {

    @Autowired
    private TestEntityManager entityManager;

    @Autowired
    private UserRepository repo;

    // test methods go below

    @Test
    public void testCreateUser() {
        User user = new User();
        BCryptPasswordEncoder passwordEncoder = new BCryptPasswordEncoder();
        String encodedPassword = passwordEncoder.encode("alexia");
        user.setPassword(encodedPassword);
        user.setEmail("alexia@pop28@yahoo.com");
    }
}

```

```

        user.setFirstName("Alexia");
        user.setLastName("Pop");
        user.setStatus("ADMIN");

        User savedUser = repo.save(user);

        User existUser = entityManager.find(User.class, savedUser.getId());

        assertThat(user.getEmail()).isEqualTo(existUser.getEmail());

    }

    @Test
    public void testCreateUser2() {
        User user = new User();
        BCryptPasswordEncoder passwordEncoder = new BCryptPasswordEncoder();
        String encodedPassword = passwordEncoder.encode("emilia");
        user.setPassword(encodedPassword);
        user.setEmail("escutea@yahoo.ro");
        user.setFirstName("Emilia");
        user.setLastName("Scutea");
        user.setStatus("USER");

        User savedUser = repo.save(user);

        User existUser = entityManager.find(User.class, savedUser.getId());

        assertThat(user.getEmail()).isEqualTo(existUser.getEmail());

    }
}

```

V. About US View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>About Us</title>

    <link rel="stylesheet" href="path/to/font-awesome/css/font-awesome.min.css">
    <link rel="stylesheet" href="~/lib/Font-Awesome/css/fontawesome.min.css">
    <link rel="stylesheet" href="~/lib/Font-Awesome/css/regular.min.css">
    <link rel="stylesheet" href="~/lib/Font-Awesome/css/solid.min.css">
    <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
    <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
    <script src='https://kit.fontawesome.com/a076d05399.js' crossorigin='anonymous'></script>
    <style>
        @import url("https://fonts.googleapis.com/css?family=Lato:300,400,700&display=swap");

        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
        }
        li a {
            display: block;
            color: white;
            text-align: center;
            padding: 14px 16px;
            text-decoration: none;
        }
        li a:hover {
            background-color: #111;

```

```
}
.active {
  background-color: #56baed;
}
body {
  height: 100vh;
}
.menu {
  background-color: #56baed;
  display: flex;
  align-items: center;
  flex-direction: column;
  justify-content: center;
  width: 100%;
  min-height: 100%;
  padding: 0px;
}
.menuList {
  list-style-type: none;
  margin: 0;
  padding: 0;
  overflow: hidden;
  background-color: #333;
  position: fixed;
  top: 0;
  width: 100%;
  float: left;
}
.menuListItem {
  float: left;
}
.about-us {
  position: relative;
  width: 250px;
  background: white;
  overflow: hidden;
}
.about-us:before {
  position: absolute;
  content: "";
  bottom: -50px;
  left: -100px;
  height: 250px;
  width: 400px;
  background: #C3E0EC;
  transform: rotate(25deg);
}
.about-us:after {
  position: absolute;
  content: "";
  bottom: -80px;
  right: -100px;
  height: 270px;
  width: 400px;
  background: black;
  transform: rotate(-25deg);
}
.about-header {
  color: black;
  position: absolute;
  transform: rotate(-90deg);
  top: 120px;
  left: -40px;
}
.about-header h1 {
  font-size: 1.5rem;
}
```

```

.header, .info1, .info2 {
    text-align: center;
    padding: 20px 0;
    color: #444;
}
.header h1 {
    font-weight: normal;
}
.header h7, .info1 h7, .info2 h7 {
    font-weight: 150;
}
body {
    background: url("https://s3-us-west-2.amazonaws.com/s.cdpn.io/38816/image-from-rawpixel-id-2042508-jpeg.jpg");
    height: 100vh;
    width: 100vw;
    position: relative;
    background-size: cover;
    background-repeat: no-repeat;
    display: grid;
    justify-items: center;
    align-items: center;
}
.about-form-container {
    width: 575px;
    display: grid;
    grid-template-columns: 1fr 1fr 1fr 1fr;
    grid-template-rows: 0.5fr 0.5fr 2fr;
    grid-template-areas: "contact-us header header header"
                        "contact-us info1 info1 info1"
                        "contact-us info2 info2 info2";
    background: #F4F3F3;
    font-family: "Lato", sans-serif;
}
.about-us {
    grid-area: contact-us;
}
.header {
    grid-area: header;
}
.info1 {
    grid-area: info1;
}
.info2 {
    grid-area: info2;
}
</style>
</head>
<body>
<div class="menu">
    <ul class="menuList">
        <li class="menuListItem"><a th:href="@{/home}">Home</a></li>
        <li class="menuListItem"><a th:href="@{/about}" class="active">About</a></li>
        <li class="menuListItem"><a th:href="@{/contact}">Contact</a></li>
        <li class="menuListItem"><a th:href="@{/news}">News</a></li>
        <li class="menuListItem"><a th:href="@{/documents}">Documents</a></li>
        <div sec:authorize="isAnonymous()">
            <li class="menuListItem"><a th:href="@{/homepage}">Login</a></li>
        </div>
        <div sec:authorize="isAuthenticated()">
            <li class="menuListItem"><a th:href="@{/questions}">Questions</a></li>
            <li class="menuListItem"><a th:href="@{/appointments}">Appointments</a></li>
            <li class="menuListItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
        </div>
    </ul>

```



```

}

.login__input {
  border: none;
  border-bottom: 2px solid #D1D1D4;
  background: none;
  padding: 10px;
  padding-left: 24px;
  font-weight: 700;
  width: 75%;
  transition: .2s;
  color: dimgray;
}

.login__input:active,
.login__input:focus,
.login__input:hover {
  outline: none;
  border-bottom-color: #56baed;
}

.login__submit {
  background: #fff;
  font-size: 14px;
  margin-top: 30px;
  padding: 16px 20px;
  border-radius: 26px;
  border: 1px solid #D4D3E8;
  text-transform: uppercase;
  font-weight: 700;
  display: flex;
  align-items: center;
  width: 100%;
  color: #56baed;
  box-shadow: 0px 2px 2px #56baed;
  cursor: pointer;
  transition: .2s;
}

.login__submit:active,
.login__submit:focus,
.login__submit:hover {
  border-color: #56baed;
  outline: none;
}

.headerStyle {
  font-size: 24px;
  font-family: Raleway, sans-serif;
  color: dimgray;
}
</style>

<body>
  <div class="menu">
    <ul class="menuList">
      <li class="menuListItem"><a th:href="@{/home}" >Home</a></li>
      <li class="menuListItem"><a th:href="@{/about}" >About</a></li>
      <li class="menuListItem"><a th:href="@{/contact}">Contact</a></li>
      <li class="menuListItem"><a th:href="@{/news}">News</a></li>
      <li class="menuListItem"><a th:href="@{/documents}">Documents</a></li>
      <li class="menuListItem"><a th:href="@{/questions}">Questions</a></li>
      <li class="menuListItem"><a th:href="@{/appointments}"
class="active">Appointments</a></li>
      <div sec:authorize="isAuthenticated()">
        <li class="menuListItem"><a th:href = "@{/logout}" th:method="post">Logout</a></li>
      </div>
    </ul>
  </div>

```

```

        </ul>
    </div>
    <div class="div">
        <h1 class="headerStyle">Appointment Registration</h1>
        <form th:action="@{/process_register_appointment}" th:object="${appointment}" method="post"
class="login">
            <div class="login__field">
                <select type="text" th:field="*{office}" class="login__input" required>
                    <option value="Papers">Papers</option>
                    <option value="Passport">Passport</option>
                    <option value="Taxes">Taxes</option>
                    <option value="Documents">Documents</option>
                </select>
            </div>
            <div class="login__field">
                <input type="date" th:field="*{date}" class="login__input" placeholder="Date"
max="2022-10-28" min="2021-12-30" required />
            </div>
            <div class="login__field">
                <input type="time" th:field="*{hour}" class="login__input" placeholder="Hour"
min="08:00" max="18:00" step="2" required />
            </div>
            <button type="submit" class="button login__submit">
                <span class="button__text">Register Appointment</span>
            </button>
        </form>
    </div>
</body>
</html>

```

VII. Appointments View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>Appointments</title>
    <link rel="stylesheet" type="text/css" href="/webjars/bootstrap/css/bootstrap.min.css" />
    <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
    <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
    <style>
        .make {
            width: 40%;
            margin-left: 150px;
            color: #56baed;
            box-shadow: 0px 2px 2px #56baed;
        }
        .cancel {
            width: 100%;
        }
        body {
            font-family: "lato", sans-serif;
        }
        .container {
            max-width: 1000px;
            margin-left: auto;
            margin-right: auto;
            padding-left: 10px;
            padding-right: 10px;
        }
        h2 {
            font-size: 26px;
            margin: 20px 0;
        }
    </style>

```



```
        text-align: center;
    }
    h2 small {
        font-size: 0.5em;
    }
    .responsive-table tr {
        border-radius: 3px;
        padding: 25px 30px;
        display: flex;
        justify-content: space-between;
        margin-bottom: 25px;
        width: 500px;
    }
    .responsive-table .table-header {
        background-color: #56baed;
        font-size: 14px;
        text-transform: uppercase;
        letter-spacing: 0.03em;
        margin-bottom: 25px;
    }
    .responsive-table .table-row {
        background-color: #ffffff;
        box-shadow: 0px 0px 9px 0px rgba(0, 0, 0, 0.1);
    }
    .responsive-table .col-1 {
        flex-basis: 10%;
    }
    .responsive-table .col-2 {
        flex-basis: 25%;
    }
    .responsive-table .col-3 {
        flex-basis: 20%;
    }
    .responsive-table .col-4 {
        flex-basis: 15%;
    }
    .responsive-table .col-5 {
        flex-basis: 15%;
    }
    .responsive-table .col-6 {
        flex-basis: 15%;
    }
    @media all and (max-width: 767px) {
        .responsive-table .table-header {
            display: none;
        }
        .responsive-table li {
            display: block;
        }
        .responsive-table .col {
            flex-basis: 100%;
        }
        .responsive-table .col {
            display: flex;
            padding: 10px 0;
        }
        .responsive-table .col:before {
            color: #6C7A89;
            padding-right: 10px;
            content: attr(data-label);
            flex-basis: 50%;
            text-align: right;
        }
    }
}
</style>
```

```

</head>
<body>
<div class="menu">
  <ul class="menuList">
    <li class="menuListItem"><a th:href="@{/home}">Home</a></li>
    <li class="menuListItem"><a th:href="@{/about}">About</a></li>
    <li class="menuListItem"><a th:href="@{/contact}">Contact</a></li>
    <li class="menuListItem"><a th:href="@{/news}">News</a></li>
    <li class="menuListItem"><a th:href="@{/documents}">Documents</a></li>
    <li class="menuListItem"><a th:href="@{/questions}">Questions</a></li>
    <li class="menuListItem"><a th:href="@{/appointments}" class="active">Appointments</a></li>
    <div sec:authorize="isAuthenticated()">
      <li class="menuListItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
    </div>
  </ul>
  <div class="textDiv1">
    <h1> Appointments</h1>
    <h3 class="login__submit make"><a th:href="@{/registerAppointment}">Make an
appointment</a></h3><br>
    <h2>Your appointments</h2>
    <div class="container">
      <table class="responsive-table">
        <thead class="table-header">
          <tr>
            <th class="col col-1">ID</th>
            <th class="col col-2">Name</th>
            <th class="col col-3">Email</th>
            <th class="col col-4">Office</th>
            <th class="col col-5">Date</th>
            <th class="col col-6">Hour</th>
          </tr>
        </thead>
        <tbody>
          <tr class="table-row" th:each="appointment: ${listyourAppointments}">
            <td class="col col-1" th:text="${appointment.id}"></td>
            <td class="col col-2" th:text="${appointment.name}"></td>
            <td class="col col-3" th:text="${appointment.email}"></td>
            <td class="col col-4" th:text="${appointment.office}"></td>
            <td class="col col-5" th:text="${appointment.date}"></td>
            <td class="col col-6" th:text="${appointment.hour}"></td>
          </tr>
        </tbody>
      </table>
    </div>
    <form th:action="@{/cancel_appointment}" th:object="${appointment}" method="post"
class="login">
      <div class="login__field">
        <input type="text" th:field="*{id}" class="login__input" placeholder="Appointment
ID" required/>
      </div>
      <button type="submit" class="login__submit cancel">
        <span class="button__text">Cancel Appointment</span>
      </button>
    </form>
  </div>
</div>
</body>
</html>

```

VIII. Appointments admin View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
  <meta charset="ISO-8859-1">
  <title>Appointments Admin</title>

```

```

<script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
<script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
<style>
</style>
</head>
<body>
<div class="menu">
  <ul class="menuList">
    <li class="menuItem"><a th:href="@{/homeadmin}" >Home </a></li>
    <li class="menuItem"><a th:href="@{/usersadmin}">Users </a></li>
    <li class="menuItem"><a th:href="@{/questionsadmin}">Questions</a></li>
    <li class="menuItem"><a th:href="@{/appointmentsadmin}"
class="active">Appointments</a></li>
    <div sec:authorize="isAuthenticated()">
      <li class="menuItem"><a th:href = "@{/logout}" th:method="post">Logout</a></li>
    </div>
  </ul>
  <div class="textDiv1">
    <h1>Appointments List</h1>
    <div class="container">
      <table class="responsive-table">
        <thead class="table-header">
          <tr>
            <th class="col col-1">ID</th>
            <th class="col col-2">Name</th>
            <th class="col col-3">Email</th>
            <th class="col col-4">Office</th>
            <th class="col col-5">Date</th>
            <th class="col col-6">Hour</th>
          </tr>
        </thead>
        <tbody>
          <tr class="table-row" th:each="appointment: ${listAppointments}">
            <td class="col col-1" th:text="${appointment.id}"></td>
            <td class="col col-2" th:text="${appointment.name}"></td>
            <td class="col col-3" th:text="${appointment.email}"></td>
            <td class="col col-4" th:text="${appointment.office}"></td>
            <td class="col col-5" th:text="${appointment.date}"></td>
            <td class="col col-6" th:text="${appointment.hour}"></td>
          </tr>
        </tbody>
      </table>
    </div>
    <form action="#" th:action="@{/edit_appointment}" th:object="${appointment}" method="post"
class="login">
      <div class="login__field">
        <input type="text" th:field="*{id}" class="login__input" placeholder="ID" required
/>
      </div>
      <button type="submit" value="delete" name="action" class="button login__submit">
        <span class="button__text">Delete Appointment</span>
      </button>
      <button type="submit" value="sendMail" name="action" class="button login__submit">
        <span class="button__text">Send Confirmation Email</span>
      </button>
    </form>
  </div>
</div>
</body>
</html>

```

IX. Contact View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">

```

```

<head>
  <meta charset="ISO-8859-1">
  <title>Contact</title>

<!-- <link rel="stylesheet" type="text/css" href="/webjars/bootstrap/css/bootstrap.min.css"/>-->
  <link rel="stylesheet" href="path/to/font-awesome/css/font-awesome.min.css">
  <link rel="stylesheet" href="~/lib/Font-Awesome/css/fontawesome.min.css">
  <link rel="stylesheet" href="~/lib/Font-Awesome/css/regular.min.css">
  <link rel="stylesheet" href="~/lib/Font-Awesome/css/solid.min.css">
  <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
  <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
  <script src='https://kit.fontawesome.com/a076d05399.js' crossorigin='anonymous'></script>
  <style>
    @import url("https://fonts.googleapis.com/css?family=Lato:300,400,700&display=swap");

    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    .address, .email, .phone, .schedule {
      text-align: center;
      padding: 20px 0;
      color: #444;
    }

    .address h3, .email h3, .phone h3, .schedule h3 {
      font-size: 1rem;
      font-weight: 300;
    }

    .address i, .email i, .phone i {
      color: #56baed;
      font-size: 1.7rem;
      margin-bottom: 20px;
    }

    body {
      background: url("https://s3-us-west-2.amazonaws.com/s.cdpn.io/38816/image-from-rawpixel-id-2042508-jpeg.jpg");
      height: 100vh;
      width: 100vw;
      position: relative;
      background-size: cover;
      background-repeat: no-repeat;
      display: grid;
      justify-items: center;
      align-items: center;
    }

    .contact-form-container {
      width: 800px;
      display: grid;
      grid-template-columns: 1fr 1fr 1fr 1fr;
      grid-template-rows: 0.5fr 0.5fr 2fr;
      grid-template-areas: "contact-us header header header" "contact-us address phone email"
"contact-us contact-form contact-form contact-form";
    }

    .contact-us {
      grid-area: contact-us;
    }

    .header {
      grid-area: header;
    }

    .address {
      grid-area: address;
    }

    .phone {
      grid-area: phone;
    }
  </style>

```



```

        <h3>Friday 08-15</h3>
        <h3>Saturday -</h3>
        <h3>Sunday -</h3>
    </div>
</div>
</div>
</body>
</html>

```

X. Documents View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>Documents</title>
    <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
    <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
    <style>
        ol {
            display: block;
            text-align: center;
            padding: 14px 16px;
            text-decoration: none;
        }
        .sidenav {
            height: 500%;
            width: 0;
            position: fixed;
            z-index: 1;
            left: 0;
            top: 46px;
            background-color: #333;
            overflow-x: hidden;
            transition: 0.5s;
            padding-top: 60px;
        }
        .sidenav a {
            padding: 8px 8px 8px 32px;
            text-decoration: none;
            font-size: 25px;
            color: #818181;
            display: block;
            transition: 0.3s;
        }
        .sidenav a:hover {
            color: #f1f1f1;
        }
        .sidenav .closebtn {
            position: absolute;
            top: 0;
            right: 25px;
            font-size: 36px;
            margin-left: 50px;
        }
        @media screen and (max-height: 450px) {
            .sidenav {
                padding-top: 15px;
            }

            .sidenav a {
                font-size: 18px;
            }
        }
        .active {

```

```

        background-color: #56baed;
    }

    .openMenuButton {
        color: white;
        font-size: 30px;
        cursor: pointer;
    }

    .alignLeft {
        text-align: left;
    }

    *,
    *::before,
    *::after {
        box-sizing: border-box;
    }
    h3 {
        margin: 0 0 13px 0;
    }
    a {
        color: #fff;
    }
    .center {
        text-align: center;
        margin-left: 220px;
        margin-bottom: 30px;
    }
    .container {
        width: 95%;
        max-width: 1220px;
        margin-top: 50px;
    }
    .episode {
        display: grid;
        grid-template-columns: 1fr 3fr;
        position: relative;
    }
    .episode__number {
        font-size: 10vh;
        font-weight: 400;
        padding: 10px 0;
        position: sticky;
        top: 10%;
        text-align: center;
        height: calc(10vw + 20px);
        transition: all 0.2s ease-in;
    }
    .episode__content {
        border-top: 2px solid #fff;
        display: grid;
        grid-template-columns: 1fr 4fr;
        grid-gap: 10px;
        padding: 15px 0;
    }
    .episode__content .title {
        font-weight: 600;
        color: black;
    }
    .episode__content .story {
        line-height: 26px;
        color: white;
    }
    @media (max-width: 600px) {
        .episode__content {
            grid-template-columns: 1fr;

```

```

    }
}
@media (max-width: 576px) {
    .episode__content .story {
        font-size: 15px;
    }
}
.wrapper {
    display: flex;
}
</style>
</head>
<body>
<div class="wrapper">
    <div class="menu">
        <ul class="menuList">
            <li class="menuListItem"><span class="openMenuButton"
onclick="openNav()" ">&#9776;</span></li>
            <li class="menuListItem"><a th:href="@{/home}">Home</a></li>
            <li class="menuListItem"><a th:href="@{/about}">About</a></li>
            <li class="menuListItem"><a th:href="@{/contact}">Contact</a></li>
            <li class="menuListItem"><a th:href="@{/news}">News</a></li>
            <li class="menuListItem"><a th:href="@{/documents}" class="active">Documents</a></li>
            <div sec:authorize="isAnonymous()">
                <li class="menuListItem"><a th:href="@{/homepage}">Login</a></li>
            </div>
            <div sec:authorize="isAuthenticated()">
                <li class="menuListItem"><a th:href="@{/questions}">Questions</a></li>
                <li class="menuListItem"><a th:href="@{/appointments}">Appointments</a></li>
                <li class="menuListItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
            </div>
        </ul>
    </div>
    <div id="mySidenav" class="sidenav">
        <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
        <a th:href="@{/registrationNumber}">Registration Number</a>
        <a th:href="@{/drivingLicense}">Driving License</a>
        <a th:href="@{/drivingTest}">Driving Test</a>
        <a th:href="@{/passports}">Passports</a>
        <a th:href="@{/taxes}">Taxes</a>
    </div>
    <script>
        function openNav() {
            document.getElementById("mySidenav").style.width = "250px";
        }

        function closeNav() {
            document.getElementById("mySidenav").style.width = "0";
        }
    </script>
</div>
</div>
</div>
<div class="container">
    <h1 class="center">Registration Number</h1>

    <article class="episode">
        <div class="episode__number">01</div>
        <div class="episode__content">
            <div class="title">Keeping the registration number combination</div>
            <div class="story">
                <h3>Keeping the registration number combination may be requested by the holder of
the registration certificate, until the moment of deregistration of the vehicle, expiration of the
previous application for keeping or transcribing of the transfer of ownership in the name of the
acquirer, as the case may be.</h3>
                <h3>The request of signing up in the records of the responsive authorities is made

```


based on the submission of the following documents:

```
<ol class="alignLeft">
  <li>the request of the applicant</li>
  <li>the identity document of the applicant or the documents which certify
acquisition of legal personality, name and headquarters of the legal person, in original and copy
</li>
  <li>the proof of payment of the charge for keeping the registration number
combination - 30 lei
</li>
</ol>
</h3>
</div>
</div>
</article>

<article class="episode">
  <div class="episode__number">02</div>
  <div class="episode__content">
    <div class="title">Deregistration of a vehicle in circulation from Romania (export)
    </div>
    <div class="story">
      <h3>
        <ol class="alignLeft">
          <li>The request of the applicant</li>
          <li>Registration certificate - original</li>
          <li>Envelopes with registration number</li>
          <li>Vehicle identity card - original</li>
          <li>The document which certifies the final removal of the vehicle from
Romania</li>
          <li>Fiscal attestation certificate</li>
          <li>Certificate of deregistration - 3 copies</li>
          <li>Identity card of the applicant, in original and in copy</li>
          <li>In the case of legal persons, the documents attesting the acquisition
of legal personality, the name and the headquarters, in copy
          </li>
          <li>Special power of attorney authenticated by the notary, in case the
documents are submitted by a person other than the holder
          </li>
        </ol>
        If the registration certificate, the vehicle's identity card or the
registration plates have been withheld by the foreign authorities upon registration in another
state, the applicant shall provide proof of their detention.
      </h3>
    </div>
  </div>
</article>

<article class="episode">
  <div class="episode__number">03</div>
  <div class="episode__content">
    <div class="title">Issue of a temporary movement permit</div>
    <div class="story">
      <h3>
        <ol class="alignLeft">
          <li>The request of the applicant</li>
          <li>Copy of the contract of compulsory motor third party liability
insurance for damages caused by third parties by vehicle and tram accidents, concluded in the name
of the owner of the vehicle, within its validity term</li>
          <li>The document certifying the applicant's ownership of the vehicle, in
original and copy</li>
          <li>Registration documents issued by foreign authorities in the case of a
vehicle which has been registered in another state, in original and copy</li>
          <h4>In the absence of these documents, the provisional authorization for
traffic will be made for a maximum period of 5 days, but which may not exceed the date on which the
compulsory motor third party liability insurance expires.</h4>
          <li>The document which certifies the final removal of the vehicle from
Romania</li>
          <h4>In the case of legal entities, the documents certifying the acquisition
```

```
of legal personality, name and registered office, in copy</h4>
    <li>Identity card of the applicant, in original and copy</li>
    <li>Proof of payment of the equivalent value of the temporary circulation
authorization - 13 lei</li>
    <li>A copy of the customs declaration, as the case may be, for vehicles
purchased from outside the EU, for which the provisional movement authorization is requested for a
period of more than 30 or for periods which, in total, exceed 30 days</li>
    <li>Special power of attorney authenticated by the notary public, in case
the documents are submitted by a person other than the holder.
    </li>
</ol>
</h3>
</div>
</div>
</div>
</article>

<article class="episode">
    <div class="episode__number">04</div>
    <div class="episode__content">
        <div class="title">Issue of a license plate(s) number claimed to be lost, stolen or
damaged</div>
        <div class="story">
            <h3>
                <ol class="alignLeft">
                    <li>The request of the applicant</li>
                    <li>Declaration of loss/theft, as the case may be</li>
                    <li>The damaged license plate(s), as the case may be</li>
                    <li>Proof of payment of the equivalent value of the new license plates : 20
lei - plate type A(rectangular) or 40 lei - pair, 23 lei - plate type B(square) or 17 lei - plate
type C(moto)</li>
                    <li>Identity card of the applicant, original and copy</li>
                    <li>In the case of legal entities, the documents attesting the acquisition
of legal personality, the name and the headquarters, in copy</li>
                    <li>Special power of attorney authenticated by the notary, in case the
documents are submitted by a person other than the holder.</li>
                </ol>
            </h3>
        </div>
    </div>
</div>
</article>
</div>
</body>
</html>
```

XI. Driving License View

```
<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>Driving License</title>
    <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
    <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
    <style>
    </style>
</head>
<body>
<div class="wrapper">
    <div class="menu">
        <ul class="menuList">
            <li class="menuItem"><span class="openMenuButton"
onclick="openNav()" ">&#9776;</span></li>
            <li class="menuItem"><a th:href="@{/home}">Home</a></li>
```

```

<li class="menuItem"><a th:href="@{/about}">About</a></li>
<li class="menuItem"><a th:href="@{/contact}">Contact</a></li>
<li class="menuItem"><a th:href="@{/news}">News</a></li>
<li class="menuItem"><a th:href="@{/documents}" class="active">Documents</a></li>
<div sec:authorize="isAnonymous()">
    <li class="menuItem"><a th:href="@{/homepage}">Login</a></li>
</div>
<div sec:authorize="isAuthenticated()">
    <li class="menuItem"><a th:href="@{/questions}">Questions</a></li>
    <li class="menuItem"><a th:href="@{/appointments}">Appointments</a></li>
    <li class="menuItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
</div>
</ul>
<div>
    <div id="mySidenav" class="sidenav">
        <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
        <a th:href="@{/registrationNumber}">Registration Number</a>
        <a th:href="@{/drivingLicense}">Driving License</a>
        <a th:href="@{/drivingTest}">Driving Test</a>
        <a th:href="@{/passports}">Passports</a>
        <a th:href="@{/taxes}">Taxes</a>
    </div>

    <script>
        function openNav() {
            document.getElementById("mySidenav").style.width = "250px";
        }

        function closeNav() {
            document.getElementById("mySidenav").style.width = "0";
        }
    </script>
</div>
</div>
</div>

<div class="container">
    <h1 class="center">Driving License</h1>
    <article class="episode">
        <div class="episode__number">01</div>
        <div class="episode__content">
            <div class="title">Exchange of a foreign driving license with a similar Romanian
document</div>
            <div class="story">
                <h3>In order to change the driving license, the applicant shall personally submit
to the community public service, the following documents:</h3>
                <h3>
                    <ol class="alignLeft">
                        <li>
                            <ol class="alignLeft">
                                <li>The national driving license issued by the authorities of the
states provided in article (2) paragraph (1) of the Annex (1) whose change is requested, in
original. If the driving license has been issued by the authorities of the states provided in
article (2) paragraph (1) letters b) and c) of the Annexes (2) and (3) is also submitted the
legalized translation into Romanian; or</li>
                                <li>The document certifying the loss, theft or unjustified absence
of the driving license, if the latter has been issued by the authorities of the EU Member States.
If the document is not written in Romanian, a legalized translation into Romanian is also
submitted. </li>
                            </ol>
                        </li>
                        <li>The identity document of the applicant, as well as the documents
proving the domicile or residence in Romania provided in article (1) paragraph (6) of the order
                        </li>
                        <li>The request of the applicant</li>
                        <li>If a driving license with a new administrative validity is requested,

```

```
the file for changing the driving license must also contain the document issued by an authorized
healthcare unit showing that the holder is fit to drive motor vehicles from the categories
mentioned in the driving license submitted for change</li>
    <li>Proof of payment of the fee provided by law - 89 lei</li>
</ol>
</h3>
</div>
</div>
</article>

<article class="episode">
    <div class="episode__number">02</div>
    <div class="episode__content">
        <div class="title">Issue of a Romanian driving license with a new administrative
validity</div>
        <div class="story">
            <h3>
                <ol class="alignLeft">
                    <li>The request of the applicant which is obtained and completed in
electronic format at the booking office, together with the theft/loss declaration, as the case may
be</li>

                    <li>Identity card of the applicant, in original and in copy</li>
                    <li>Proof of payment of the equivalent value for the driving license - 89
lei</li>

                    <li>The original driving license</li>
                    <li>The document issued by an authorized medical unit which shows that the
holder is medically fit to drive vehicles of the category for which he requests the issuance of the
driving license (medical file).</li>
                </ol>
            </h3>
        </div>
    </div>
</article>

<article class="episode">
    <div class="episode__number">03</div>
    <div class="episode__content">
        <div class="title">Issue of a duplicate of the Romanian driving license</div>
        <div class="story">
            <h3>
                <ol class="alignLeft">
                    <li>The request of the applicant</li>
                    <li>Identity card of the applicant, in original and in copy</li>
                    <li>Proof of payment of the equivalent value for the driving license - 89
lei</li>

                    <li>The original driving license, in case of damage</li>
                    <h4>The duplicate shall be issued for the period of validity of the
exchanged document.</h4>
                    <h4>In order to issue a driving license with a new administrative validity,
it is necessary to present the document issued by an authorized medical unit, which shows that the
holder is medically fit to drive vehicles in the category for which the driving license is
requested (medical file)</h4>
                </ol>
            </h3>
        </div>
    </div>
</article>

<article class="episode">
    <div class="episode__number">04</div>
    <div class="episode__content">
        <div class="title">Issue of a driving license in the case of Romanian citizens who have
their domicile or residence in Romania and are temporarily abroad
        </div>
        <div class="story">
```



```

        <li class="menuItem"><a th:href="@{/appointments}">Appointments</a></li>
        <li class="menuItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
    </div>
</ul>
</div>
<div id="mySidenav" class="sidenav">
    <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
    <a th:href="@{/registrationNumber}">Registration Number</a>
    <a th:href="@{/drivingLicense}">Driving License</a>
    <a th:href="@{/drivingTest}">Driving Test</a>
    <a th:href="@{/passports}">Passports</a>
    <a th:href="@{/taxes}">Taxes</a>
</div>

<script>
    function openNav() {
        document.getElementById("mySidenav").style.width = "250px";
    }

    function closeNav() {
        document.getElementById("mySidenav").style.width = "0";
    }
</script>
</div>
</div>
</div>

<div class="container">
    <h1 class="center">Driving Test</h1>

    <article class="episode">
        <div class="episode__number">01</div>
        <div class="episode__content">
            <div class="title">Contents of the examination file</div>
            <div class="story">
                <h3>
                    <ol class="alignLeft">
                        <li>Standard application</li>
                        <li>The school record - valid for one year from the date of graduation of
the courses - issued by the driving school within which the applicant graduated the theoretical and
practical training courses, in which the medical certificate is also recorded</li>
                        <li>The criminal record certificate, within the validity term and, as the
case may be, a copy of the final conviction, in case of conviction to imprisonment with execution
or to the penalty of a fine, copy of the release note or document certifying the execution of the
fine</li>
                        <li>Proof of payment of the driving license - 89 lei</li>
                    </ol>
                </h3>
            </div>
        </div>
    </article>
</div>
</body>
</html>

```

XIII. Home user\admin View

```

<!DOCTYPE html>
<html xmlns:th="http://www.thymeleaf.org" xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>Home</title>
<!-- <link rel="stylesheet" type="text/css"
href="/webjars/bootstrap/css/bootstrap.min.css"/>-->
    <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
    <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>

```

```
<script type="text/javascript" th:src="@{static/js/home.js}"></script>
```

```
<style>
```

```
  * {
    border: 0;
    box-sizing: border-box;
    margin: 0;
    padding: 0;
  }
  body {
    background: black;
    display: flex;
    font: 1em/1.5 sans-serif;
    height: 100vh;
  }
  .slinky {
    animation: camera 2s ease-in-out infinite;
    margin: auto;
    top: 50px;
    margin-left: 300px;
    position: relative;
    width: 8em;
    height: 14em;
    font-size: calc(16px + (24 - 16) * (100vw - 320px) / (1280 - 320));
  }
  .slinky__ring {
    border-radius: 50%;
    box-shadow: 0 0 0 0.25em #56baed inset, 0 0 4.5em rgba(37, 95, 244, 0.3) inset, 0 0
4.25em rgba(37, 95, 244, 0.3);
    position: absolute;
    left: 0;
    width: inherit;
    height: 4em;
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
    transform-origin: 100% 50%;
  }
  .slinky__ring:nth-child(1) {
    animation: move1 2s linear infinite;
    bottom: 0em;
  }
  .slinky__ring:nth-child(2) {
    animation: move2 2s linear infinite;
    bottom: 0.25em;
  }
  .slinky__ring:nth-child(3) {
    animation: move3 2s linear infinite;
    bottom: 0.5em;
  }
  .slinky__ring:nth-child(4) {
    animation: move4 2s linear infinite;
    bottom: 0.75em;
  }
  .slinky__ring:nth-child(5) {
    animation: move5 2s linear infinite;
    bottom: 1em;
  }
  .slinky__ring:nth-child(6) {
    animation: move6 2s linear infinite;
    bottom: 1.25em;
  }
  .slinky__ring:nth-child(7) {
    animation: move7 2s linear infinite;
    bottom: 1.5em;
  }
  .slinky__ring:nth-child(8) {
    animation: move8 2s linear infinite;
    bottom: 1.75em;
  }
```

```

}
.slinky__ring:nth-child(9) {
  animation: move9 2s linear infinite;
  bottom: 2em;
}
.slinky__ring:nth-child(10) {
  animation: move10 2s linear infinite;
  bottom: 2.25em;
}
.slinky__ring:nth-child(11) {
  animation: move11 2s linear infinite;
  bottom: 2.5em;
}
.slinky__ring:nth-child(12) {
  animation: move12 2s linear infinite;
  bottom: 2.75em;
}
.slinky__ring:nth-child(13) {
  animation: move13 2s linear infinite;
  bottom: 3em;
}
@keyframes camera {
  from {
    transform: translateX(0);
  }
  to {
    transform: translateX(-9.5em);
  }
}
@keyframes move13 {
  0% {
    transform: translateY(0em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  35% {
    transform: translateY(0em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  40%, 100% {
    transform: translateY(3em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}
@keyframes move12 {
  0% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  5% {
    transform: translateY(-0.25em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  40% {
    transform: translateY(-0.25em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  45%, 100% {
    transform: translateY(2.5em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}
@keyframes move11 {
  5% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  10% {
    transform: translateY(-0.5em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  45% {
    transform: translateY(-0.5em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  50%, 100% {
    transform: translateY(2em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}

```



```

}
@keyframes move10 {
  10% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  15% {
    transform: translateY(-0.75em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  50% {
    transform: translateY(-0.75em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  55%, 100% {
    transform: translateY(1.5em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}
@keyframes move9 {
  15% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  20% {
    transform: translateY(-1em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  55% {
    transform: translateY(-1em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  60%, 100% {
    transform: translateY(1em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}
@keyframes move8 {
  20% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  25% {
    transform: translateY(-1.25em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  60% {
    transform: translateY(-1.25em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  65%, 100% {
    transform: translateY(0.5em) rotateZ(180deg) rotateX(180deg) translateX(-.75em);
  }
}
@keyframes move7 {
  25% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  30% {
    transform: translateY(-1.5em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  65% {
    transform: translateY(-1.5em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  70%, 100% {
    transform: translateY(0em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}
@keyframes move6 {
  30% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  35% {
    transform: translateY(-1.75em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  70% {

```

```

    transform: translateY(-1.75em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  75%, 100% {
    transform: translateY(-0.5em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}
@keyframes move5 {
  35% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  40% {
    transform: translateY(-2em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  75% {
    transform: translateY(-2em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  80%, 100% {
    transform: translateY(-1em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}
@keyframes move4 {
  40% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  45% {
    transform: translateY(-2.25em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  80% {
    transform: translateY(-2.25em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  85%, 100% {
    transform: translateY(-1.5em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}
@keyframes move3 {
  45% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  50% {
    transform: translateY(-2.5em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  85% {
    transform: translateY(-2.5em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  90%, 100% {
    transform: translateY(-2em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}
@keyframes move2 {
  50% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  55% {
    transform: translateY(-2.75em) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  90% {
    transform: translateY(-2.75em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
  95%, 100% {
    transform: translateY(-2.5em) rotateZ(180deg) rotateX(180deg) translateX(-0.75em);
  }
}
@keyframes move1 {
  55% {
    transform: translateY(0) rotateZ(0) rotateX(0) translateX(-0.75em);
  }
  60% {

```



```

<head>
  <meta charset="ISO-8859-1">
  <title>Welcome</title>
  <link rel="stylesheet" type="text/css" href="/webjars/bootstrap/css/bootstrap.min.css"/>
  <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
  <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
  <style></style>
</head>
<body>
<div class="menu">
  <ul class="menuList">
    <li class="menuListItem"><a th:href="@{/home}">Home</a></li>
    <li class="menuListItem"><a th:href="@{/about}">About</a></li>
    <li class="menuListItem"><a th:href="@{/contact}">Contact</a></li>
    <li class="menuListItem"><a th:href="@{/news}">News</a></li>
    <li class="menuListItem"><a th:href="@{/documents}">Documents</a></li>
    <li class="menuListItem"><a th:href="@{/homepage}" class="active">Login</a></li>
    <div sec:authorize="isAuthenticated()">
      <li class="menuListItem"><a th:href="@{/questions}">Questions</a></li>
      <li class="menuListItem"><a th:href="@{/appointments}">Appointments</a></li>
    </div>
  </ul>
  <div class="textDiv1">
    <h1 style="text-align: center">Welcome</h1></div>

    <h3 class="login_button login__submit"><a th:href="@{/login}">Login</a></h3>

    <form th:action="@{/process_register}" th:object="${user}" method="post" class="login">

      <div class="login__field">
        <input type="email" th:field="*{email}" class="login__input" placeholder="Email "
required />
      </div>
      <div class="login__field">
        <input type="password" th:field="*{password}" class="login__input"
placeholder="Password" required minlength="6" maxlength="10"/>
      </div>

      <div class="login__field">
        <input type="text" th:field="*{firstName}" class="login__input" placeholder="First
Name" required minlength="2" maxlength="20"/>
      </div>

      <div class="login__field">
        <input type="text" th:field="*{lastName}" class="login__input" placeholder="Last
Name" required minlength="2" maxlength="20" />
      </div>

      <button type="submit" class="login__submit">
        <span class="button__text">Register</span>
      </button>
    </form>
  </div>
</div>
</body>
</html>

```

XV. News View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<beans xmlns:security="http://www.springframework.org/schema/security"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.springframework.org/schema/beans
http://www.springframework.org/schema/beans/spring-beans-3.0.xsd

```

```
http://www.springframework.org/schema/security
http://www.springframework.org/schema/security/spring-security-3.0.3.xsd
http://www.springframework.org/schema/beans http://www.springframework.org/schema/beans/spring-
beans-3.0.xsd">
</beans>
<head>
  <meta charset="ISO-8859-1">
  <title>News</title>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/uikit@3.9.4/dist/css/uikit.min.css"/>
  <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
  <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
  <script src="uikit/dist/js/uikit-icons.min.js"></script>
  <script src="https://cdn.jsdelivr.net/npm/uikit@3.9.4/dist/js/uikit.min.js"></script>
  <script src="https://cdn.jsdelivr.net/npm/uikit@3.9.4/dist/js/uikit-icons.min.js"></script>
</style>
  .uk-timeline .uk-timeline-item .uk-card {
    max-height: 300px;
    position: relative;
    z-index: -1;
    top: 170px;
  }
  .uk-timeline .uk-timeline-item {
    display: flex;
    position: relative;
    z-index: -1;
  }
  .uk-timeline .uk-timeline-item::before {
    background: #dadee4;
    content: "";
    height: 100%;
    left: 19px;
    position: relative;
    top: 20px;
    width: 2px;
    z-index: -100;
  }
  .uk-timeline .uk-timeline-item .uk-timeline-icon .uk-badge {
    margin-top: 170px;
    width: 40px;
    height: 40px;
  }
  .last{
    margin-bottom: 100px;
  }
  .uk-timeline .uk-timeline-item .uk-timeline-content {
    -ms-flex: 1 1 auto;
    flex: 1 1 auto;
    padding: 0 0 0 1rem;
  }
</style>
</head>
<body>
<div>
  <div class="menu">
    <ul class="menuList">
      <li class="menuListItem"><a th:href="@{/home}">Home</a></li>
      <li class="menuListItem"><a th:href="@{/about}">About</a></li>
      <li class="menuListItem"><a th:href="@{/contact}">Contact</a></li>
      <li class="menuListItem"><a th:href="@{/news}" class="active">News</a></li>
      <li class="menuListItem"><a th:href="@{/documents}">Documents</a></li>
      <div sec:authorize="isAnonymous()">
        <li class="menuListItem"><a th:href="@{/homepage}">Login</a></li>
      </div>
      <div sec:authorize="isAuthenticated()">
        <li class="menuListItem"><a th:href="@{/questions}">Questions</a></li>
        <li class="menuListItem"><a th:href="@{/appointments}">Appointments</a></li>
      </div>
    </ul>
  </div>
</div>
</body>
</html>
```

```
<li class="menuItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
</div>
</ul>
</div>

<div class="uk-container uk-padding">
  <div class="uk-timeline">

    <div class="uk-timeline-item">
      <div class="uk-timeline-icon">
        <span class="uk-badge"><span uk-icon="check"></span></span>
      </div>
      <div class="uk-timeline-content">
        <div class="uk-card uk-card-default uk-margin-medium-bottom uk-overflow-auto">
          <div class="uk-card-header">
            <div class="uk-grid-small uk-flex-middle" uk-grid>
              <h3 class="uk-card-title">
                <time datetime="2020-07-06">December 23</time>
              </h3>
              <span class="uk-label uk-label-success uk-margin-auto-
left">Info</span>
            </div>
          </div>
          <div class="uk-card-body">
            <p>Local taxes and fees can be paid until the end of the year, as
usual, both at the cash registers of the Fiscal Directorate from all City Hall offices and at the
post offices. Only on Friday, December 31, the program will be shorter, until 09.00 and it will be
possible to make payments only at the cashiers at the headquarters of the City Hall. The reduction
of the program is necessary because the money collected must be deposited at the Cluj-Napoca
Treasury until 10.00.
            </p>
          </div>
        </div>
      </div>
    </div>

    <div class="uk-timeline-item">
      <div class="uk-timeline-icon">
        <span class="uk-badge"><span uk-icon="check"></span></span>
      </div>
      <div class="uk-timeline-content">
        <div class="uk-card uk-card-default uk-margin-medium-bottom uk-overflow-auto">
          <div class="uk-card-header">
            <div class="uk-grid-small uk-flex-middle" uk-grid>
              <h3 class="uk-card-title">
                <time datetime="2020-07-07">November 20</time>
              </h3>
              <span class="uk-label uk-margin-auto-left">Info</span>
            </div>
          </div>
          <div class="uk-card-body">
            <p>Until 01.01.2022 every citizen over 18 years old having residency in
Cluj-Napoca, needs to give a statement regarding their monthly income at Cluj Napoca City Hall, at
Calea Motilor 3.
            </p>
          </div>
        </div>
      </div>
    </div>

    <div class="uk-timeline-item">
      <div class="uk-timeline-icon">
        <span class="uk-badge"><span uk-icon="check"></span></span>
      </div>
      <div class="uk-timeline-content">
        <div class="uk-card uk-card-default uk-margin-medium-bottom uk-overflow-auto">
          <div class="uk-card-header">
```

```
<div class="uk-grid-small uk-flex-middle" uk-grid>
  <h3 class="uk-card-title">
    <time datetime="2020-07-06">October 28</time>
  </h3>
  <span class="uk-label uk-label-success uk-margin-auto-
left">Fix</span>
</div>
</div>
<div class="uk-card-body">
  <p>Our website crash was solved. We inform you that no data was lost
and also the personal informations of the accounts are safe. We are sorry for the inconvenience and
we thank you for your understanding!
  </p>
</div>
</div>
</div>
<div class="uk-timeline-item">
  <div class="uk-timeline-icon">
    <span class="uk-badge"><span uk-icon="check"></span></span>
  </div>
  <div class="uk-timeline-content">
    <div class="uk-card uk-card-default uk-margin-medium-bottom uk-overflow-auto">
      <div class="uk-card-header">
        <div class="uk-grid-small uk-flex-middle" uk-grid>
          <h3 class="uk-card-title">
            <time datetime="2020-07-06">October 27</time>
          </h3>
          <span class="uk-label uk-label-danger uk-margin-auto-
left">Attention</span>
        </div>
      </div>
      <div class="uk-card-body">
        <p>We are sorry to inform you that our database server crashed. This
problem is being fixed by our IT team as we speak, so you can have the best experience on our
website. We are sorry for the inconvenience and we thank you for your understanding!
        </p>
      </div>
    </div>
  </div>
</div>
</div>
<div class="uk-timeline-item">
  <div class="uk-timeline-icon">
    <span class="uk-badge"><span uk-icon="check"></span></span>
  </div>
  <div class="uk-timeline-content">
    <div class="uk-card uk-card-default uk-margin-medium-bottom uk-overflow-auto">
      <div class="uk-card-header">
        <div class="uk-grid-small uk-flex-middle" uk-grid>
          <h3 class="uk-card-title">
            <time datetime="2020-07-06">September 19</time>
          </h3>
          <span class="uk-label uk-margin-auto-left">Info</span>
        </div>
      </div>
      <div class="uk-card-body">
        <p>Following the next month, requests for obtaining the drivers license
can be filled and submitted online.
        </p>
      </div>
    </div>
  </div>
</div>
</div>
<div class="uk-timeline-item last">
```

```

        <div class="uk-timeline-icon last">
            <span class="uk-badge last"><span uk-icon="check"></span></span>
        </div>
        <div class="uk-timeline-content">
            <div class="uk-card uk-card-default uk-margin-medium-bottom uk-overflow-auto">
                <div class="uk-card-header">
                    <div class="uk-grid-small uk-flex-middle" uk-grid>
                        <h3 class="uk-card-title">
                            <time datetime="2020-07-06">September 6</time>
                        </h3>
                        <span class="uk-label uk-label-success uk-margin-auto-
left">Info</span>
                    </div>
                </div>
                <div class="uk-card-body">
                    <p>Following the meeting of the local council, the administration
decided that the taxes should be reduced by 15% by the beginning of 2023.
                    </p>
                </div>
            </div>
        </div>
    </div>
</div>
</body>
</html>

```

XVI. Passports View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>Passports</title>
    <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
    <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
    <style></style>
</head>
<body>
<div class="wrapper">
    <div class="menu">
        <ul class="menuList">
            <li class="menuItem"><span class="openMenuButton"
onclick="openNav()">&#9776;</span></li>
            <li class="menuItem"><a th:href="@{/home}">Home</a></li>
            <li class="menuItem"><a th:href="@{/about}">About</a></li>
            <li class="menuItem"><a th:href="@{/contact}">Contact</a></li>
            <li class="menuItem"><a th:href="@{/news}">News</a></li>
            <li class="menuItem"><a th:href="@{/documents}" class="active">Documents</a></li>
            <div sec:authorize="isAnonymous()">
                <li style="float: left"><a th:href="@{/homepage}">Login</a></li>
            </div>
            <div sec:authorize="isAuthenticated()">
                <li style="float: left"><a th:href="@{/questions}">Questions</a></li>
                <li style="float: left"><a th:href="@{/appointments}">Appointments</a></li>
                <li style="float: left"><a th:href="@{/logout}" th:method="post">Logout</a></li>
            </div>
        </ul>
    </div>
    <div id="mySidenav" class="sidenav">
        <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
    </div>

```



```

        <a th:href="@{/registrationNumber}">Registration Number</a>
        <a th:href="@{/drivingLicense}">Driving License</a>
        <a th:href="@{/drivingTest}">Driving Test</a>
        <a th:href="@{/passports}">Passports</a>
        <a th:href="@{/taxes}">Taxes</a>
    </div>

    <script>
        function openNav() {
            document.getElementById("mySidenav").style.width = "250px";
        }

        function closeNav() {
            document.getElementById("mySidenav").style.width = "0";
        }
    </script>
</div>
</div>
</div>
</div>

<div class="container">
    <h1 class="center">Passports</h1>

    <article class="episode">
        <div class="episode__number">01</div>
        <div class="episode__content">
            <div class="title">Simple Electronic Passport</div>
            <div class="story">
                <h3>
                    <ol class="alignLeft">
                        <li>Identity card, provisional identity card or, as the case may be, valid
identity card, in original. The temporary identity card must be accompanied by the original birth
certificate. </li>
                        <li>The document proving the payment of the passport, in original, or the
payment document published on paper containing all the information related to the payment made by
means of online payment, completed in the name of the holder.
                        </li>
                        <li>Previous passport, if any.</li>
                    </ol>
                </h3>
            </div>
        </div>
    </article>

    <article class="episode">
        <div class="episode__number">02</div>
        <div class="episode__content">
            <div class="title">Simple Temporary Passport</div>
            <div class="story">
                <h3>
                    <ol class="alignLeft">
                        <li>Identity card, provisional identity card or, as the case may be, valid
identity card, in original. The temporary identity card must be accompanied by the original birth
certificate. </li>
                        <li>The document proving the payment of the passport, in original, or the
payment document published on paper containing all the information related to the payment made by
means of online payment, completed in the name of the holder.</li>
                        <li>Previous passport, if any.</li>
                    </ol>
                </h3>
            </div>
        </div>
    </article>

    <article class="episode">
        <div class="episode__number">03</div>

```

```
<div class="episode__content">
  <div class="title">Deadline for Issuing a Simple Electronic Passport</div>
  <div class="story">
    <h3>Applications shall be dealt with by the competent authorities within time
limits from the date of their submission and may not exceed:
    <ul>
      <li>15 working days, in case of applications for the issuance of simple
electronic passports submitted in the country</li>
      <li>45 working days, in case of applications regarding the issuance of
simple electronic passports submitted abroad, at the diplomatic missions and consular offices of
Romania in the member states of the European Union</li>
      <li>60 working days, in case of applications regarding the issuance of
simple electronic passports submitted abroad, at the diplomatic missions and consular offices of
Romania from third countries in relation to the European Union</li>
    </ul>
    </h3>
    <h3>If the applicant submits the application for the issuance of the simple
electronic passport abroad, but opts for its withdrawal from one of the Community public passport
services, the deadline for issuance is 15 working days.</h3>
    <h3>If the applicant submits the application for the issuance of the simple
electronic passport in the country, but opts for its withdrawal from the diplomatic missions or
consular offices of Romania abroad, the deadline for issuance is, if applicable, 45 working days
(for collection from Member States of the European Union) or 60 working days (for withdrawal from
third countries in relation to the European Union.</h3>
  </div>
</div>
</article>

<article class="episode">
  <div class="episode__number">04</div>
  <div class="episode__content">
    <div class="title">Deadline for Issuing a Simple Temporary Passport</div>
    <div class="story">
      <h3>A person who declares that he does not wish to be issued a simple electronic
passport will be issued, on request, a temporary simple passport within 15 working days.</h3>
      <h3>The requests shall be resolved by the competent authorities, in terms that run
from the date of their submission and which may not exceed 3 working days, in the following
situations:
      <ul>
        <li>If the holder declares in writing that he is going to travel to
countries between which there is a state of belligerence or diplomatic conflict and has a stamp or
visa issued in his simple passport or electronic passport issued by the state with which the
country in which he travels is in conflict.
        </li>
        <li>When the holder holds a simple passport or simple electronic passport
containing valid visas, but as a result of the exhaustion of the files intended for their
application, travel to that state or to states other than those issuing visas is no longer
possible. </li>
        <li>When the holder has submitted the simple passport or the simple
electronic passport for obtaining visas and declares that he has to travel abroad as a matter of
urgency. </li>
        <li>When the minor is going to travel abroad for studies or to participate
in official competitions or to follow a medical treatment without which his life or health is
endangered and there is no time needed to obtain the consent of the other parent.</li>
        <li>For persons temporarily deprived of the capacity to exercise, as well
as for persons who, for medical reasons, are unable to express their will or to appear before the
competent authority.</li>
        <li>In objective situations where, for health, family or professional
reasons, the presence of the person on the territory of another state is necessary and urgent and
there is no time required for the issuance of the simple electronic passport.</li>
      </ul>
    </h3>
  </div>
</div>
</article>
```

```

<article class="episode">
  <div class="episode__number">05</div>
  <div class="episode__content">
    <div class="title">Expiration dates</div>
    <div class="story">
      <h3>The simple electronic passport is valid:
      <ul>
        <li>3 years for minors under 12 years of age.</li>
        <li>5 years for people between 12 and 18 years old.</li>
        <li>10 years for people over 18 years.</li>
      </ul>
      </h3>
      <h3>The temporary simple passport is valid for 12 months.<br><br>
      The validity of passports shall cease by right on the date on which the
competent authorities find that they been damaged or destroyed or, as the case may be, the
existence in their contents of any erasures or alterations made without right.<br><br>
      Simple passports, issued before the entry into force of the electronic simple
passport, remain valid until the date entered in the computerized tab.
      </h3>
    </div>
  </div>
</article>
</div>
</body>
</html>

```

XVII. Question Form View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
  <meta charset="ISO-8859-1">
  <title>Questions</title>
  <link rel="stylesheet" type="text/css" href="/webjars/bootstrap/css/bootstrap.min.css"/>
  <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
  <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
</head>

<body>
<div class="bodyStyle">
  <div class="menu">
    <ul class="menuList">
      <li class="menuListItem"><a th:href="@{/home}">Home</a></li>
      <li class="menuListItem"><a th:href="@{/about}">About</a></li>
      <li class="menuListItem"><a th:href="@{/contact}">Contact</a></li>
      <li class="menuListItem"><a th:href="@{/news}">News</a></li>
      <li class="menuListItem"><a th:href="@{/documents}">Documents</a></li>
      <li class="menuListItem"><a th:href="@{/questions}" class="active">Questions</a></li>
      <li class="menuListItem"><a th:href="@{/appointments}">Appointments</a></li>
      <div sec:authorize="isAuthenticated()">
        <li class="menuListItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
      </div>
    </ul>
  </div>
  <div class="divStyle">
    <h1 class="headerStyle">Question Registration</h1>
    <form th:action="@{/process_register_question}" th:object="${question}" method="post"
class="login">
      <div class="login__field">
        <input type="text" th:field="*{username}" class="login__input"
placeholder="Username" required/>
      </div>

      <div class="login__field">
        <input type="text" th:field="*{quest}" class="login__input" placeholder="Question"

```

```

required/>
    </div>

    <button type="submit" class="button login__submit">
        <span class="button__text">Send Question</span>
    </button>
</form>
</div>
</div>
</body>
</html>

```

XVIII. Questions View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>Questions</title>
    <!-- <link rel="stylesheet" type="text/css" href="/webjars/bootstrap/css/bootstrap.min.css"
/>-->
    <link rel="stylesheet" href="https://cdn.jsdelivrivr.net/npm/uikit@3.9.4/dist/css/uikit.min.css"/>
    <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
    <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
    <script src="uikit/dist/js/uikit-icons.min.js"></script>
    <script src="https://cdn.jsdelivrivr.net/npm/uikit@3.9.4/dist/js/uikit.min.js"></script>
    <script src="https://cdn.jsdelivrivr.net/npm/uikit@3.9.4/dist/js/uikit-icons.min.js"></script>
    <style></style>
</head>
<body>
<div>
    <div class="menu">
        <ul class="menuList">
            <li class="menuListItem"><a th:href="@{/home}">Home</a></li>
            <li class="menuListItem"><a th:href="@{/about}">About</a></li>
            <li class="menuListItem"><a th:href="@{/contact}">Contact</a></li>
            <li class="menuListItem"><a th:href="@{/news}">News</a></li>
            <li class="menuListItem"><a th:href="@{/documents}">Documents</a></li>
            <li class="menuListItem"><a th:href="@{/questions}" class="active">Questions</a></li>
            <li class="menuListItem"><a th:href="@{/appointments}">Appointments</a></li>
            <div sec:authorize="isAuthenticated()">
                <li class="menuListItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
            </div>
        </ul>
    </div>

    <div class="login__submit">
        <a th:href="@{/registerQuestion}">Ask a Question</a>
    </div>

    <div class="uk-container uk-padding">

        <div class="uk-timeline forum">

            <div class="uk-timeline-item" th:each="question: ${listQuestions}">
                <div class="uk-timeline-icon">
                    <span class="uk-badge"><span uk-icon="check"></span></span>
                </div>
                <div class="uk-timeline-content">
                    <div class="uk-card uk-card-default uk-margin-medium-bottom uk-overflow-auto">
                        <div class="uk-card-header">
                            <div class="uk-grid-small uk-flex-middle" uk-grid>
                                <h3>
                                    <p th:text="${question.quest}" class="question uk-card-title ">
                                </p>

```



```

        <div class="login__field">
            <input type="text" th:field="*{id}" class="login__input" placeholder="Question ID"
required />
        </div>
        <div class="login__field">
            <input type="text" th:field="*{answer}" class="login__input" placeholder="Answer"
required />
        </div>
        <button type="submit" class="login__submit">
            <span class="button__text">Answer Question</span>
        </button>
    </form>
</div>
</div>
</body>
</html>

```

XX. Register Success View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>Registration Success</title>
    <link rel="stylesheet" type="text/css" href="/webjars/bootstrap/css/bootstrap.min.css" />
</head>

<body>
<div class="menu">
    <ul class="menuList">
        <li class="menuItem"><a th:href="@{/home}" class="active">Home</a></li>
        <li class="menuItem"><a th:href="@{/about}">About</a></li>
        <li class="menuItem"><a th:href="@{/contact}">Contact</a></li>
        <li class="menuItem"><a th:href="@{/news}">News</a></li>
        <li class="menuItem"><a th:href="@{/documents}">Documents</a></li>
        <div sec:authorize="isAnonymous()">
            <li class="menuItem"><a th:href="@{/homepage}">Login</a></li>
        </div>
        <div sec:authorize="isAuthenticated()">
            <li class="menuItem"><a th:href="@{/questions}">Questions</a></li>
            <li class="menuItem"><a th:href="@{/appointments}">Appointments</a></li>
            <li class="menuItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
        </div>
    </ul>

    <div class="textDiv1">
        <h3>Your account has been registered!</h3>
        <h4><a th:href="@{/login}">Click here to Login</a></h4>
    </div>
</div>
</body>
</html>

```

XXI. Registration Number View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>Documents</title>
    <!-- <link rel="stylesheet" type="text/css"
href="/webjars/bootstrap/css/bootstrap.min.css"/>-->
    <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>

```

```

<script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
</head>
<body>
<div class="wrapper">
  <div class="menu">
    <ul class="menuList">
      <li class="menuListItem"><span class="openMenuButton"
onclick="openNav()" ">&#9776;</span></li>
      <li class="menuListItem"><a th:href="@{/home}">Home</a></li>
      <li class="menuListItem"><a th:href="@{/about}">About</a></li>
      <li class="menuListItem"><a th:href="@{/contact}">Contact</a></li>
      <li class="menuListItem"><a th:href="@{/news}">News</a></li>
      <li class="menuListItem"><a th:href="@{/documents}" class="active">Documents</a></li>
      <div sec:authorize="isAnonymous()" ">
        <li class="menuListItem"><a th:href="@{/homepage}">Login</a></li>
      </div>
      <div sec:authorize="isAuthenticated()" ">
        <li class="menuListItem"><a th:href="@{/questions}">Questions</a></li>
        <li class="menuListItem"><a th:href="@{/appointments}">Appointments</a></li>
        <li class="menuListItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
      </div>
    </ul>
  </div>
  <div id="mySidenav" class="sidenav">
    <a href="javascript:void(0)" class="closebtn" onclick="closeNav()" ">&times;</a>
    <a th:href="@{/registrationNumber}">Registration Number</a>
    <a th:href="@{/drivingLicense}">Driving License</a>
    <a th:href="@{/drivingTest}">Driving Test</a>
    <a th:href="@{/passports}">Passports</a>
    <a th:href="@{/taxes}">Taxes</a>
  </div>

  <script>
    function openNav() {
      document.getElementById("mySidenav").style.width = "250px";
    }

    function closeNav() {
      document.getElementById("mySidenav").style.width = "0";
    }
  </script>
</div>
</div>
</div>

<div class="container">
  <h1 class="center">Registration Number</h1>

  <article class="episode">
    <div class="episode__number">01</div>
    <div class="episode__content">
      <div class="title">Keeping the registration number combination</div>
      <div class="story">
        <h3>Keeping the registration number combination may be requested by the holder of
the registration certificate, until the moment of deregistration of the vehicle, expiration of the
previous application for keeping or transcribing of the transfer of ownership in the name of the
acquirer, as the case may be.</h3>
        <h3>The request of signing up in the records of the responsive authorities is made
based on the submission of the following documents:
          <ol class="alignLeft">
            <li>the request of the applicant</li>
            <li>the identity document of the applicant or the documents which certify
acquisition of legal personality, name and headquarters of the legal person, in original and
copy</li>
            <li>the proof of payment of the charge for keeping the registration number
combination - 30 lei</li>
          </ol>
        </div>
      </div>
    </div>
  </div>

```

```
</h3>
</div>
</div>
</article>

<article class="episode">
  <div class="episode__number">02</div>
  <div class="episode__content">
    <div class="title">Deregistration of a vehicle in circulation from Romania (export)
    </div>
    <div class="story">
      <h3>
        <ol class="alignLeft">
          <li>The request of the applicant</li>
          <li>Registration certificate - original</li>
          <li>Envelopes with registration number</li>
          <li>Vehicle identity card - original</li>
          <li>The document which certifies the final removal of the vehicle from
Romania</li>
          <li>Fiscal attestation certificate</li>
          <li>Certificate of deregistration - 3 copies</li>
          <li>Identity card of the applicant, in original and in copy</li>
          <li>In the case of legal persons, the documents attesting the acquisition
of legal personality, the name and the headquarters, in copy</li>
          <li>Special power of attorney authenticated by the notary, in case the
documents are submitted by a person other than the holder</li>
        </ol>
        If the registration certificate, the vehicle's identity card or the
registration plates have been withheld by the foreign authorities upon registration in another
state, the applicant shall provide proof of their detention.
      </h3>
    </div>
  </div>
</article>

<article class="episode">
  <div class="episode__number">03</div>
  <div class="episode__content">
    <div class="title">Issue of a temporary movement permit</div>
    <div class="story">
      <h3>
        <ol class="alignLeft">
          <li>The request of the applicant</li>
          <li>Copy of the contract of compulsory motor third party liability
insurance for damages caused by third parties by vehicle and tram accidents, concluded in the
name of the owner of the vehicle, within its validity term</li>
          <li>The document certifying the applicant's ownership of the vehicle, in
original and copy</li>
          <li>Registration documents issued by foreign authorities in the case of
a vehicle which has been registered in another state, in original and copy</li>
          <h4>In the absence of these documents, the provisional authorization for
traffic will be made for a maximum period of 5 days, but which may not exceed the date on which
the compulsory motor third party liability insurance expires.</h4>
          <li>The document which certifies the final removal of the vehicle from
Romania</li>
          <h4>In the case of legal entities, the documents certifying the
acquisition of legal personality, name and registered office, in copy</h4>
          <li>Identity card of the applicant, in original and copy</li>
          <li>Proof of payment of the equivalent value of the temporary
circulation authorization - 13 lei</li>
          <li>A copy of the customs declaration, as the case may be, for vehicles
purchased from outside the EU, for which the provisional movement authorization is requested for
a period of more than 30 days or for periods which, in total, exceed 30 days</li>
          <li>Special power of attorney authenticated by the notary public, in
case the documents are submitted by a person other than the holder.</li>
        </ol>
      </h3>
    </div>
  </div>
</article>
```



```

        </div>
    </div>
</article>

<article class="episode">
    <div class="episode__number">04</div>
    <div class="episode__content">
        <div class="title">Issue of a license plate(s) number claimed to be lost, stolen or
damaged</div>
        <div class="story">
            <h3>
                <ol class="alignLeft">
                    <li>The request of the applicant</li>
                    <li>Declaration of loss/theft, as the case may be</li>
                    <li>The damaged license plate(s), as the case may be</li>
                    <li>Proof of payment of the equivalent value of the new license plates :
20 lei - plate type A(rectangular) or 40 lei - pair, 23 lei - plate type B(square) or 17 lei -
plate type C(moto)</li>
                    <li>Identity card of the applicant, original and copy</li>
                    <li>In the case of legal entities, the documents attesting the
acquisition of legal personality, the name and the headquarters, in copy</li>
                    <li>Special power of attorney authenticated by the notary, in case the
documents are submitted by a person other than the holder.</li>
                </ol>
            </h3>
        </div>
    </div>
</article>
</div>
</body>
</html>

```

XXII. Taxes View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>Taxes</title>
    <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
    <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
</head>
<body>
<div class="wrapper">
    <div class="menu">
        <ul class="menuList">
            <li class="menuListItem"><span class="openMenuButton"
onclick="openNav()" ">&#9776;</span></li>
            <li class="menuListItem"><a th:href="@{/home}">Home</a></li>
            <li class="menuListItem"><a th:href="@{/about}">About</a></li>
            <li class="menuListItem"><a th:href="@{/contact}">Contact</a></li>
            <li class="menuListItem"><a th:href="@{/news}">News</a></li>
            <li class="menuListItem"><a th:href="@{/documents}" class="active">Documents</a></li>
            <div sec:authorize="isAnonymous()" ">
                <li class="menuListItem"><a th:href="@{/homepage}">Login</a></li>
            </div>
            <div sec:authorize="isAuthenticated()" ">
                <li class="menuListItem"><a th:href="@{/questions}">Questions</a></li>
                <li class="menuListItem"><a th:href="@{/appointments}">Appointments</a></li>
                <li class="menuListItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
            </div>
        </ul>
    </div>

```

```

<div id="mySidenav" class="sidenav">
  <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
  <a th:href="@{/registrationNumber}">Registration Number</a>
  <a th:href="@{/drivingLicense}">Driving License</a>
  <a th:href="@{/drivingTest}">Driving Test</a>
  <a th:href="@{/passports}">Passports</a>
  <a th:href="@{/taxes}">Taxes</a>
</div>

<script>
  function openNav() {
    document.getElementById("mySidenav").style.width = "250px";
  }

  function closeNav() {
    document.getElementById("mySidenav").style.width = "0";
  }
</script>
</div>
</div>
</div>

<div class="container">
  <h1 class="center">Taxes</h1>

  <article class="episode">
    <div class="episode__number">01</div>
    <div class="episode__content">
      <div class="title">License plate fees, preferential number assignment, number
retention</div>
      <div class="story">
        <h3>Payment is made by internet banking, bank transfer, money order in the account
of the state treasury or cash at the booking office once the documents are submitted.
        <ul>
          <li>20 lei / plate type A - normal plates with the size 110 x 520mm, used
for all vehicles (2 plates - 40 lei)</li>
          <li>23 lei / plate type B - rectangular plates with a size of 200x340mm
(also described as ?squares?), used only for the rear of trailers or 4 x 4 vehicles, if they have
such a space provided in the construction</li>
          <li>17 lei / plate type C - plates used only for motorcycles, size 130x240
mm</li>
          <li>45 lei / operation - assignment of preferential number: assignment of a
combination of the registration number, at the choice of the solitaire to which is added the value
of the plates with registration number (type A, B or C)</li>
          <li>30 lei / operation - keeping the number: keeping the combination of the
registration number before the alienation of the vehicle</li>
        </ul>
      </h3>
    </div>
  </div>
</div>
</div>

<article class="episode">
  <div class="episode__number">02</div>
  <div class="episode__content">
    <div class="title">Fees for driving licenses, registration certificates and temporary
driving license</div>
    <div class="story">
      <h3>The equivalent value of the driving license - 89 lei, of the registration
certificate - 49 lei, of the provisional circulation authorization - 13 lei, is collected in the
account of BCR, CEC BANK and the network of SelfPay Payment Stations</h3>
      <h3>The payment terminals are located in the BCR, CEC Bank units and in the network
of SelfPay Payment Stations located in supermarkets, malls, convenience stores, universities</h3>
      <h3>The following means of payment are used to pay the fees: bank transfer, online
means of payment, National Electronic Online Payment System(SNEP), POS installed by at the issuing

```

```

public service offices, postal order, other means of payment, provided by law</h3>
    <h3>We remind you that the payment of these taxes can no longer be paid in cash at
the booking offices of the community public services for driving licenses and vehicle registration,
once the documents have been submitted!</h3>
    </div>
</div>
</article>

<article class="episode">
    <div class="episode__number">03</div>
    <div class="episode__content">
        <div class="title">Fees for passports</div>
        <div class="story">
            <h3>For simple electronic passport:
            <ul>
                <li>258 lei - for persons who have reached the age of 12.</li>
                <li>234 lei - for persons under 12 years of age.</li>
            </ul>
            </h3>
            <h3>For temporary simple passport:
            <ul>
                <li>96 lei - regardless of age.</li>
            </ul>
            </h3>
        </div>
    </div>
</article>
</div>
</body>
</html>

```

XXIII.Users admin View

```

<!DOCTYPE html>
<html style="background-color:#56baed;" xmlns:th="http://www.thymeleaf.org"
xmlns:sec="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="ISO-8859-1">
    <title>List Users</title>
    <script type="text/javascript" src="/webjars/jquery/jquery.min.js"></script>
    <script type="text/javascript" src="/webjars/bootstrap/js/bootstrap.min.js"></script>
</head>
<body>
<div class="menu">
    <ul class="menuList">
        <li class="menuListItem"><a th:href="@{/homeadmin}">Home </a></li>
        <li class="menuListItem"><a th:href="@{/usersadmin}" class="active">Users </a></li>
        <li class="menuListItem"><a th:href="@{/questionsadmin}">Questions</a></li>
        <li class="menuListItem"><a th:href="@{/appointmentsadmin}">Appointments</a></li>
        <div sec:authorize="isAuthenticated()">
            <li class="menuListItem"><a th:href="@{/logout}" th:method="post">Logout</a></li>
        </div>
    </ul>
    <div class="textDiv1">
        <h1>List of Users</h1>

        <div class="container">
            <table class="responsive-table">
                <thead class="table-header">
                    <tr>
                        <th class="col col-1">User ID</th>
                        <th class="col col-2">E-mail</th>
                        <th class="col col-3">First Name</th>

```

```
        <th class="col col-4">Last Name</th>
    </tr>
</thead>
<tbody>
<tr class="table-row" th:each="user: ${listUsers}">
    <td class="col col-1" th:text="${user.id}"></td>
    <td class="col col-2" th:text="${user.email}"></td>
    <td class="col col-3" th:text="${user.firstName}"></td>
    <td class="col col-4" th:text="${user.lastName}"></td>
</tr>
</tbody>
</table>
</div>
</div>
</div>
</body>
</html>
```