

Q



STEP 4 OF 4

Review and Download Summary

A Watlow representative will contact you to review your summary. A link to your configuration has also been e-mailed to you.

Download Summary



Date: 30-May Expiration 30-Jun

Configuration Summary

Prepared For:

LAFriOC

Attn: Moreno Ledesma, Emilio 04510, MX 527224658261 emilio.moreno@ciencias.unam.mx

Sales Office Contact


Inside Sales Engineering

1/3 2025/05/29 23:01



Q

Part numbers created with the Watlow SELECT® VISUAL DESIGNER™ are considered by Watlow to be standard catalog products and are not exclusive. They may be sold to other customers that configure the same options. Watlow reserves the right to change materials and production processes at any time without notification.



Part(s):

Part
Number
Quantity Lead Time Options

The estimated shipment date is Jul 29, 2025

Configuration Details

Diameter (in.) (B) .122" +/- .002" Overall Length (in.) (A) 1.000

Length Tolerance +/- 3/32

Voltage (V) 24

2/3



Q

erminations	Swaged In
arminations	

erminations Leads

End Seal No Seal

Lead Type Fiberglass

(GGS)

Lead Length (in.) (E) 12

Solid or Stranded Solid

Sheath Materials Alloy 600

LINE 5

Lead End No Heat (in.)NOM

(D) 0.250

Disk End No Heat (in.)NOM (C) 0.31

Watt Density (w/in²) NOM 10.5

Feedback on your experience is welcomed and encouraged. We appreciate the opportunity to be your thermal solutions supplier.

Download Summary

Back to top

Policies Privacy Policy Terms of Use Data Protection Policy - GDPR © 2025 Watlow Electric Manufacturing Company. All Rights Reserved.

3 / 3 2025/05/29 23:01