



STEP 4 OF 4

Review and Download Summary

A Watlow representative will contact you to review your summary. A link to your configuration has also been e-mailed to you.

Download Summary



Date: 30-May Expiration 30-Jun

Configuration Summary

Prepared For:

LAFriOC

Attn: Moreno Ledesma, Emilio 04510, MX 527224658261 emilio.moreno@ciencias.unam.mx


Sales Office Contact

Inside Sales Engineering

1/4



Part numbers created with the Watlow SELECT® VISUAL DESIGNER™ are considered by Watlow to be standard catalog products and are not exclusive. They may be sold to other customers that configure the same options. Watlow reserves the right to change materials and production processes at any time without notification.



Part(s):

Part Quantity Lead Time Options

The estimated shipment date is Jul 09, 2025

Configuration Details

Diameter (in.) (B) .246" +/- .002"

Overall Length (in.) (A) 1.000

Length Tolerance +/- 3/32

Voltage (V) 24



Tarminations	Swaged In
Terminations	Leads
End Seal	No Seal
Lead Type	Fiberglass (GGS)
Lead Length (in.) (E)	12
Sheath Materials	Alloy 800
UL	No
CE	No
VDE	No
CSA	No
Lead End No Heat (in.) NOM (D)	0.100
Disk End No Heat (in.) NOM (C)	0.250
Watt Density (w/in²) NOM	21
Feedback on your experience is welcomed and encouraged.	

We appreciate the opportunity to be your thermal solutions supplier.

Download Summary

Back to top

3 / 4 2025/05/29 23:08



4/4 2025/05/29 23:08