

[Explore](#)

OpenAPI definition v0 OAS 3.1

[/v3/api-docs](#)

Servers

order-controller

GET**/api/v1/orders/{id}** Get order by id

Parameters

[Try it out](#)**Name****Description****id** * requiredinteger(\$int64)
(path)

Responses

Code**Description****Links**

200

OK

No links

Media type

Controls Accept header.

Example Value Schema

Code	Description	Links
------	-------------	-------

```
{
  "id": 0,
  "orderDateTime": "2026-06-16T12:25:47.635Z",
  "orderStatus": "NEW",
  "paymentMethod": "CASH",
  "type": "DINE_IN",
  "clientId": 0,
  "deliveryAddress": "string",
  "totalPrice": 0.1,
  "items": [
    {
      "dishId": 0,
      "dishName": "string",
      "quantity": 0,
      "priceAtPurchase": 0.1
    }
  ]
}
```

404

Order not found

No links

Media type

Example Value Schema

```
{
  "id": 0,
  "orderDateTime": "2026-06-16T12:25:47.637Z",
  "orderStatus": "NEW",
  "paymentMethod": "CASH",
  "type": "DINE_IN",
  "clientId": 0,
  "deliveryAddress": "string",
  "totalPrice": 0.1,
  "items": [
    {
      "dishId": 0,
      "dishName": "string",
      "quantity": 0,
      "priceAtPurchase": 0.1
    }
  ]
}
```

PUT

/api/v1/orders/{id} Update order by id



Parameters

Try it out

Name

Description

Name	Description
------	-------------

id * required

integer(\$int64)
(path)

Request body required

application/json

Example Value Schema

```
{
  "orderStatus": "NEW",
  "paymentMethod": "CASH",
  "type": "DINE_IN",
  "clientId": 0,
  "deliveryAddress": "string",
  "items": [
    {
      "dishId": 0,
      "quantity": 0
    }
  ]
}
```

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

/

Controls Accept header.

Example Value Schema

```
{
  "id": 0,
  "orderStatus": "NEW",
  "paymentMethod": "CASH",
  "type": "DINE_IN",
  "clientId": 0,
  "totalPrice": 0.1
}
```

400

Bad request

No links

Media type

Code	Description	Links
	*/ Example Value Schema <pre>{ "id": 0, "orderStatus": "NEW", "paymentMethod": "CASH", "type": "DINE_IN", "clientId": 0, "totalPrice": 0.1}</pre>	
404	Order not found	No links
	Media type */ Example Value Schema <pre>{ "id": 0, "orderStatus": "NEW", "paymentMethod": "CASH", "type": "DINE_IN", "clientId": 0, "totalPrice": 0.1}</pre>	

DELETE

/api/v1/orders/{id}

Delete order by id

⌵

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	id

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
204	No Content	No links
404	Order not found	No links

GET /api/v1/orders Get list of all orders with optional filtering

Parameters

Try it out

Name	Description
orderStatus string (query)	Available values : NEW, IN_PREPARATION, READY, COMPLETED, CANCELLED --

Responses

Code	Description	Links
200	List of orders Media type */ Controls Accept header. Example Value Schema <pre>[{ "id": 0, "orderDateTime": "2026-06-16T12:25:47.648Z", "orderStatus": "NEW", "type": "DINE_IN", "clientFullName": "string", "totalPrice": 0.1, "itemsCount": 0 }]</pre>	No links

POST /api/v1/orders Add new order for client

Parameters

[Try it out](#)

No parameters

Request body required[application/json](#)Example Value [Schema](#)

```
{
  "orderStatus": "NEW",
  "paymentMethod": "CASH",
  "type": "DINE_IN",
  "clientId": 0,
  "deliveryAddress": "string",
  "items": [
    {
      "dishId": 0,
      "quantity": 0
    }
  ]
}
```

Responses

Code	Description	Links
201	Order added	No links
	Media type */ Controls Accept header. Example Value Schema <pre>{ "id": 0, "orderStatus": "NEW", "paymentMethod": "CASH", "type": "DINE_IN", "clientId": 0, "totalPrice": 0.1 }</pre>	
400	Bad request	No links
	Media type */	

Code	Description	Links
	Example Value Schema <pre>{ "id": 0, "orderStatus": "NEW", "paymentMethod": "CASH", "type": "DINE_IN", "clientId": 0, "totalPrice": 0.1}</pre>	
404	Client not found	No links
	Media type */* Example Value Schema <pre>{ "id": 0, "orderStatus": "NEW", "paymentMethod": "CASH", "type": "DINE_IN", "clientId": 0, "totalPrice": 0.1}</pre>	

dish-controller



GET

/api/v1/dishes/{id}

Get dish by id with HATEOAS links

⌵

Parameters

Try it out

Name	Description
id * required integer(\$int64) (path)	id

Responses

Code	Description	Links
200	OK Media type /** Controls Accept header. Example Value Schema <pre>{ "id": 0, "name": "string", "category": "APPETIZER", "calories": 0, "currentPrice": 0.1, "isAvailable": true, "isVegetarian": true, "_links": { "additionalProp1": { "href": "string", "hreflang": "string", "title": "string", "type": "string", "deprecation": "string", "profile": "string", "name": "string", "templated": true }, "additionalProp2": { "href": "string", "hreflang": "string", "title": "string", "type": "string", "deprecation": "string", "profile": "string", "name": "string", </pre>	No links
404	Dish not found Media type /** Example Value Schema <pre>{ "id": 0, "name": "string", "category": "APPETIZER", "calories": 0, "currentPrice": 0.1, "isAvailable": true, "isVegetarian": true, "_links": { "additionalProp1": { "href": "string", "hreflang": "string", "title": "string", "type": "string", "deprecation": "string", </pre>	No links

Code	Description	Links
	<pre>"profile": "string", "name": "string", "templated": true }, "additionalProp2": { "href": "string", "hreflang": "string", "title": "string", "type": "string", "deprecation": "string", "profile": "string", "name": "string".</pre>	

PUT /api/v1/dishes/{id} Update dish by id

Parameters [Try it out](#)

Name	Description
id * required	
integer(\$int64)	id
(path)	

Request body required [application/json](#)

Example Value [Schema](#)

```
{
  "name": "OzIWbRSYctzjFPSuv sRB1Upth0JEaRBCQMckh",
  "category": "APPETIZER",
  "calories": 0,
  "currentPrice": 0.1,
  "isAvailable": true,
  "isVegetarian": true
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

Code	Description	Links
	/ Controls Accept header. Example Value Schema <pre>{ "id": 0, "name": "string", "category": "APPETIZER", "calories": 0, "currentPrice": 0.1, "isAvailable": true, "isVegetarian": true }</pre>	
400	Invalid input data Media type */* Example Value Schema <pre>{ "id": 0, "name": "string", "category": "APPETIZER", "calories": 0, "currentPrice": 0.1, "isAvailable": true, "isVegetarian": true }</pre>	No links
404	Dish not found Media type */* Example Value Schema <pre>{ "id": 0, "name": "string", "category": "APPETIZER", "calories": 0, "currentPrice": 0.1, "isAvailable": true, "isVegetarian": true }</pre>	No links
DELETE	/api/v1/dishes/{id} Delete dish by id	⤴

Parameters

Try it out

Name	Description
------	-------------

id * required integer(\$int64) (path)	id
--	---------------------------------

Responses

Code	Description	Links
204	No Content	No links
404	Dish not found	No links
409	Dish is used in orders and cannot be deleted	No links

GET

/api/v1/dishes Get the list of dishes with optional filtering



Parameters

Try it out

Name	Description
------	-------------

category	Available values : APPETIZER, SOUP, MAIN_COURSE, DESSERT
----------	--

string (query)	--
-------------------	---------------------------------

isAvailable	--
-------------	---------------------------------

boolean (query)	
--------------------	--

Responses

Code	Description	Links
200	List of dishes	No links
Media type		
/		
Controls Accept header.		
Example Value Schema		
<pre>[{ "id": 0, "name": "string", "category": "APPETIZER", "isAvailable": true }]</pre>		

POST /api/v1/dishes Add new dish ^		
Parameters		Try it out
No parameters		
Request body required		application/json
Example Value Schema		
<pre>{ "name": "Vu", "category": "APPETIZER", "calories": 0, "currentPrice": 0.1, "isAvailable": true, "isVegetarian": true }</pre>		
Responses		
Code	Description	Links
201	Dish created	No links
Media type		

Code	Description	Links
	/* Controls Accept header. Example Value Schema <pre>{ "id": 0, "name": "string", "category": "APPETIZER", "calories": 0, "currentPrice": 0.1, "isAvailable": true, "isVegetarian": true }</pre>	
400	Invalid input data Media type /* Example Value Schema <pre>{ "id": 0, "name": "string", "category": "APPETIZER", "calories": 0, "currentPrice": 0.1, "isAvailable": true, "isVegetarian": true }</pre>	No links

GET

/api/v1/dishes/{id}/recipes

Get list of recipes for dish

⌵

Parameters

Try it out

Name	Description
id * required	
integer(\$int64)	id
(path)	

Responses

Code	Description	Links
200	OK Media type */ Controls Accept header. Example Value Schema <pre>[{ "id": 0, "amountRequired": 0.1, "unit": "string", "ingredientId": 0, "ingredientName": "string" }]</pre>	No links
404	Dish not found Media type */ Example Value Schema <pre>[{ "id": 0, "amountRequired": 0.1, "unit": "string", "ingredientId": 0, "ingredientName": "string" }]</pre>	No links

client-controller



GET

/api/v1/clients/{id} Get client by id with HATEOAS links

⌵

Parameters

Try it out

Name	Description
------	-------------

id * required	
----------------------	--

integer(\$int64)	
------------------	--

(path)	
--------	--

Responses

Code	Description	Links
------	-------------	-------

200		
-----	--	--

No links

Media type

Controls Accept header.

Example Value Schema

```
{
  "id": 0,
  "name": "string",
  "lastName": "string",
  "phoneNumber": "string",
  "email": "string",
  "defaultDeliveryAddress": "string",
  "loyaltyPoints": 0,
  "_links": {
    "additionalProp1": {
      "href": "string",
      "hreflang": "string",
      "title": "string",
      "type": "string",
      "deprecation": "string",
      "profile": "string",
      "name": "string",
      "templated": true
    },
    "additionalProp2": {
      "href": "string",
      "hreflang": "string",
      "title": "string",
      "type": "string",
      "deprecation": "string",
      "profile": "string",
      "name": "string",

```

404		
-----	--	--

Client not found

No links

Media type

Code

Description

Links

Example Value Schema

```
{
  "id": 0,
  "name": "string",
  "lastName": "string",
  "phoneNumber": "string",
  "email": "string",
  "defaultDeliveryAddress": "string",
  "loyaltyPoints": 0,
  "_links": {
    "additionalProp1": {
      "href": "string",
      "hreflang": "string",
      "title": "string",
      "type": "string",
      "deprecation": "string",
      "profile": "string",
      "name": "string",
      "templated": true
    },
    "additionalProp2": {
      "href": "string",
      "hreflang": "string",
      "title": "string",
      "type": "string",
      "deprecation": "string",
      "profile": "string",
      "name": "string",

```

PUT

/api/v1/clients/{id} Update client



Parameters

Try it out

Name

Description

id * required

integer(\$int64)

(path)

id

Request body required

application/json

Example Value Schema

```
{
  "name": "IMDLPC",
  "lastName": "fIbOVWqDxZVDaaJZafyjejNl0JgJoZmHLWwzefOcNezqbo",
  "phoneNumber": "390941100279616",
  "email": "user@example.com",

```



```
"defaultDeliveryAddress": "string"
}
```

Responses

Code	Description	Links
200	OK Media type */ Controls Accept header. Example Value Schema <pre>{ "id": 0, "name": "string", "lastName": "string", "phoneNumber": "string", "email": "string", "defaultDeliveryAddress": "string", "loyaltyPoints": 0 }</pre>	No links
400	Invalid input data Media type */ Example Value Schema <pre>{ "id": 0, "name": "string", "lastName": "string", "phoneNumber": "string", "email": "string", "defaultDeliveryAddress": "string", "loyaltyPoints": 0 }</pre>	No links
404	Client not found Media type */ Example Value Schema <pre>{ "id": 0,</pre>	No links

Code

Description

Links

```
"name": "string",
"lastName": "string",
"phoneNumber": "string",
"email": "string",
"defaultDeliveryAddress": "string",
"loyaltyPoints": 0
}
```

DELETE /api/v1/clients/{id} Delete client

Parameters

[Try it out](#)

Name

Description

id * required

integer(\$int64)

(path)

Responses

Code

Description

Links

204

No Content

No links

404

Client not found

No links

GET

/api/v1/clients Get the list of clients



Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	List of clients	No links
Media type		
/**		
Controls Accept header.		
Example Value Schema		
<pre>[{ "id": 0, "name": "string", "lastName": "string" }]</pre>		

POST

/api/v1/clients

Add new client

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "name": "ivoNOXieztJlclEOeNocEQlCcBTuvoRdbwHhHyckrFbIwJPMVX",
  "lastName": "JUXvtXBgsNggPEtaaVgacYm1FWFqKdK",
  "phoneNumber": "472966153893720",
  "email": "user@example.com",
  "defaultDeliveryAddress": "string"
}
```

Responses

Code	Description	Links
201	Client created	No links
	Media type	

Code	Description	Links
	/ Controls Accept header. Example Value Schema <pre>{ "id": 0, "name": "string", "lastName": "string", "phoneNumber": "string", "email": "string", "defaultDeliveryAddress": "string", "loyaltyPoints": 0 }</pre>	
400	Invalid input data Media type */* Example Value Schema <pre>{ "id": 0, "name": "string", "lastName": "string", "phoneNumber": "string", "email": "string", "defaultDeliveryAddress": "string", "loyaltyPoints": 0 }</pre>	No links

GET

/api/v1/clients/{id}/orders

Get list of orders for client

⌵

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	OK Media type */ Controls Accept header. Example Value Schema [{ "id": 0, "orderDateTime": "2026-06-16T12:25:47.692Z", "orderStatus": "NEW", "paymentMethod": "CASH", "type": "DINE_IN", "clientId": 0, "deliveryAddress": "string", "totalPrice": 0.1, "items": [{ "dishId": 0, "dishName": "string", "quantity": 0, "priceAtPurchase": 0.1 }] }]	No links
404	Client not found Media type */ Example Value Schema	No links

Code	Description	Links
	<pre>[{ "id": 0, "orderDateTime": "2026-06-16T12:25:47.694Z", "orderStatus": "NEW", "paymentMethod": "CASH", "type": "DINE_IN", "clientId": 0, "deliveryAddress": "string", "totalPrice": 0.1, "items": [{ "dishId": 0, "dishName": "string", "quantity": 0, "priceAtPurchase": 0.1 }] }]</pre>	

report-controller



GET

/api/v1/reports/popular-dishes

Get list of popular dishes

Parameters

Try it out

Name	Description
month string (query)	month

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header.	No links

Code	Description	Links
Example Value Schema <pre>[{ "name": "string", "quantitySold": 0 }]</pre>		

GET

/api/v1/reports/orders-by-type

Get list of orders by type

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema [{ "orderType": "DINE_IN", "count": 0 }]	No links

GET	/api/v1/reports/daily-sales	Get daily sales amount	⌵
Parameters		Try it out	
Name	Description		

Name	Description
------	-------------

date string(\$date) (query)	date
-----------------------------------	-----------------------------------

Responses

Code	Description	Links
200	OK	No links

Media type

Controls Accept header.

Example Value Schema

```
{
  "date": "2026-06-16",
  "totalRevenue": 0.1
}
```

Schemas

OrderItemRequest ^ Collapse all object

```
dishId* integer int64
quantity* integer int32
```

OrderRequest ^ Collapse all object

```
orderStatus* ^ Collapse all string
```

```
Enum ^ Collapse all array
```

```
#0="NEW"
```

```
#1="IN_PREPARATION"
```

```
#2="READY"
```



```
    #3="COMPLETED"
    #4="CANCELLED"
  paymentMethod* ^ Collapse all string
    Enum ^ Collapse all array
      #0="CASH"
      #1="CARD"
      #2="BLIK"
      #3="ONLINE_TRANSFER"
  type* ^ Collapse all string
    Enum ^ Collapse all array
      #0="DINE_IN"
      #1="TAKEAWAY"
      #2="DELIVERY"
  clientId* integer int64
  deliveryAddress string
  items* ^ Collapse all array<object> ≥ 1 items
    Items ^ Collapse all object
      dishId* integer int64
      quantity* integer int32
```

OrderCreatedResponse ^ Collapse all object

```
id integer int64
orderStatus ^ Collapse all string
  Enum ^ Collapse all array
    #0="NEW"
    #1="IN_PREPARATION"
    #2="READY"
    #3="COMPLETED"
    #4="CANCELLED"
  paymentMethod ^ Collapse all string
    Enum ^ Collapse all array
      #0="CASH"
      #1="CARD"
      #2="BLIK"
      #3="ONLINE_TRANSFER"
  type ^ Collapse all string
```

```
Enum ^ Collapse all array
  #0="DINE_IN"
  #1="TAKEAWAY"
  #2="DELIVERY"
clientId integer int64
totalPrice number double
```

DishRequest ^ Collapse all object

```
name* string [2, 100] characters matches ^[a-zA-ZąćęłńóśźżĄĆĘŁŃÓŚŻŻ\s]+$
category* ^ Collapse all string
  Enum ^ Collapse all array
    #0="APPETIZER"
    #1="SOUP"
    #2="MAIN_COURSE"
    #3="DESSERT"
calories* integer ≥ 0 int32
currentPrice* number double
isAvailable* boolean
isVegetarian* boolean
```

DishDetailResponse ^ Collapse all object

```
id integer int64
name string
category ^ Collapse all string
  Enum ^ Collapse all array
    #0="APPETIZER"
    #1="SOUP"
    #2="MAIN_COURSE"
    #3="DESSERT"
calories integer int32
currentPrice number double
isAvailable boolean
isVegetarian boolean
```

ClientRequest ^ Collapse all object

```
name* string [3, 50] characters matches ^[a-zA-ZąćęłńóśźżĄĆĘŁŃÓŚŻŻ]+$
lastName* string [3, 50] characters matches ^[a-zA-ZąćęłńóśźżĄĆĘŁŃÓŚŻŻ]+$
phoneNumber* string [9, 15] characters matches ^[0-9]+$
email* string email ≥ 1 characters
defaultDeliveryAddress string
```

ClientDetailResponse ^ Collapse all object

```
id integer int64
name string
lastName string
phoneNumber string
email string
defaultDeliveryAddress string
loyaltyPoints integer int32
```

PopularDishReportResponse ^ Collapse all object

```
name string
quantitySold integer int64
```

OrdersByTypeReportResponse ^ Collapse all object

```
orderType ^ Collapse all string
  Enum ^ Collapse all array
    #0="DINE_IN"
    #1="TAKEAWAY"
    #2="DELIVERY"
count integer int64
```

DailySalesReportResponse ^ Collapse all object

```
date string date
totalRevenue number double
```

OrderListItemResponse ^ Collapse all object

```
id integer int64
```

orderDateTime **string** **date-time**

orderStatus ^ Collapse all **string**

Enum ^ Collapse all **array**

#0="NEW"

#1="IN_PREPARATION"

#2="READY"

#3="COMPLETED"

#4="CANCELLED"

type ^ Collapse all **string**

Enum ^ Collapse all **array**

#0="DINE_IN"

#1="TAKEAWAY"

#2="DELIVERY"

clientFullName **string**

totalPrice **number** **double**

itemsCount **integer** **int32**

OrderDetailResponse ^ Collapse all **object**

id **integer** **int64**

orderDateTime **string** **date-time**

orderStatus ^ Collapse all **string**

Enum ^ Collapse all **array**

#0="NEW"

#1="IN_PREPARATION"

#2="READY"

#3="COMPLETED"

#4="CANCELLED"

paymentMethod ^ Collapse all **string**

Enum ^ Collapse all **array**

#0="CASH"

#1="CARD"

#2="BLIK"

#3="ONLINE_TRANSFER"

type ^ Collapse all **string**

Enum ^ Collapse all **array**

#0="DINE_IN"

```
#1="TAKEAWAY"
#2="DELIVERY"

clientId integer int64
deliveryAddress string
totalPrice number double
items ^ Collapse all array<object>
  Items ^ Collapse all object
    dishId integer int64
    dishName string
    quantity integer int32
    priceAtPurchase number double
```

OrderItemResponse ^ Collapse all object

```
dishId integer int64
dishName string
quantity integer int32
priceAtPurchase number double
```

DishListItemResponse ^ Collapse all object

```
id integer int64
name string
category ^ Collapse all string
  Enum ^ Collapse all array
    #0="APPETIZER"
    #1="SOUP"
    #2="MAIN_COURSE"
    #3="DESSERT"
isAvailable boolean
```

DishResource ^ Collapse all object

```
id integer int64
name string
category ^ Collapse all string
  Enum ^ Collapse all array
    #0="APPETIZER"
```

```
#1="SOUP"
#2="MAIN_COURSE"
#3="DESSERT"

calories integer int32

currentPrice number double

isAvailable boolean

isVegetarian boolean

_links ^ Collapse all object
  Additional properties ^ Collapse all object
    href string
    hreflang string
    title string
    type string
    deprecation string
    profile string
    name string
    templated boolean
```

RecipeResponse ^ Collapse all object

```
id integer int64

amountRequired number double

unit string

ingredientId integer int64

ingredientName string
```

ClientListItemResponse ^ Collapse all object

```
id integer int64

name string

lastName string
```

ClientResource ^ Collapse all object

```
id integer int64

name string

lastName string

phoneNumber string
```

```
email string
defaultDeliveryAddress string
loyaltyPoints integer int32
_links ^ Collapse all object
  Additional properties ^ Collapse all object
    href string
    hreflang string
    title string
    type string
    deprecation string
    profile string
    name string
    templated boolean
```

Link ^ Collapse all object

```
href string
hreflang string
title string
type string
deprecation string
profile string
name string
templated boolean
```

Links ^ Collapse all object

```
Additional properties ^ Collapse all object
  href string
  hreflang string
  title string
  type string
  deprecation string
  profile string
  name string
  templated boolean
```